Mini Slash® 4X4
(Model 108164-1) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)
5115A	**Ball bearings, black rubber sealed (5x10x4mm) (2)**
5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)
5114A	**Ball bearings, black rubber sealed (5x8x2.5mm) (2)**
10719	Ball bearings, black rubber sealed (7x14x3.5mm) (2)
5103A	Ball bearings, black rubber sealed (7x14x5mm) (2)
5118A	Ball bearings, black rubber sealed (8x16x5mm) (2)
5115	**Ball bearings, blue rubber shield (5x10x4mm) (2)**
5114	**Ball bearings, blue rubber shield (5x8x2.5mm) (2)**

Body & Accessories

10819	Body reinforcement set (fits #10811 series bodies)
10814	**Body, Mini Slash® 4X4 (clear, requires painting)/ decal sheet**
10811	**Body, Mini Slash® 4X4 (clear, requires painting)/ decal sheet (includes body reinforcement, interior, side trim, hardware) (for clipless mounting)**
10811-GRN	Body, Mini Slash® 4X4, complete (green) (painted, decals applied)
10811-ORNG	Body, Mini Slash® 4X4, complete (orange) (painted, decals applied)
10811-PINK	Body, Mini Slash® 4X4, complete (pink) (painted, decals applied)
10811-RED	Body, Mini Slash® 4X4, complete (red) (painted, decals applied)
10811X	**Body, Mini Slash® 4X4, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet (includes body reinforcement, interior, side trim, hardware) (for clipless mounting)**
10821	Clipless mounts, body (left & right) (for #10811 series bodies)
10820	Cross brace, body (with clipless latches)/ side trim (left & right) (for #10811 series bodies)
10815	Interior, black (assembled) (for #10811 series bodies)
10813	**Number plates, left & right (for #10811 series bodies)**

Bumpers & Skidplates

10835	Skid plate, front (1)/ rear (1)/ bumper, rear (1) (for use with #10822 chassis)

Chassis & Attachments

10724X	Adapters, electronic speed control (inner (6), outer (3))
10726X	Battery hold-down/ battery clip/ hold-down post/ battery compartment spacer
10728X	Bulkhead, front (upper & lower)
10729	Bulkhead, rear (upper & lower)
10822	Chassis (for 235mm wheelbase)
10821	Clipless mounts, body (left & right) (for #10811 series bodies)
10777T	Covers, gear (1)/ receiver (1)/ center driveshaft (1)
10769R	**Motor mount plate, 6061-T6 aluminum (dark-titanium anodized)/ gear cover**
10839	Shock tower, front
10838	Shock tower, rear

Differential Components

10781	Carrier, differential (planetary gears)/ o-rings (2)/ ring gear gasket
10880	**Differential assembly (bevel gear), front or rear, complete/ pinion gear, differential (13/37 ratio) (front (1), rear (1))**
10760R	**Differential kit, center (complete with steel spur gear) (aluminum carrier) (requires #10757 center driveshaft with #10762 pinion gear (Mini Maxx®/Mini XRT®) or #10857 center driveshaft with #10862 pinion gear (Mini Rally VXL®/Mini Slash®))**
10760	**Differential kit, center (complete) (requires #10757 center driveshaft with #10762 pinion gear (Mini Maxx®/Mini XRT®) or #10857 center driveshaft with #10862 pinion gear (Mini Rally VXL®/Mini Slash®))**
10853	Differential output yoke assembly, extreme heavy duty (narrow) (1) (left or right, front or rear) (assembled with external-splined half shaft)/ screw pin
10782	Gear set, differential (output gears (2), output gear shaft (1), planetary gears (4), planetary gear shafts (4), differential spacers (2))
6783	**Gear set, differential (spider gears (4)/ spider gear shaft (2))**
6781	**Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS (with threadlock) (4)**
9081	**Housing, center differential/ x-ring gaskets (2)/ 5x10x0.5 PTFE-coated washer (1)/ 2.5x10 CCS (4)**
10762	**Pinion gear, differential (12/47 ratio) (rear) (requires #10757, 10857 or 10858 center driveshaft with either #10758 slipper clutch or #10760 center differential)**
10862	**Pinion gear, differential (13/37 ratio) (rear) (requires driveshaft #10757, 10857, or 10858 with either slipper clutch #10758 or center differential #10760)**
10878X	**Pinion gear, differential, 13-tooth, machined steel (front)**
10878	Ring gear, differential/ pinion gear, differential (planetary) (13/37 ratio) (front)
10879	Ring gear, differential/ pinion gear, differential (planetary) (13/37 ratio) (rear)
10761	**Spur gear, 47-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)**
10761X	**Spur gear, steel, 47-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)**

Driveline Components

9059X	**Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)**
10853	Differential output yoke assembly, extreme heavy duty (narrow) (1) (left or right, front or rear) (assembled with external-splined half shaft)/ screw pin
10747X	**Drive cup, steel (1)/ screw pin (1)**
6888	**Drive hub, center, rear (1)/ 4x3 GS (1)**
10850	Driveshaft assembly, narrow (left or right, front or rear) (1) (fully assembled, ready to install)/ screw pin (1)
10855X	**Driveshaft, center, 6061-T6 aluminum (clear-anodized) (requires #10762 or 10862 pinion gear with either #10758 slipper clutch or #10760 center differential) (for 235mm wheelbase)**
10855	Driveshaft, center, direct drive (plastic, black) (for 235mm wheelbase)
10857	**Driveshaft, center, plastic (requires pinion gear #10762 (Mini Maxx®/Mini XRT®) or pinion gear #10862 (Mini Rally VXL®/Mini Slash®) with either slipper clutch #10758 or center differential 10760) (for 235mm wheelbase)**
10850X	**Driveshafts, steel constant-velocity, narrow (assembled), front or rear (4)/ drive cups (4)/ screw pins (4)**
8347	Nuts, 4mm flanged nylon locking, serrated (black) (10)
10758	**Slipper clutch, complete (fits Mini Maxx®) (requires #10757 & 10762)**
10759	**Spur gear, 47-tooth (for slipper clutch) (0.8 metric pitch, compatible with 32-pitch)**
10854	Stub axle assembly, outer, extreme heavy duty (narrow) (1) (left or right, front or rear) (assembled with internal-splined half shaft)
9054X	**Stub axle, front, steel-splined constant velocity (1)**
1654	Wheel hubs, hex (2)/ stub axle pins (2)
1654X	**Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)/ axle pins(2)**
1654R	**Wheel hubs, hex (steel) (2)/ axle pins (2)**

Front Suspension & Steering

10733-BLUE	**Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized) (left & right)**
10733-GRAY	**Caster blocks (c-hubs), 6061-T6 aluminum (dark titanium-anodized) (left & right)**
10733-GRN	**Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized) (left & right)**
10733-ORNG	**Caster blocks (c-hubs), 6061-T6 aluminum (orange-anodized) (left & right)**
10733-RED	**Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized) (left & right)**
10732-BLK	Caster blocks (c-hubs), left & right (black)
10732-BLUE	**Caster blocks (c-hubs), left & right (blue)**
10732-GRAY	**Caster blocks (c-hubs), left & right (gray)**
10732-GRN	**Caster blocks (c-hubs), left & right (green)**
10732-ORNG	**Caster blocks (c-hubs), left & right (orange)**
10732-RED	**Caster blocks (c-hubs), left & right (red)**
10747X	**Drive cup, steel (1)/ screw pin (1)**
10850X	**Driveshafts, steel constant-velocity, narrow (assembled), front or rear (4)/ drive cups (4)/ screw pins (4)**
10839	Shock tower, front
10743	Steering bellcranks (2)/ draglink (1)/ steering link (1)
10743-BLUE	**Steering bellcranks, draglink (blue-anodized 6061-T6 aluminum)/ 3x13mm SS (with threadlock) (2)/ 3x12mm BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (1)/ 5x8x2.5mm ball bearings (2)/ 5x10x4mm ball bearings (2)**

10743-GRAY **Steering bellcranks, draglink (dark titanium-anodized 6061-T6 aluminum)/ 3x13mm SS (with threadlock) (2)/ 3x12mm BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (1)/ 5x8x2.5mm ball bearings (2)/ 5x10x4mm ball bearings (2)**

10743-GRN **Steering bellcranks, draglink (green-anodized 6061-T6 aluminum)/ 3x13mm SS (with threadlock) (2)/ 3x12mm BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (1)/ 5x8x2.5mm ball bearings (2)/ 5x10x4mm ball bearings (2)**

10743-ORNG **Steering bellcranks, draglink (orange-anodized 6061-T6 aluminum)/ 3x13mm SS (with threadlock) (2)/ 3x12mm BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (1)/ 5x8x2.5mm ball bearings (2)/ 5x10x4mm ball bearings (2)**

10743-RED **Steering bellcranks, draglink (red-anodized 6061-T6 aluminum)/ 3x13mm SS (with threadlock) (2)/ 3x12mm BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (1)/ 5x8x2.5mm ball bearings (2)/ 5x10x4mm ball bearings (2)**

10734-BLUE **Steering blocks, 6061-T6 aluminum (blue-anodized) (left & right)/ 3x12mm SS (with threadlock) (4)/ 3x15mm BCS (with threadlock) (2)**

10734-GRAY **Steering blocks, 6061-T6 aluminum (dark titanium-anodized) (left & right)/ 3x12mm SS (with threadlock) (4)/ 3x15mm BCS (with threadlock) (2)**

10734-GRN **Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 3x12mm SS (with threadlock) (4)/ 3x15mm BCS (with threadlock) (2)**

10734-ORNG **Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 3x12mm SS (with threadlock) (4)/ 3x15mm BCS (with threadlock) (2)**

10734-RED **Steering blocks, 6061-T6 aluminum (red-anodized) (left & right)/ 3x12mm SS (with threadlock) (4)/ 3x15mm BCS (with threadlock) (2)**

10736-BLK Steering blocks, left & right (black)

10736-BLUE **Steering blocks, left & right (blue)**

10736-GRAY **Steering blocks, left & right (gray)**

10736-GRN **Steering blocks, left & right (green)**

10736-ORNG **Steering blocks, left & right (orange)**

10736-RED **Steering blocks, left & right (red)**

10831 Suspension arms, front (narrow) (upper left (1)/ upper right (1)/ lower left (1)/ lower right (1))

10831-BLUE **Suspension arms, front, blue (narrow) (upper left (1)/ upper right (1)/ lower left (1)/ lower right (1))**

10831-GRAY **Suspension arms, front, gray (narrow) (upper left (1)/ upper right (1)/ lower left (1)/ lower right (1))**

10831-GRN **Suspension arms, front, green (narrow) (upper left (1)/ upper right (1)/ lower left (1)/ lower right (1))**

10831-ORNG **Suspension arms, front, orange (narrow) (upper left (1)/ upper right (1)/ lower left (1)/ lower right (1))**

10831-RED **Suspension arms, front, red (narrow) (upper left (1)/ upper right (1)/ lower left (1)/ lower right (1))**

10741X **Suspension pins, inner, upper (hardened steel), 3x45mm (4)**

10740X **Suspension pins, outer (hardened steel), 3x34mm (4), 3x37mm (4)**

10740 Suspension screw pin set, front or rear, 3x40mm (6), 3x32mm (4), 3x28mm (4), 3x46mm (2)

Hardware

3229 Screws, 2.5x10mm cap-head machine (hex drive) (6)

3965 Screws, 2.5x8mm cap-head machine (6)

2577 Screws, 3x10mm button-head machine (hex drive) (6)

2551 Screws, 3x10mm countersunk machine (6) (hex drive)

2578 Screws, 3x12mm button-head machine (hex drive) (6)

2593 Screws, 3x14mm button-head machine (hex drive) (6)

2579 Screws, 3x15mm button-head machine (hex drive) (6)

2580 Screws, 3x20mm button-head machine (hex drive) (6)

2554 Screws, 3x6mm caphead machine (hex drive) (6)

3932 Screws, 3x6mm flat-head machine (hex drive) (6)

2576 Screws, 3x8mm button-head machine (hex drive) (6)

2550 Screws, 3x8mm countersunk machine (6) (hex drive)

3642X Shoulder screws, Ultra Shocks (3x12 hex drive) (6)

10741X **Suspension pins, inner, upper (hardened steel), 3x45mm (4)**

10740X **Suspension pins, outer (hardened steel), 3x34mm (4), 3x37mm (4)**

10740 Suspension screw pin set, front or rear, 3x40mm (6), 3x32mm (4), 3x28mm (4), 3x46mm (2)

LED Lights

6588X **Accessory power supply (regulated, 3V, 3 amp)/ power tap connector (with cable)/ 3x10 BCS (2)/ 2.6x8 BCS (2)**

10886 **LED light kit, Mini Slash® 4X4, complete (includes front roof light bar & rear light bars (2)) (fits #10811 body)**

Motors & Electronics

6588X **Accessory power supply (regulated, 3V, 3 amp)/ power tap connector (with cable)/ 3x10 BCS (2)/ 2.6x8 BCS (2)**

3382 BL-2s® Brushless Power System, waterproof (includes BL-2s® ESC & BL-2s® 3300 motor)

3383 BL-2s® Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)

10777T Covers, gear (1)/ receiver (1)/ center driveshaft (1)

2053 Gear set (for 2055, 2056 servos)

2072A **Gear set (for 2070, 2075 servos)**

2252 **Gear set, metal (for 2250, 2255 servos)**

2272 **Gear set, metal (for 2270 waterproof servo)**

2287 **Gear set, metal (for 2280 servo)**

10769R **Motor mount plate, 6061-T6 aluminum (dark-titanium anodized)/ gear cover**

3384 Motor, BL-2s® 3300, brushless

2254 **Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)**

2253 **Servo case, aluminum (middle) (red-anodized) (for 2255 servo)**

2251 **Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)**

2271 **Servo case/ gaskets (for 2270 waterproof servo)**

2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)

2075 **Servo, digital high-torque (ball bearing), waterproof**

2250 **Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof**

2255 **Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof**

2280 **Servo, digital high-torque 600 brushless, metal gear (ball bearing), waterproof**

2270 **Servo, digital high-torque, metal gear (ball bearing), waterproof**

2056 Servo, high-torque, waterproof (blue case)

Radio System, Batteries & Chargers

2825X 3500mAh 7.4V 2-Cell 25C LiPo Battery

2938X **Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)**

2943 **Battery charge indicators, green (4), grey (4), blue (4)**

6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)

2914 **Battery, Power Cell AA Alkaline (4)**

2972 **Charger, EZ-Peak Live Dual, 100W, NiMH/ LiPo with ID Auto Battery Identification**

2973 **Charger, EZ-Peak Live Dual, 200W, NiMH/ LiPo with ID Auto Battery Identification**

2970 **Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification**

2981 **Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification**

2985 **Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification**

2920 Charger, USB-C, 2s LiPo (with iD®)

6512 **Cover plate, Traxxas® Link Bluetooth® module**

2971 **EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®**

2053 Gear set (for 2055, 2056 servos)

2072A **Gear set (for 2070, 2075 servos)**

2252 **Gear set, metal (for 2250, 2255 servos)**

2272 **Gear set, metal (for 2270 waterproof servo)**

2287 **Gear set, metal (for 2280 servo)**

2968X **LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)**

2968 **LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)**

2912 **Power adapter, AC, USB-C (45W) (110 volt, North America only)**

2916 **Power cable, USB-C, 100W (high output), 5 ft. (1.5m)**

6519 Receiver, micro, TQ 2.4GHz (3-channel)

6533X **Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)**

2254 **Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)**

2253 **Servo case, aluminum (middle) (red-anodized) (for 2255 servo)**

2251 **Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)**

2271 **Servo case/ gaskets (for 2270 waterproof servo)**

2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)

2075 **Servo, digital high-torque (ball bearing), waterproof**
2280 **Servo, digital high-torque 600 brushless, metal gear (ball bearing), waterproof**
2056 Servo, high-torque, waterproof (blue case)
6509A **TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)**
6507A **TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)**
6516 Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528X **Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)**
6529X **Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)**
6530X **Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)**

Ready-To-Race Model

108164-1 Mini Slash® 4X4: 4WD Brushless Electric Short Course Racing Truck with TQ™ 2.4GHz Radio System

Rear Suspension

10752-BLK Carriers, stub axle (black) (rear) (left & right)
10752-BLUE **Carriers, stub axle (blue) (rear) (left & right)**
10752-GRAY **Carriers, stub axle (gray) (rear) (left & right)**
10752-GRN **Carriers, stub axle (green) (rear) (left & right)**
10752-ORNG **Carriers, stub axle (orange) (rear) (left & right)**
10752-RED **Carriers, stub axle (red) (rear) (left & right)**
10751-BLUE **Carriers, stub axle, 6061-T6 aluminum (blue-anodized) (left & right)**
10751-GRAY **Carriers, stub axle, 6061-T6 aluminum (dark titanium-anodized) (left & right)**
10751-GRN **Carriers, stub axle, 6061-T6 aluminum (green-anodized) (left & right)**
10751-ORNG **Carriers, stub axle, 6061-T6 aluminum (orange-anodized) (left & right)**
10751-RED **Carriers, stub axle, 6061-T6 aluminum (red-anodized) (left & right)**
10747X **Drive cup, steel (1)/ screw pin (1)**
10850 Driveshaft assembly, narrow (left or right, front or rear) (1) (fully assembled, ready to install)/ screw pin (1)
10850X **Driveshafts, steel constant-velocity, narrow (assembled), front or rear (4)/ drive cups (4)/ screw pins (4)**
10838 Shock tower, rear
10830 Suspension arms, rear (narrow) (upper left (1)/ upper right (1)/ lower left (1)/ lower right (1))
10830-BLUE **Suspension arms, rear, blue (narrow) (upper left (1)/ upper right (1)/ lower left (1)/ lower right (1))**
10830-GRAY **Suspension arms, rear, gray (narrow) (upper left (1)/ upper right (1)/ lower left (1)/ lower right (1))**
10830-GRN **Suspension arms, rear, green (narrow) (upper left (1)/ upper right (1)/ lower left (1)/ lower right (1))**
10830-ORNG **Suspension arms, rear, orange (narrow) (upper left (1)/ upper right (1)/ lower left (1)/ lower right (1))**
10830-RED **Suspension arms, rear, red (narrow) (upper left (1)/ upper right (1)/ lower left (1)/ lower right (1))**
10741X **Suspension pins, inner, upper (hardened steel), 3x45mm (4)**
10740X **Suspension pins, outer (hardened steel), 3x34mm (4), 3x37mm (4)**
10740 Suspension screw pin set, front or rear, 3x40mm (6), 3x32mm (4), 3x28mm (4), 3x46mm (2)

Shock Oil

5031 **Oil, shock (20 wt, 200 cSt, 60cc) (silicone)**
5032 **Oil, shock (30 wt, 350 cSt, 60cc) (silicone)**
5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034 **Oil, shock (50 wt, 600 cSt, 60cc) (silicone)**
5035 **Oil, shock (60 wt, 700 cSt, 60cc) (silicone)**
5036 **Oil, shock (70 wt, 900 cSt, 60cc) (silicone)**
5037 **Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)**
5029 **Shock oil bottle (60cc) (for mixing shock oil)**
5038X **Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)**
5038 **Spinning carousel rack**

Shocks (GTR Shocks)

10866-GRAY **Body, GTR short (gray-anodized, PTFE-coated aluminum) (1)**
10866-BLUE **Body, GTR short shock (blue-anodized, PTFE-coated aluminum) (1)**
10866-GRN **Body, GTR short shock (green-anodized, PTFE-coated aluminum) (1)**
10866-ORNG **Body, GTR short shock (orange-anodized, PTFE-coated aluminum) (1)**
10866-RED **Body, GTR short shock (red-anodized, PTFE-coated aluminum) (1)**
7468X **Caps & spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))**
8455 **Rebuild kit, GTR shocks (x-rings, bladders, pistons, piston nuts, shock rod ends) (renews 2 shocks)**
10865-GRAY **Shocks, GTR, 63 mm (gray-anodized, PTFE-coated bodies with TiN shafts) (fully assembled w/o springs) (4)**
10865-BLUE **Shocks, GTR, 63mm (blue-anodized, PTFE-coated bodies with TiN shafts) (fully assembled w/o springs) (4)**
10865-GRN **Shocks, GTR, 63mm (green-anodized, PTFE-coated bodies with TiN shafts) (fully assembled w/o springs) (4)**
10865-ORNG **Shocks, GTR, 63mm (orange-anodized, PTFE-coated bodies with TiN shafts) (fully assembled w/o springs) (4)**
10865-RED **Shocks, GTR, 63mm (red-anodized, PTFE-coated bodies with TiN shafts) (fully assembled w/o springs) (4)**
8459 **Spring retainers, lower (captured) (4)/ 2.5x10 CS (4)**
10834 **Springs, shock (natural finish) (GTR short) (0.92 rate) (1 pair)**
10851 **Springs, shock (natural finish) (GTR short) (1.19 rate, green stripe) (1 pair)**
10852 **Springs, shock (natural finish) (GTR short) (1.36 rate, black stripe) (1 pair)**

Shocks (Ultra Shocks)

1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X Rod ends, short (6)/ hollow balls (6)
10863 Shaft, Ultra Shock, short (steel, chrome finish) (35mm) (2)
3767 Shock caps (2)/ shock bottoms (2)
8361 Shock caps (black) (4) (assembled with hollow balls)
2362 Shock rebuild kit (for 2 shocks)
1765 Silicone diaphragms (4)
3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
10864 Springs, shock (natural finish) (0.97 rate) (1 pair)
10867 **Springs, shock (natural finish) (1.16 rate, green stripe) (1 pair)**
10868 **Springs, shock (natural finish) (1.28 rate, black stripe) (1 pair)**
10860 Ultra Shocks (gray) (63mm) (includes spring pre-load spacers) (2)

Spur Gears & Pinion Gears

3945X **Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw**
3946X **Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw**
3947X **Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw**
3948X **Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw**
3949X Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3950X **Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw**
3951X **Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw**
3952X **Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw**
5645 **Gear, 26-T pinion (32-p), heavy duty (fits 3mm shaft)/ set screw**
10762 **Pinion gear, differential (12/47 ratio) (rear) (requires #10757, 10857 or 10858 center driveshaft with either #10758 slipper clutch or #10760 center differential)**
10756 Spur gear, 47-tooth (0.8 metric pitch, compatible with 32-pitch)
10761 **Spur gear, 47-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)**
10759 **Spur gear, 47-tooth (for slipper clutch) (0.8 metric pitch, compatible with 32-pitch)**
10756X **Spur gear, steel, 47-tooth (0.8 metric pitch, compatible with 32-pitch)**
10761X **Spur gear, steel, 47-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)**

Steering Components

10745 Servo saver/ servo saver spring/ servo horn, steering
10743 Steering bellcranks (2)/ draglink (1)/ steering link (1)
10743-BLUE **Steering bellcranks, draglink (blue-anodized 6061-T6 aluminum)/ 3x13mm SS (with threadlock) (2)/ 3x12mm BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (1)/ 5x8x2.5mm ball bearings (2)/ 5x10x4mm ball bearings (2)**
10743-GRAY **Steering bellcranks, draglink (dark titanium-anodized 6061-T6 aluminum)/ 3x13mm SS (with threadlock) (2)/ 3x12mm BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (1)/ 5x8x2.5mm ball bearings (2)/ 5x10x4mm ball bearings (2)**

10743-GRN	**Steering bellcranks, draglink (green-anodized 6061-T6 aluminum)/ 3x13mm SS (with threadlock) (2)/ 3x12mm BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (1)/ 5x8x2.5mm ball bearings (2)/ 5x10x4mm ball bearings (2)**
10743-ORNG	**Steering bellcranks, draglink (orange-anodized 6061-T6 aluminum)/ 3x13mm SS (with threadlock) (2)/ 3x12mm BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (1)/ 5x8x2.5mm ball bearings (2)/ 5x10x4mm ball bearings (2)**
10743-RED	**Steering bellcranks, draglink (red-anodized 6061-T6 aluminum)/ 3x13mm SS (with threadlock) (2)/ 3x12mm BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (1)/ 5x8x2.5mm ball bearings (2)/ 5x10x4mm ball bearings (2)**

Suspension Linkage

10741X	**Suspension pins, inner, upper (hardened steel), 3x45mm (4)**
10740X	**Suspension pins, outer (hardened steel), 3x34mm (4), 3x37mm (4)**
10740	Suspension screw pin set, front or rear, 3x40mm (6), 3x32mm (4), 3x28mm (4), 3x46mm (2)
10843	Toe links, front (molded composite) (2)/ hollow balls (4) (51mm center to center)

Team Traxxas Items

9916	**Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)**
2514	**Decal sheet, racing sponsors**
9917	**Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)**
9950	**Official Team Traxxas® racing decal set(flag logo/ 6-color)**
9909	**Traxxas® racing banner, red & black (3x7 feet)**

Tires & Wheels

10870-STBLK	**Tires & wheels, assembled (black, satin chrome beadlock wheels, dual profile (1.4" outer, 2.6" inner), BFGoodrich® Mud-Terrain™ T/A® tires) (2)**
10870-GRAY	Tires & wheels, assembled (charcoal gray wheels, dual profile (1.4" outer, 2.6" inner), BFGoodrich® Mud-Terrain™ T/A® tires) (2)
10876-BLK	**Tires & wheels, assembled, glued (black wheels, dual profile (2.0" outer, 2.6" inner), Speed Slicks tires) (hard compound, front) (2)**
10875-BLK	**Tires & wheels, assembled, glued (black wheels, dual profile (2.0" outer, 2.6" inner), Speed Slicks tires) (soft compound, rear) (2)**

Traxxas Tools

3433X	**Body reamer (aluminum handle)**
3433	**Body reamer (plastic handle)**
3436	**Cap, body reamer**
3424	**Rubber pit mat, 13x19x0.28**
3425	**Rubber pit mat, 16x24x0.28**
3426	**Rubber pit mat, 36x20**
3432	**Scissors, curved tip**
3431	**Scissors, straight tip**
8712	**Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive**
8720	**Speed bit handle, large (overmolded)**
8721	**Speed bit handle, medium (one piece)**
8722	**Speed bit handle, premium (rubber overmold)**
8710	**Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
8711	**Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
8719	**Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
8716	**Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive**
8716X	**Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive**
8715	**Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive**
8715X	**Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
8714	**Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive**
2748R	**Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)**
3415	**Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)**

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM