Funco® Pro Scale® Replica (Model 109076-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

5106A	Ball bearing, black rubber sealed (15x24x5mm) (2)
5107A	Ball Bearing, black rubber sealed (17x26x5) (2)
5196A	Ball bearing, black rubber sealed (20x32x7mm) (2)
5196X	**Ball bearing, black rubber sealed, stainless (20x32x7mm) (2)**
5106	Ball Bearing, blue rubber sealed (15x24x5) (2)
5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)
5101A	Ball bearings, black rubber sealed (12x21x5mm) (2)
5180A	Ball bearings, black rubber sealed (6x13x5mm) (2)
5118A	Ball bearings, black rubber sealed (8x16x5mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5124	Ball bearings, blue rubber sealed (4x7x2.5mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)

Body & Accessories

10911	**Body, Funco® Pro Scale® Replica (clear, requires painting)/ decal sheet (requires #10912 body cage & #10914 interior for complete assembly)**
10911-BLUE	**Body, Funco® Pro Scale® Replica, blue (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roll cage & interior)**
10911-GRN	**Body, Funco® Pro Scale® Replica, green (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roll cage & interior)**
10911-ORNG	**Body, Funco® Pro Scale® Replica, orange (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roll cage & interior)**
10911X	**Body, Funco® Pro Scale® Replica, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet (requires #10912 body cage & #10914 interior for complete assembly)**
10911-RED	**Body, Funco® Pro Scale® Replica, red (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roll cage & interior)**
10912	Cage, body (complete with assembly hardware) (attaches to #10911 body)
10927	Cage, body (left & right) (attaches to #10911 body)
10928	Crossbars, body cage (front & rear) (attaches to #10911 body)
10935	Crossbars, body cage (top, middle, interior & roof)/ step rails (left & right) (attaches to #10911 body)
10914	Interior, body/ interior accessories/ mounting hardware (attaches to #10911 body)
10923	Latch, body mount, front (left & right)/ 3x15mm CS (16) (for clipless body mounting) (attaches to #10911 body)
10913	Wing/ 4x20mm BCS (4)

Brake Components

10951-BLUE	**Brake calipers, front (left & right) (blue-anodized 6061-T6 aluminum)/ 3x10mm CS (with threadlock) (4)/ 2.5x8mm BCS (with threadlock) (4)**
10951-GRN	**Brake calipers, front (left & right) (green-anodized 6061-T6 aluminum)/ 3x10mm CS (with threadlock) (4)/ 2.5x8mm BCS (with threadlock) (4)**
10951-ORNG	**Brake calipers, front (left & right) (orange-anodized 6061-T6 aluminum)/ 3x10mm CS (with threadlock) (4)/ 2.5x8mm BCS (with threadlock) (4)**
10951-RED	**Brake calipers, front (left & right) (red-anodized 6061-T6 aluminum)/ 3x10mm CS (with threadlock) (4)/ 2.5x8mm BCS (with threadlock) (4)**
10951	Brake calipers, front (left & right)/ 3x10mm CS (4)/ 2.5x8mm BCS (4)
10955	Brake disc, front (82mm) (stainless steel) (2)
10957	Brake flex cables, front
10958-BLUE	**Brake linkage, front (blue-anodized 6061-T6 aluminum)/ mounting hardware**
10958-GRN	**Brake linkage, front (green-anodized 6061-T6 aluminum)/ mounting hardware**
10958-ORNG	**Brake linkage, front (orange-anodized 6061-T6 aluminum)/ mounting hardware**
10958-RED	**Brake linkage, front (red-anodized 6061-T6 aluminum)/ mounting hardware**
10958	Brake linkage/ servo horn, front/ mounting hardware
10956X	Brake pads/ return spring, front/ 3x20mm screw pins (4)
10952	Brake piston/ brake cam, front/ 2.5x18mm screw pins (2)
10950	Servo saver spring

Bumpers & Skidplates

10933	Skid plate, center
10937	Skid plate, front (1)/ rubber impact cushion (1)
10939	Skid plate, rear

Chassis & Attachments

7833	Battery hold-down mounts, left (2)/ right (2)/ 4x15mm CCS (4)
7819	Battery hold-down/ battery compartment spacers/ foam pads
10915	Body mounts, rear (upper & lower)
7724X	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x15 CS (4)
10951	Brake calipers, front (left & right)/ 3x10mm CS (4)/ 2.5x8mm BCS (4)
10955	Brake disc, front (82mm) (stainless steel) (2)
10952	Brake piston/ brake cam, front/ 2.5x18mm screw pins (2)
10925	Bulkhead tie bar, front, upper (1)/ lower (2) (steel)
10934	Bulkhead, front (lower)/ cap
10920	Bulkhead, rear (lower)
10921	Bulkhead, rear (upper)
7822X	Chassis
10926	Chassis top brace
10987	Covers, gear (2)
7819X	**Foam pads, battery compartment**
10918	**Mount, power supply**
10922	Nerf bars, chassis (left & right)
7725X	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
10950	Servo saver spring
10938	Shock tower extensions, rear (left & right)/ mounts (left & right)
7799	**Tires, rubber (2) (fits Traxxas® #7775X wheelie bar wheels)**
10924	Tray, servo/ steering cover
10974	Wheelie bar, black (assembled)
7775	Wheels, wheelie bar (2)/ axles, wheelie bar (2)/ 10x15x4 plastic bushings (4) (for #7776, 8976, or 9576 wheelie bar)
7775X	**Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)**
7775A	**Wheels, wheelie bar, 6061-T6 aluminum (dark titanium-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)**
7775G	**Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)**
7775T	**Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)**
7775R	**Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)**

Differential Components

7781X	**Carrier, differential (aluminum)/ (requires #7783X spider gear shaft)**
5136X	**Differential oil kit (1 each: 10K, 30K, 50K weights)**
10986	**Differential, rear, complete**
10949	Drive cup, steel, extreme durability (1)/ 3x8mm CS (use only with #7750X & 7896 driveshafts) (machined, heat treated)
7782	Gear set, differential (output gears (2)/ spider gears (4)/16X23.5X.5 TW(2))
10979	Gear, differential, 32-tooth (heavy duty)
5041	Grease, premium high performance (20cc)
7780	Housing, differential (front/rear)
7780-BLUE	**Housing, differential (front/rear), 6061-T6 aluminum (blue-anodized)**
7780-GRAY	**Housing, differential (front/rear), 6061-T6 aluminum (gray-anodized)**
7780-GRN	**Housing, differential (front/rear), 6061-T6 aluminum (green-anodized)**
7780-ORNG	**Housing, differential (front/rear), 6061-T6 aluminum (orange-anodized)**
7780-RED	**Housing, differential (front/rear), 6061-T6 aluminum (red-anodized)**
7791	Pinion gear, differential, 11-tooth (rear) (heavy duty) (use with #7792 35-tooth differential ring gear)

7792	Ring gear, differential, 35-tooth (heavy duty) (use with #7790, #7791 11-tooth differential pinion gears)
7783X	**Spider gear shaft (2)/ spacers (4)/16x23.5x.5 stainless washer (2) (for #7781X aluminum differential carrier)**

Driveline Components

7750X	Driveshaft, steel constant-velocity (heavy duty, shaft only, 160mm) (1) (replacing #7750 also requires #7751X, #7754X and #7768 or #7768R)
10988	Mount, spur gear (fixed)
5040	**Oil, differential (20M wt) (standard)**
7791	Pinion gear, differential, 11-tooth (rear) (heavy duty) (use with #7792 35-tooth differential ring gear)
7751X	Rebuild kit, steel constant-velocity driveshaft (includes pins for 2 driveshaft assemblies (for use only with #7750X driveshaft)
7792	Ring gear, differential, 35-tooth (heavy duty) (use with #7790, #7791 11-tooth differential pinion gears)
10953-BLK	**Stub axle, front, 6061-T6 aluminum (black-anodized)**
10953-BLUE	Stub axle, front, 6061-T6 aluminum (blue-anodized)
10953-GRAY	**Stub axle, front, 6061-T6 aluminum (gray-anodized)**
10953-GRN	Stub axle, front, 6061-T6 aluminum (green-anodized)
10953-ORNG	Stub axle, front, 6061-T6 aluminum (orange-anodized)
10953-RED	Stub axle, front, 6061-T6 aluminum (red-anodized)
7758A	**Wheel nuts, splined, 17mm, serrated (black-anodized) (4)**
7758	Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)
7758-GRAY	**Wheel nuts, splined, 17mm, serrated (gray-anodized) (4)**
7758G	Wheel nuts, splined, 17mm, serrated (green-anodized) (4)
7758T	Wheel nuts, splined, 17mm, serrated (orange-anodized) (4)
7758R	Wheel nuts, splined, 17mm, serrated (red-anodized) (4)

Engine Detail

10981-SATIN	**Engine block, satin chrome/ 3x25mm CS (4)**
10981-GRAY	Engine block/ 3x25mm CS (4)
10982-BLKCR	**Engine exhaust, black chrome/ 2.5x12mm CS (8)**
10982-BLK	Engine exhaust/ 2.5x12mm CS (8)
10985-BLKCR	**Engine intake, black chrome/ 3x12mm CS (1)/ 2.5x12mm CS (2)**
10985-BLKGLS	**Engine intake, black/ 3x12mm CS (1)/ 2.5x12mm CS (2)**
10985-CHRM	Engine intake, chrome-plated/ 3x12mm CS (1)/ 2.5x12mm CS (2)
10984-BLK	Engine pulleys/ 2.5x12mm CS (6)
10978-RED	Engine supercharger, red

Front Suspension & Steering

7869	**Bellcrank bushing, steering (1) (for use with #7843 aluminum steering bellcranks)**
10925	Bulkhead tie bar, front, upper (1)/ lower (2) (steel)
10934	Bulkhead, front (lower)/ cap
10932-BLUE	**Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized), left & right/ 3x8mm BCS (with threadlock) (6)**
10932-GRN	**Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized), left & right/ 3x8mm BCS (with threadlock) (6)**
10932-ORNG	**Caster blocks (c-hubs), 6061-T6 aluminum (orange-anodized), left & right/ 3x8mm BCS (with threadlock) (6)**
10932-RED	**Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized), left & right/ 3x8mm BCS (with threadlock) (6)**
10932	Caster blocks (c-hubs), left & right
10926	Chassis top brace
7879-BLUE	**Drag link, 6061-T6 aluminum (blue-anodized)**
7879-GRAY	**Drag link, 6061-T6 aluminum (gray-anodized)**
7879-GRN	**Drag link, 6061-T6 aluminum (green-anodized)**
7879-ORNG	**Drag link, 6061-T6 aluminum (orange-anodized)**
7879-RED	**Drag link, 6061-T6 aluminum (red-anodized)**
7747-BLUE	**Servo horn, steering, 6061-T6 aluminum (blue-anodized)**
7747-GRAY	**Servo horn, steering, 6061-T6 aluminum (gray-anodized)**
7747-GRN	**Servo horn, steering, 6061-T6 aluminum (green-anodized)**
7747-ORNG	**Servo horn, steering, 6061-T6 aluminum (orange-anodized)**
7747-RED	**Servo horn, steering, 6061-T6 aluminum (red-anodized)**
7847	Servo horn, steering/ linkage, steering (48mm, assembled with pivot balls)
10950	Servo saver spring
7843-BLUE	**Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, blue-anodized) (fits XRT® or Funco® Pro Scale® Replica)**
7843-GRAY	**Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, gray-anodized) (fits XRT® or Funco® Pro Scale® Replica)**
7843-GRN	**Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, green-anodized) (fits XRT® or Funco® Pro Scale® Replica)**
7843-ORNG	**Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, orange-anodized) (fits XRT® or Funco® Pro Scale® Replica)**
7843-RED	**Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, red-anodized) (fits XRT® or Funco® Pro Scale® Replica)**
7843	Steering bellcranks/ servo saver/ servo saver spring/ draglink/ 3x20mm shoulder screws (2)
10936-BLUE	**Steering blocks, 6061-T6 aluminum (blue-anodized) (left & right)/ 3x8mm BCS (with threadlock) (2)/ 4x35mm BCS (with threadlock) (2)**
10936-GRN	**Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 3x8mm BCS (with threadlock) (2)/ 4x35mm BCS (with threadlock) (2)**
10936-ORNG	**Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 3x8mm BCS (with threadlock) (2)/ 4x35mm BCS (with threadlock) (2)**
10936-RED	**Steering blocks, 6061-T6 aluminum (red-anodized) (left & right)/ 3x8mm BCS (with threadlock) (2)/ 4x35mm BCS (with threadlock) (2)**
10936	Steering blocks, left & right
7746X	**Steering link, steel/ servo saver spring, heavy duty (use with #2085X metal gear servo)**
10953-BLK	**Stub axle, front, 6061-T6 aluminum (black-anodized)**
10953-BLUE	Stub axle, front, 6061-T6 aluminum (blue-anodized)
10953-GRAY	**Stub axle, front, 6061-T6 aluminum (gray-anodized)**
10953-GRN	Stub axle, front, 6061-T6 aluminum (green-anodized)
10953-ORNG	Stub axle, front, 6061-T6 aluminum (orange-anodized)
10953-RED	Stub axle, front, 6061-T6 aluminum (red-anodized)
10930X-SLVR	**Suspension arm, lower (left and right, front) (6061-T6 aluminum, silver-anodized)/ 3x6mm BCS (with threadlock) (10)**
10931-CHRM	Suspension arm, lower (left, front) (1)
10930-CHRM	Suspension arm, lower (right, front) (1)
10931-BLUE	**Suspension arm, lower, blue (left, front) (1)**
10930-BLUE	**Suspension arm, lower, blue (right, front) (1)**
10931-GRN	**Suspension arm, lower, green (left, front) (1)**
10930-GRN	**Suspension arm, lower, green (right, front) (1)**
10931-ORNG	**Suspension arm, lower, orange (left, front) (1)**
10930-ORNG	**Suspension arm, lower, orange (right, front) (1)**
10931-RED	**Suspension arm, lower, red (left, front) (1)**
10930-RED	**Suspension arm, lower, red (right, front) (1)**
10929-CHRM	Suspension arm, upper (left or right, front) (2)
10929-BLUE	**Suspension arm, upper, blue (left or right, front) (2)**
10929-GRN	**Suspension arm, upper, green (left or right, front) (2)**
10929-ORNG	**Suspension arm, upper, orange (left or right, front) (2)**
10929-RED	**Suspension arm, upper, red (left or right, front) (2)**
10929X-SLVR	**Suspension arms, upper (left & right, front) (6061-T6 aluminum, silver-anodized)/ 3x8mm BCS (with threadlock) (4)/ 2.5x6mm BCS (with threadlock) (4)**
7743	Suspension pin retainer (4)
7743-BLUE	**Suspension pin retainer, 6061-T6 aluminum (blue-anodized) (4)**
7743-GRAY	**Suspension pin retainer, 6061-T6 aluminum (gray-anodized) (4)**
7743-GRN	**Suspension pin retainer, 6061-T6 aluminum (green-anodized) (4)**
7743-ORNG	**Suspension pin retainer, 6061-T6 aluminum (orange-anodized) (4)**
7743-RED	**Suspension pin retainer, 6061-T6 aluminum (red-anodized) (4)**
10940	Suspension pin set, front (left or right) (hardened steel)
7742	Suspension pin set, shock mount (front or rear, hardened steel), 4x25mm (2), 4x38mm (2)

Hardware

4859	CS 3x10 flathead (hex drive)
2584	Head screws, 3x12mm cap-head machine (hex drive) (6) (TRX® 2.5, 2.5R, 3.3)
3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2587	Screws, 3x10mm caphead machine (6) (no washer)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2586	Screws, 3x15mm cap-head machine (hex drive) (6)
2581	Screws, 3x25mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
2657	Screws, 3x8mm caphead machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
2535	Screws, 4x10mm countersunk machine (hex drive) (6)
3937	Screws, 4x12mm button-head machine (hex drive) (6)
3938	Screws, 4x14mm button-head machine (hex drive) (6)
2594	Screws, 4x15mm button-head machine (hex drive) (6)
3933	Screws, 4x16mm button-head machine (hex drive) (6)
3929	Screws, 4x18mm button-head machine (hex drive) (6)

2547	Screws, 4x18mm countersunk machine (hex drive) (6)
2589	Screws, 4x20mm button-head machine (hex drive) (6)
2597	Screws, 4x22mm button-head machine (hex drive) (6)
2596	Screws, 4x25mm button-head machine (hex drive) (6)
2598X	Screws, 4x30mm button-head machine (hex drive) (6)
2595	Screws, 4x35mm button-head machine (hex drive) (6)
2743	Set (grub) screws, 3mm hardened (12)
3967	Shoulder screws 3x10 (6) (without threadlock)

LED Lights

6588X	Accessory power supply (regulated, 3V, 3 amp)/ power tap connector (with cable)/ 3x10 BCS (2)/ 2.6x8 BCS (2)
10959	Extension harness, LED lights
7883X	**LED light bar, rear, red (with white reverse light) (high-voltage) (24 red LEDs, 24 white LEDs, 100mm wide)/ light bar mount (fits Maxx®, X-Maxx®, or XRT®)**
10916	**LED light bar, roof (curved, high-voltage) (44 white LEDs (single row), 180mm wide)**
10999	**LED light kit (underbody, damper-mounted) (requires #6588X accessory power supply or #10998 LED light kit)**
10998-BLUE	**LED light kit, blue, complete (underbody) (includes 3-volt accessory power supply, power harnesses & mounting hardware)**
10998-GRN	**LED light kit, green, complete (underbody) (includes 3-volt accessory power supply, power harnesses & mounting hardware)**
10998-ORNG	**LED light kit, orange, complete (underbody) (includes 3-volt accessory power supply, power harnesses & mounting hardware)**
10998-RED	**LED light kit, red, complete (underbody) (includes 3-volt accessory power supply, power harnesses & mounting hardware)**
10917	**LED light pods (left & right)/ mounting hardware**
10996	**LED light set, Funco® Pro Scale® Replica, complete (includes front light bar, rear light bar, side lights (left & right), and high-voltage power amplifier)**
10918	Mount, power supply
10969-BLUE	**Retainer, LED light pod (blue-anodized 6061-T6 aluminum) (2)**
10969-GRN	**Retainer, LED light pod (green-anodized 6061-T6 aluminum) (2)**
10969-ORNG	**Retainer, LED light pod (orange-anodized 6061-T6 aluminum) (2)**
10969-RED	**Retainer, LED light pod (red-anodized 6061-T6 aluminum) (2)**
10992-BLUE	Whip light, LED, blue (assembled) (1)/ 3x12mm BCS (2) (replacement for 1 whip light, left or right) (requires #6588X accessory power supply)
10992-GRN	Whip light, LED, green (assembled) (1)/ 3x12mm BCS (2) (replacement for 1 whip light, left or right) (requires #6588X accessory power supply)
10992-ORNG	Whip light, LED, orange (assembled) (1)/ 3x12mm BCS (2) (replacement for 1 whip light, left or right) (requires #6588X accessory power supply)
10992-RED	Whip light, LED, red (assembled) (1)/ 3x12mm BCS (2) (replacement for 1 whip light, left or right) (requires #6588X accessory power supply)
3478	Wire harness (for use with #3475 cooling fan)
10919	Wire harness, power supply

Motors & Electronics

7749	**Adapter, standard servo (adapts standard servo to fit in Maxx®, X-Maxx®, XRT® or Funco® Pro Scale® Replica)**
3475	Cooling fan, Velineon® VXL ESC (fits VXL-6s & VXL-8s)
10987	Covers, gear (2)
3474X	Dual cooling fan kit, low profile (with shroud) (fits #3491 motor)
2087X	Gear set, metal (for 2085, 2085X, 2085XL servos)
3362X	Heat sink, low profile, Velineon® 1200XL
7760	Motor mounts (front and rear)/ pins (2)
7760-BLUE	**Motor mounts, 6061-T6 aluminum (blue-anodized) (front & rear)**
7760-GRAY	**Motor mounts, 6061-T6 aluminum (gray-anodized) (front & rear)**
7760-GRN	**Motor mounts, 6061-T6 aluminum (green-anodized) (front & rear)**
7760-ORNG	**Motor mounts, 6061-T6 aluminum (orange-anodized) (front & rear)**
7760-RED	**Motor mounts, 6061-T6 aluminum (red-anodized) (front & rear)**
3491	Motor, Velineon® 1200XL, brushless
3492	Rebuild kit, Velineon® 1200XL (includes plastic endbells (2), 6x17x6mm ball bearings (2), 6x8x.3 washer (1), 6x8x1 washer (1), 7x6x12 spacer (1))
2086	Servo case/gaskets (for 2085, 2085L, 2085R, 2085RL, 2085X & 2085XL servos)
2085XL	Servo, digital high-torque, metal gear (ball bearing), waterproof/ servo saver spring/ steering link
2085RL	**Servo, digital high-torque/high-speed, metal gear (ball bearing), waterproof**
7878X	Spacer, motor shaft (steel)/ e-clip (1)
3496T	Velineon® VXL-8s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
7759	**Washers, motor mount, aluminum (blue-anodized) (4)/ 4x18mm BCS (4)**
7759-GRAY	**Washers, motor mount, aluminum (gray-anodized) (4)/ 4x18mm BCS (4)**
7759G	**Washers, motor mount, aluminum (green-anodized) (4)/ 4x18mm BCS (4)**
7759-ORNG	**Washers, motor mount, aluminum (orange-anodized) (4)/ 4x18mm BCS (4)**
7759R	**Washers, motor mount, aluminum (red-anodized) (4)/ 4x18mm BCS (4)**

Radio System, Batteries & Chargers

2889X	**5000mah 14.8v 4-Cell 25C LiPo Battery (long)**
2890X	**6700mah 14.8v 4-Cell 25C LiPo Battery**
2938X	**Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)**
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2943	**Battery charge indicators, green (4), grey (4), blue (4)**
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2914	**Battery, Power Cell AA Alkaline (4)**
2996X	**Battery/charger completer pack (includes #2971 iD® charger (1), #2889X 5000 mAh 14.8V 4-cell 25C LiPo battery (1))**
2997	**Battery/charger completer pack (includes #2973 Dual iD® charger (1), #2890X 6700mAh 14.8V 4-cell 25C LiPo iD® Battery (2))**
2973	**Charger, EZ-Peak Live Dual, 200W, NiMH/ LiPo with ID Auto Battery Identification**
2981	**Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification**
6525	**Communication link, telemetry expander**
6565	**Data link, telemetry expander (connects #6550X telemetry expander 2.0 to the #6590 high-voltage power amplifier)**
6566	**Data link, telemetry expander (connects #6550X telemetry expander 2.0 to the Velineon® #3465 VXL-4s, #3485 Velineon® VXL-6s, or #3496 Velineon® VXL-8s electronic speed control)**
2971	**EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®**
2087X	Gear set, metal (for 2085, 2085X, 2085XL servos)
2968X	**LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)**
2968	**LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)**
6533X	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
6552	**Seal kit, expander box (includes o-ring, seals, and silicone grease)**
6531	Sensor, temperature & voltage (fits X-Maxx®, XRT® or Funco® Pro Scale® Replica)
6521	**Sensor, temperature and voltage (long)**
2086	Servo case/gaskets (for 2085, 2085L, 2085R, 2085RL, 2085X & 2085XL servos)
2085XL	Servo, digital high-torque, metal gear (ball bearing), waterproof/ servo saver spring/ steering link
2085RL	**Servo, digital high-torque/high-speed, metal gear (ball bearing), waterproof**
6553X	**Telemetry Expander 2.0 and GPS module 2.0, TQi radio system**
6550X	**Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)**
6551X	**Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)**
6509A	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
6507A	**TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)**
6528X	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529X	**Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)**

6530X	**Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)**
6511	**Traxxas® Link Bluetooth® module**

Ready-To-Race Model

109076-4	Funco® Pro Scale® Replica: Brushless Electric 2WD Sand Car with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)®

Rear Suspension

7726	Bulkhead tie bar, upper (1)/ lower (2) (steel)
10920	Bulkhead, rear (lower)
10921	Bulkhead, rear (upper)
7852-BLUE	**Carriers, stub axle (blue-anodized 6061-T6 aluminum) (left & right)**
7852-GRAY	**Carriers, stub axle (gray-anodized 6061-T6 aluminum) (left & right)**
7852-GRN	**Carriers, stub axle (green-anodized 6061-T6 aluminum) (left & right)**
7852-ORNG	**Carriers, stub axle (orange-anodized 6061-T6 aluminum) (left & right)**
7852	Carriers, stub axle (rear) (left & right)
7852X	**Carriers, stub axle (rear) (left & right)/ 20x32x7mm bearings (2)/ 15x24x5mm bearings (2)**
7852-RED	**Carriers, stub axle (red-anodized 6061-T6 aluminum) (left & right)**
7716	Mount, tie bar, front (1)/ rear (1)
10938	Shock tower extensions, rear (left & right)/ mounts (left & right)
7838	Shock tower, rear (left & right halves)
7831	**Suspension arm, black, lower (left, front or rear), heavy duty (1)**
7830	**Suspension arm, black, lower (right, front or rear), heavy duty (1)**
7831X	**Suspension arm, blue, lower (left, front or rear), heavy duty (1)**
7830X	**Suspension arm, blue, lower (right, front or rear), heavy duty (1)**
7831-CHRM	Suspension arm, chrome, lower (left, front or rear), heavy duty (1)
7830-CHRM	Suspension arm, chrome, lower (right, front or rear), heavy duty (1)
7831G	**Suspension arm, green, lower (left, front or rear), heavy duty (1)**
7830G	**Suspension arm, green, lower (right, front or rear), heavy duty (1)**
7831T	**Suspension arm, orange, lower (left, front or rear), heavy duty (1)**
7830T	**Suspension arm, orange, lower (right, front or rear), heavy duty (1)**
7831R	**Suspension arm, red, lower (left, front or rear), heavy duty (1)**
7830R	**Suspension arm, red, lower (right, front or rear), heavy duty (1)**
7829-CHRM	Suspension arms, chrome, upper (left or right, front or rear), heavy duty (2)
7743	Suspension pin retainer (4)
7743-BLUE	**Suspension pin retainer, 6061-T6 aluminum (blue-anodized) (4)**
7743-GRAY	**Suspension pin retainer, 6061-T6 aluminum (gray-anodized) (4)**
7743-GRN	**Suspension pin retainer, 6061-T6 aluminum (green-anodized) (4)**
7743-ORNG	**Suspension pin retainer, 6061-T6 aluminum (orange-anodized) (4)**
7743-RED	**Suspension pin retainer, 6061-T6 aluminum (red-anodized) (4)**
10941	Suspension pin set, rear (left or right) (hardened steel)
7742	Suspension pin set, shock mount (front or rear, hardened steel), 4x25mm (2), 4x38mm (2)

Shock Oil

5031	**Oil, shock (20 wt, 200 cSt, 60cc) (silicone)**
5032	**Oil, shock (30 wt, 350 cSt, 60cc) (silicone)**
5033	**Oil, shock (40 wt, 500 cSt, 60cc) (silicone)**
5034	**Oil, shock (50 wt, 600 cSt, 60cc) (silicone)**
5035	**Oil, shock (60 wt, 700 cSt, 60cc) (silicone)**
5036	**Oil, shock (70 wt, 900 cSt, 60cc) (silicone)**
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	**Shock oil bottle (60cc) (for mixing shock oil)**
5038X	**Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)**
5038	**Spinning carousel rack**

Shocks (GT-Maxx®)

10968-BLUE	Body, GT-Maxx® shock, x-long (aluminum, blue-anodized) (1)
10968-GRN	Body, GT-Maxx® shock, x-long (aluminum, green-anodized) (1)
10968-ORNG	Body, GT-Maxx® shock, x-long (aluminum, orange-anodized) (1)
10968-RED	Body, GT-Maxx® shock, x-long (aluminum, red-anodized) (1)
8962	Rebuild kit, GT-Maxx® shocks (lower cartridge, pistons, piston nuts, bladders, screws) (renews 2 shocks)
10966-BLUE	**Reservoirs, shocks (6061-T6 aluminum, blue-anodized) (front (2), rear (2))**
10966-GRN	**Reservoirs, shocks (6061-T6 aluminum, green-anodized) (front (2), rear (2))**
10966-ORNG	**Reservoirs, shocks (6061-T6 aluminum, orange-anodized) (front (2), rear (2))**
10966-RED	**Reservoirs, shocks (6061-T6 aluminum, red-anodized) (front (2), rear (2))**
10966-GRAY	Reservoirs, shocks, front (2)/ 3x8mm BCS (2)
10967-GRAY	Reservoirs, shocks, rear/ 3x8mm BCS (2)
10965	Shock caps, GT-Maxx® shocks (for 4mm pins)/ spring perch/ adjusters/ 2.5x14 CS (2) (for 2 shocks)
10964	Shock shafts, GT-Maxx®, 110mm (assembled with rod ends & hollow balls for 4mm pins) (steel, chrome finish) (2)
10964T	**Shock shafts, GT-Maxx®, 110mm (assembled with rod ends & hollow balls) (TiN-coated) (2)**
10963	Shock shafts, GT-Maxx®, 72mm (assembled with rod ends & hollow balls for 4mm pins) (steel, chrome finish)
10963T	**Shock shafts, GT-Maxx®, 72mm (assembled with rod ends & hollow balls) (TiN-coated) (2)**
10961-BLUE	Shocks, GT-Maxx®, front, aluminum, blue-anodized (fully assembled w/o springs) (2)
10961-GRN	Shocks, GT-Maxx®, front, aluminum, green-anodized (fully assembled w/o springs) (2)
10961-ORNG	Shocks, GT-Maxx®, front, aluminum, orange-anodized (fully assembled w/o springs) (2)
10961-RED	Shocks, GT-Maxx®, front, aluminum, red-anodized (fully assembled w/o springs) (2)
10962-BLUE	Shocks, GT-Maxx®, rear, aluminum, blue-anodized (fully assembled w/o springs) (2)
10962-GRN	Shocks, GT-Maxx®, rear, aluminum, green-anodized (fully assembled w/o springs) (2)
10962-ORNG	Shocks, GT-Maxx®, rear, aluminum, orange-anodized (fully assembled w/o springs) (2)
10962-RED	Shocks, GT-Maxx®, rear, aluminum, red-anodized (fully assembled w/o springs) (2)
8968X	**Spring retainer (adjuster), blue-anodized aluminum, GT-Maxx® shocks (4) (assembled with o-ring)**
8968-GRAY	**Spring retainer (adjuster), gray-anodized aluminum, GT-Maxx® shocks (4) (assembled with o-ring)**
8968G	**Spring retainer (adjuster), green-anodized aluminum, GT-Maxx® shocks (4) (assembled with o-ring)**
8968A	**Spring retainer (adjuster), orange-anodized aluminum, GT-Maxx® shocks (4) (assembled with o-ring)**
8968R	**Spring retainer (adjuster), red-anodized aluminum, GT-Maxx® shocks (4) (assembled with o-ring)**
10942	Springs, shock (natural finish) (GT-Maxx®) (front) (2.462 rate) (2)
10944	**Springs, shock (natural finish) (GT-Maxx®) (rear) (3.097 rate) (2)**
10943	Springs, shock (natural finish) (GT-Maxx®) (rear) (4.003 rate) (2)

Spur Gears & Pinion Gears

6484X	**Gear, 11-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6485X	**Gear, 12-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6486X	**Gear, 13-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6488X	**Gear, 14-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6487X	**Gear, 15-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6489X	**Gear, 16-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6490X	**Gear, 17-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6491X	**Gear, 18-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6480X	Gear, 19-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6494X	**Gear, 20-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**

6494R **Gear, 20-T pinion (machined, hardened steel) (1.0 metric pitch) (fits 5mm shaft)/ set screw**
6493X Gear, 21-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6495X **Gear, 22-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6481X Gear, 23-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6496X **Gear, 24-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6492X **Gear, 25-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6497 **Gear, 26-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw**
6442 **Spur gear, 46-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)**
6447R Spur gear, 46-tooth, steel (wide-face, 1.0 metric pitch)
6443 **Spur gear, 50-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)**
6450 **Spur gear, 50-tooth (machined, hardened steel) (wide-face)/ gear, 20-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw**
6448R Spur gear, 50-tooth, steel (wide-face, 1.0 metric pitch)
6444 **Spur gear, 54-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)**
6449R **Spur gear, 54-tooth, steel (wide-face, 1.0 metric pitch)**

Steering Components

7869 Bellcrank bushing, steering (1) (for use with #7843 aluminum steering bellcranks)
7879-BLUE **Drag link, 6061-T6 aluminum (blue-anodized)**
7879-GRAY **Drag link, 6061-T6 aluminum (gray-anodized)**
7879-GRN **Drag link, 6061-T6 aluminum (green-anodized)**
7879-ORNG **Drag link, 6061-T6 aluminum (orange-anodized)**
7879-RED **Drag link, 6061-T6 aluminum (red-anodized)**
7747-BLUE **Servo horn, steering, 6061-T6 aluminum (blue-anodized)**
7747-GRAY **Servo horn, steering, 6061-T6 aluminum (gray-anodized)**
7747-GRN **Servo horn, steering, 6061-T6 aluminum (green-anodized)**
7747-ORNG **Servo horn, steering, 6061-T6 aluminum (orange-anodized)**
7747-RED **Servo horn, steering, 6061-T6 aluminum (red-anodized)**
7847 Servo horn, steering/ linkage, steering (48mm, assembled with pivot balls)
7843-BLUE **Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, blue-anodized) (fits XRT® or Funco® Pro Scale® Replica)**
7843-GRAY **Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, gray-anodized) (fits XRT® or Funco® Pro Scale® Replica)**
7843-GRN **Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, green-anodized) (fits XRT® or Funco® Pro Scale® Replica)**
7843-ORNG **Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, orange-anodized) (fits XRT® or Funco® Pro Scale® Replica)**
7843-RED **Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, red-anodized) (fits XRT® or Funco® Pro Scale® Replica)**
7843 Steering bellcranks/ servo saver/ servo saver spring/ draglink/ 3x20mm shoulder screws (2)
7746X **Steering link, steel/ servo saver spring, heavy duty (use with #2085X metal gear servo)**
7748 Toe links, molded composite, 173mm (158mm center to center) (black) (2)
7748-BLK **Toe links, X-Maxx® (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**
7748X **Toe links, X-Maxx® (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**
7748-GRAY **Toe links, X-Maxx® (TUBES gray-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**
7748G **Toe links, X-Maxx® (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**
7748-ORNG **Toe links, X-Maxx® (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**
7748R **Toe links, X-Maxx® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**

Suspension Linkage

7798 **Insert, threaded steel (replacement inserts for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X) (includes (1) left and (1) right threaded insert)**
7797 **Rod ends (4) (assembled with steel pivot balls) (replacement ends for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X)**
7743 Suspension pin retainer (4)
7743-BLUE **Suspension pin retainer, 6061-T6 aluminum (blue-anodized) (4)**
7743-GRAY **Suspension pin retainer, 6061-T6 aluminum (gray-anodized) (4)**
7743-GRN **Suspension pin retainer, 6061-T6 aluminum (green-anodized) (4)**
7743-ORNG **Suspension pin retainer, 6061-T6 aluminum (orange-anodized) (4)**
7743-RED **Suspension pin retainer, 6061-T6 aluminum (red-anodized) (4)**
10940 Suspension pin set, front (left or right) (hardened steel)
10941 Suspension pin set, rear (left or right) (hardened steel)
7742 Suspension pin set, shock mount (front or rear, hardened steel), 4x25mm (2), 4x38mm (2)
7748 Toe links, molded composite, 173mm (158mm center to center) (black) (2)
7748-BLK **Toe links, X-Maxx® (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**
7748X **Toe links, X-Maxx® (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**
7748-GRAY **Toe links, X-Maxx® (TUBES gray-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**
7748G **Toe links, X-Maxx® (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**
7748-ORNG **Toe links, X-Maxx® (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**
7748R **Toe links, X-Maxx® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**

Team Traxxas Items

2514 **Decal sheet, racing sponsors**
9950 **Official Team Traxxas® racing decal set(flag logo/ 6-color)**
9909 **Traxxas® racing banner, red & black (3x7 feet)**

Tires & Wheels

10976-BLUE Beadlock rings, front, blue (3.5") (2)
10976-CHRM **Beadlock rings, front, chrome (3.5") (2)**
10976-GRN Beadlock rings, front, green (3.5") (2)
10976-ORNG Beadlock rings, front, orange (3.5") (2)
10976-RED Beadlock rings, front, red (3.5") (2)
10977-BLUE Beadlock rings, rear, blue (3.9") (2)
10948-BLUE **Beadlock rings, rear, blue (4.3") (2)**
10977-CHRM **Beadlock rings, rear, chrome (3.9") (2)**
10948-CHRM **Beadlock rings, rear, chrome (4.3") (2)**
10977-GRN Beadlock rings, rear, green (3.9") (2)
10948-GRN **Beadlock rings, rear, green (4.3") (2)**
10977-ORNG Beadlock rings, rear, orange (3.9") (2)
10948-ORNG **Beadlock rings, rear, orange (4.3") (2)**
10977-RED Beadlock rings, rear, red (3.9") (2)
10948-RED **Beadlock rings, rear, red (4.3") (2)**
10972-BLKC **Tires & wheels, assembled, glued (Funco® Pro Scale® Replica black chrome wheels, dual profile tires (3.2" outer, 4.9" inner), foam inserts) (front) (1 left, 1 right)**
10972 Tires & wheels, assembled, glued (Funco® Pro Scale® Replica black wheels, dual profile tires (3.2" outer, 4.9" inner), foam inserts) (front) (1 left, 1 right)
10971 **Tires & wheels, assembled, glued (Funco® Pro Scale® Replica black wheels, ribbed tires, dual profile (3.2" outer, 4.9" inner), foam inserts) (front) (1 left, 1 right)**

10973-BLKC	**Tires & wheels, assembled, glued (Funco® Pro Scale® Replica Race black chrome wheels, belted paddle tires, dual profile (3.6" outer, 4.7" inner), foam inserts) (rear) (1 left, 1 right)**
10973	Tires & wheels, assembled, glued (Funco® Pro Scale® Replica Race black wheels, belted paddle tires, dual profile (3.6" outer, 4.7" inner), foam inserts) (rear) (1 left, 1 right)
10947	**Tires & wheels, assembled, glued (Funco® Pro Scale® Replica Race black wheels, Gravix® tires, foam inserts) (rear) (1 left, 1 right)**
7774A	**Tires & wheels, assembled, glued (X-Maxx® black chrome wheels, Sledgehammer® tires, foam inserts) (left & right) (2)**
7871X	**Tires & wheels, assembled, glued (X-Maxx® black chrome wheels, Sledgehammer® belted tires, dual profile (4.3" outer, 5.7" inner), foam inserts) (left & right)**
7877	**Tires & wheels, assembled, glued (X-Maxx® black wheels, Gravix® tires, foam inserts) (left & right)**
7871	**Tires & wheels, assembled, glued (X-Maxx® black wheels, Sledgehammer® belted tires, dual profile (4.3" outer, 5.7" inner), foam inserts) (left & right)**
7772G	**Tires & wheels, assembled, glued (X-Maxx® green wheels, Maxx® AT tires, foam inserts) (left & right) (2)**
7774G	**Tires & wheels, assembled, glued (X-Maxx® green wheels, Sledgehammer® tires, foam inserts) (left & right) (2)**
7772T	**Tires & wheels, assembled, glued (X-Maxx® orange wheels, Maxx® AT tires, foam inserts) (left & right) (2)**
7774T	**Tires & wheels, assembled, glued (X-Maxx® orange wheels, Sledgehammer® tires, foam inserts) (left & right) (2)**
7772R	**Tires & wheels, assembled, glued (X-Maxx® satin chrome wheels, Maxx® AT tires, foam inserts) (left & right) (2)**
7862X	**Tires & wheels, assembled, glued (XRT® Race black chrome wheels, Gravix® belted tires, dual profile (4.3" outer, 5.7" inner) foam inserts) (left & right)**
7862	**Tires & wheels, assembled, glued (XRT® Race black wheels, Gravix® belted tires, dual profile (4.3" outer, 5.7" inner), foam inserts) (left & right)**
7875	**Tires & wheels, assembled, glued (XRT® Race black wheels, Maxx® AT tires, foam inserts) (left & right)**
7876	**Tires & wheels, assembled, glued (XRT® Race black wheels, Sledgehammer® tires, foam inserts) (left & right)**
7757	Wheel hex clips (6)
7756-BLK	**Wheel hubs, hex (2)/ hex clips (2)**
7756X	**Wheel hubs, hex, aluminum (blue-anodized) (4)**
7756-GRAY	**Wheel hubs, hex, aluminum (gray-anodized) (4)**
7756G	**Wheel hubs, hex, aluminum (green-anodized) (4)**
7756-ORNG	**Wheel hubs, hex, aluminum (orange-anodized) (4)**
7756R	**Wheel hubs, hex, aluminum (red-anodized) (4)**
10954	Wheel hubs, hex, front (2)/ hex clips (2)
10954-BLUE	**Wheel hubs, hex, front (6061-T6 aluminum, blue-anodized) (2)**
10954-GRN	**Wheel hubs, hex, front (6061-T6 aluminum, green-anodized) (2)**
10954-ORNG	**Wheel hubs, hex, front (6061-T6 aluminum, orange-anodized) (2)**
10954-RED	**Wheel hubs, hex, front (6061-T6 aluminum, red-anodized) (2)**
7758A	**Wheel nuts, splined, 17mm, serrated (black-anodized) (4)**
7758	Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)
7758-GRAY	**Wheel nuts, splined, 17mm, serrated (gray-anodized) (4)**
7758G	Wheel nuts, splined, 17mm, serrated (green-anodized) (4)
7758T	Wheel nuts, splined, 17mm, serrated (orange-anodized) (4)
7758R	Wheel nuts, splined, 17mm, serrated (red-anodized) (4)
5480X	Wheel wrench, splined, 17mm

Transmission Components

10995	Adapter plate, ring gear
10995-BLUE	**Adapter plate, ring gear (blue-anodized 6061-T6 aluminum)/ 3x10mm BCS (with threadlock) (4)**
10987	Covers, gear (2)
5041	Grease, premium high performance (20cc)
5045	**Grease, ultra high performance (30cc)**
10994	Idler gear, transmission (20-tooth)
10960	Top gear, transmission (15-tooth)

Traxxas Tools

3433X	**Body reamer (aluminum handle)**
3433	**Body reamer (plastic handle)**
3436	**Cap, body reamer**
3425	**Rubber pit mat, 16x24x0.28**
3426	**Rubber pit mat, 36x20**
3432	**Scissors, curved tip**
3431	**Scissors, straight tip**
8712	**Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive**
8720	**Speed bit handle, large (overmolded)**
8721	**Speed bit handle, medium (one piece)**
8722	**Speed bit handle, premium (rubber overmold)**
8710	**Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
8711	**Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
8719	**Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
8716	**Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive**
8716X	**Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive**
8715	**Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive**
8715X	**Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
8714	**Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive**
2748R	**Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)**
3415	**Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)**
5480X	Wheel wrench, splined, 17mm

Turnbuckles & Threaded Rods

7798	**Insert, threaded steel (replacement inserts for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X) (includes (1) left and (1) right threaded insert)**
7797	**Rod ends (4) (assembled with steel pivot balls) (replacement ends for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X)**
7748	Toe links, molded composite, 173mm (158mm center to center) (black) (2)
7748-BLK	**Toe links, X-Maxx® (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**
7748X	**Toe links, X-Maxx® (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**
7748-GRAY	**Toe links, X-Maxx® (TUBES gray-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**
7748G	**Toe links, X-Maxx® (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**
7748-ORNG	**Toe links, X-Maxx® (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**
7748R	**Toe links, X-Maxx® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.com