Bandit® (Model 24254-8) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114	**Ball bearings, blue rubber shield (5x8x2.5mm) (2)**
2545	Bushings (plastic) (5x8x2.5mm) (4)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

1926	**Antenna caps, vinyl (2)/ antenna spool**
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1834	Body Clips (12) (standard size)
1815	**Body washers (8)**
6716	**Body Washers, Foam, 2mm/3mm/4mm**
2417	**Body, Bandit (front & rear) (clear, requires painting)/ window, lights, grille decal sheet**
2433	**Body, Bandit, pink (painted, decals applied)**
2448	**Body, Bandit, Rock n' Roll (painted, decals applied)**
2430-GRN	**Body, Bandit® (also fits Bandit® VXL), green/ wing (painted, decals applied)**
2450X	**Body, Bandit® (also fits Bandit® VXL), green/ wing (painted, decals applied)**
2450T	**Body, Bandit® (also fits Bandit® VXL), orange/ wing (painted, decals applied)**
2439X	**Body, Bandit® (also fits Bandit® VXL), ProGraphix®/ wing (graphics are printed, requires paint & final color application)/ decal sheet**
2430X	**Body, Bandit® (also fits Bandit® VXL), ProGraphix®/ wing (graphics are printed, requires paint & final color application)/ decal sheet**
2430-RED	**Body, Bandit® (also fits Bandit® VXL), red/ wing (painted, decals applied)**
2450L	**Body, Bandit®, ProGraphix®/ wing (graphics are printed, requires paint & final color application)/ decal sheet**
2514	**Decal sheet, racing sponsors**
9950	**Official Team Traxxas® racing decal set(flag logo/ 6-color)**
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
4974	**Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
3677X	**Wheelie bar mount (1) / hardware (blue)**
3677A	**Wheelie bar mount (1) / hardware (green)**
3677P	**Wheelie bar mount (1) / hardware (pink)**
3677	**Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit series)**
3678	**Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
3678X	**Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series)**
3678A	**Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
3678T	**Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
3678P	**Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series)**
3678R	**Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
4976	**Wheels (4)/ Axles (2), for Maxx® Wheelie Bar**
5186A	**Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
5186	**Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
2615	Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2)
2414	Wing wire

Chassis & Attachments

3698	Access plug, rubber (receiver box)
9463X	**Axle, wheelie bar, 6061-T6 aluminum (blue-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
9463	**Axle, wheelie bar, 6061-T6 aluminum (gray-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
9463G	**Axle, wheelie bar, 6061-T6 aluminum (green-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
9463A	**Axle, wheelie bar, 6061-T6 aluminum (orange-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
9463P	**Axle, wheelie bar, 6061-T6 aluminum (pink-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
9463R	**Axle, wheelie bar, 6061-T6 aluminum (red-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
3727	**Battery hold-down plate (black)/ metal posts (2)/body clips (2)**
3727A	Battery hold-down plate (grey) / metal posts (2) / body clips (2)
3628	Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
2735	**Bumper (front)**
2735P	**Bumper (front) (pink)**
3735	Bumper, front/ 4x12 CCS (2) (fits 2WD Rustler® or Bandit®) (for LED light kit installation)
3728	**Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs)**
3728A	Lower chassis (gray) (166mm long battery compartment) (fits both flat and hump style battery packs)
3725R	Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit or Rustler®)
3629	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
9462X	**Side plates, wheelie bar, blue (aluminum) (2)**
9462	**Side plates, wheelie bar, charcoal gray (aluminum) (2)**
9462G	**Side plates, wheelie bar, green (aluminum) (2)**
9462A	**Side plates, wheelie bar, orange (aluminum) (2)**
9462P	**Side plates, wheelie bar, pink (aluminum) (2)**
9462R	**Side plates, wheelie bar, red (aluminum) (2)**
5185	**Tires, rubber (2) (fits Traxxas® wheelie bar wheels)**
3729-BLK	**Upper chassis (black)**
3729-GRAY	Upper chassis (gray)
4974	**Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
3677X	**Wheelie bar mount (1) / hardware (blue)**
3677A	**Wheelie bar mount (1) / hardware (green)**
3677P	**Wheelie bar mount (1) / hardware (pink)**
3677	**Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit series)**
9464	**Wheelie bar mount (heavy duty)**
2477	**Wheelie bar mount/ 3x40 BCS (1)/ 3x30 BCS (1)/ 3x12 BCS (1) (for LED light kit installation)**
3678	**Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
3678X	**Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series)**
3678A	**Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
3678T	**Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
3678P	**Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series)**
3678R	**Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
9460	**Wheelie bar, black (assembled)/ wheelie bar mount**
9460X	**Wheelie bar, black chrome (assembled)/ wheelie bar mount**
4976	**Wheels (4)/ Axles (2), for Maxx® Wheelie Bar**
5186A	**Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
5186	**Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
9461X	**Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
9461T	**Wheels, wheelie bar, 6061-T6 aluminum (gray-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
9461G	**Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
9461A	**Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
9461P	**Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
9461R	**Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
9461	**Wheels, wheelie bar, black (26mm (2), 18mm (2))**

Differential Components

2380	**Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®)**
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)

Driveline Components

9150	**Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**

9150-BLUE **Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-GRAY Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRN **Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-ORNG **Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-RED **Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
4628R Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)
4628X **Differential output yokes, hardened steel (w/ U-joints) (2)**
9450 **Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)**
9450R **Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)**
9451 **Half shaft, external splined (steel-spline constant velocity) (1) (fits #9450R rear steel CV driveshaft) (for Bandit®, Bandit® VXL, Drag Slash®)**
2751 **Half-shaft pro-pack (intemal-splined (6)/extemal (6)) (plastic shafts only)**
1651 Half-shafts (internal-splined (2)/external-splined (2))/ metal U-joints (4)
2754 Stub axle pins (4)
2753X Stub axles, rear (2)

Extreme HD Upgrade Kit

9191 Camber links, front (molded composite) (67mm center to center) (2) (assembled with hollow balls) (for use with #9182 upgrade kit)
9190 Camber links, rear (molded composite) (56mm center to center) (2) (assembled with hollow balls) (for use with #9182 upgrade kit)
9150 **Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-BLUE **Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-GRAY Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRN **Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-ORNG **Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-RED **Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9135 **Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)**
9135-BLUE **Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)**
9135-GRAY Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)
9135-GRN **Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)**
9135-ORNG **Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)**
9135-RED **Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)**
9182 **Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, black (fits Bandit® or Drag Slash®)**
9182-BLUE **Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, blue (fits Bandit® or Drag Slash®)**
9182-GRAY Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gray (fits Bandit® or Drag Slash®)
9182-GRN **Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, green (fits Bandit® or Drag Slash®)**
9182-ORNG **Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, orange (fits Bandit® or Drag Slash®)**
9182-RED **Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, red (fits Bandit® or Drag Slash®)**
9137 **Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-BLUE **Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-GRAY Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-GRN **Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-ORNG **Steering blocks, extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-RED **Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
2758 **Suspension arms, black (rear, left & right), heavy duty**
2758-BLUE **Suspension arms, blue (rear, left & right), heavy duty**
2758-GRN **Suspension arms, green (rear, left & right), heavy duty**
2758-ORNG **Suspension arms, orange (rear, left & right), heavy duty**
2758-RED **Suspension arms, red (rear, left & right), heavy duty**
9192 Toe links (molded composite) (75mm center to center) (2) (assembled with hollow balls) (for use with #9182 upgrade kit)

Front Suspension & Steering

2537 3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm)
5114 **Ball bearings, blue rubber shield (5x8x2.5mm) (2)**
2530-BLK **Bulkhead (front) (black)**
2530-GRAY Bulkhead (front) (gray)
2545 Bushings (plastic) (5x8x2.5mm) (4)
9191 Camber links, front (molded composite) (67mm center to center) (2) (assembled with hollow balls) (for use with #9182 upgrade kit)
9135 **Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)**
9135-BLUE **Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)**
9135-GRAY Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)
9135-GRN **Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)**
9135-ORNG **Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)**
9135-RED **Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)**
2437 Front axles (2)/ 4mm nylon locknuts (2)
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5525R **Rod ends, heavy duty (Jato®/Slayer) (8)**
2742 Rod ends, long (6)/ hollow ball connectors (6)
5347 **Rod ends, Revo® (large) with hollow balls (12)**
2742X Rod ends, short (6)/ hollow balls (6)
3744X Servo saver w/ adapters
3639 Shock tower (front)
9137 **Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-BLUE **Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-GRAY Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-GRN **Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-ORNG **Steering blocks, extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-RED **Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
2531A Suspension arms, black, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)
2531L **Suspension arms, blue, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)**

2531G **Suspension arms, green, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)**
2531T **Suspension arms, orange, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)**
2531R **Suspension arms, red, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)**
9142 Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)
3740 **Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)**
2640 **Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)**
2532 **Tie bar, fiberglass (requires suspension pins, part# 2640)**
9192 Toe links (molded composite) (75mm center to center) (2) (assembled with hollow balls) (for use with #9182 upgrade kit)
2445 **Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)**

Hardware

2537 3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm)
1834 Body Clips (12) (standard size)
3934 Body clips, heavy duty (12)
3980 Glow plug wrench (Universal wrench)
3787 **Hardware kit, Bandit®/Stampede®/Rustler® (contains all hardware used on Bandit®, Stampede®, or Rustler®)**
1552 **Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench**
1747P **Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)**
3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747 Nuts, 4mm nylon locking (10)
1747R **Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)**
1747G **Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)**
1747T **Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)**
1747A **Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)**
1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5525R **Rod ends, heavy duty (Jato®/Slayer) (8)**
2742 Rod ends, long (6)/ hollow ball connectors (6)
5347 **Rod ends, Revo® (large) with hollow balls (12)**
2742X Rod ends, short (6)/ hollow balls (6)
3288 Screw, 3x15mm washerhead self-tapping (6)
3229 Screws, 2.5x10mm cap-head machine (hex drive) (6)
3965 Screws, 2.5x8mm cap-head machine (6)
2587 Screws, 3x10mm caphead machine (6) (no washer)
2675 Screws, 3x10mm roundhead self-tapping (6)
2648 Screws, 3x12mm countersunk self-tapping (6)
2676 Screws, 3x12mm roundhead self-tapping (6)
3186 Screws, 3x12mm washerhead machine (6)
3286 Screws, 3x12mm washerhead self-tapping (6)
2649 Screws, 3x15mm countersunk self-tapping (6)
2563 Screws, 3x15mm roundhead machine (6)
3187 Screws, 3x15mm washerhead machine (6)
2566 Screws, 3x20mm roundhead machine (6)
2567 Screws, 3x23mm roundhead machine (6)
2554 Screws, 3x6mm caphead machine (hex drive) (6)
2558 Screws, 3x6mm roundhead machine (6)
3185X Screws, 3x8mm washerhead machine (large head for motor mount) (6)
3290 Screws, 3x8mm washerhead self-tapping (6)
2548 Screws, 4x12mm countersunk machine (100-degree) (6)
3167 Screws, 4x15mm countersunk machine (6)
2743 Set (grub) screws, 3mm hardened (12)
3742 Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
3642 **Shoulder screws, Ultra shocks (3x12) (6)**
2754 Stub axle pins (4)
9142 Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)
3740 Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)
2637 Suspension pins, 31.5mm, chrome (2) w/ E-clips (4)
2746 **Washers, 3x6mm metal (12)**
2615 Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2)

LED Lights

3791 **LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®)**
3795 **LED light harness, rear (requires #2477 wheelie bar mount)**
3794 **LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®)**
2263 **Y-harness, BEC to LED light set**

Motors & Electronics

1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2260 **BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)**
3790 Gear adapter, fixed
2053 Gear set (for 2055, 2056 servos)
2072A **Gear set (for 2070, 2075 servos)**
2252 **Gear set, metal (for 2250, 2255 servos)**
2272 **Gear set, metal (for 2270 waterproof servo)**
2287 **Gear set, metal (for 2280 servo)**
1552 **Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench**
1275 **Motor, Stinger (20-turn, 540 size)**
3785 Motor, Titan® 12T (12-Turn, 550 size)
3351R **Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)**
3725R Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit or Rustler®)
2254 **Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)**
2253 **Servo case, aluminum (middle) (red-anodized) (for 2255 servo)**
2251 **Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)**
2271 **Servo case/ gaskets (for 2270 waterproof servo)**
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R **Servo, digital high-speed, metal gear (ball bearing), waterproof**
2075 **Servo, digital high-torque (ball bearing), waterproof**
2250 **Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof**
2255 **Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof**
2280 **Servo, digital high-torque 600 brushless, metal gear (ball bearing), waterproof**
2075X **Servo, digital high-torque, metal gear (ball bearing), waterproof**
2270 **Servo, digital high-torque, metal gear (ball bearing), waterproof**
2056 Servo, high-torque, waterproof (blue case)
3350R **Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control mounting plate (part #3725))**
3355R **VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)**
3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

Radio System, Batteries & Chargers

2922X **3000mAh 7.2V 6-cell flat NiMH Battery, Power Cell**
2827X **3000mah 7.4v 2-Cell LiPo Battery**
2923X 3000mAh 8.4V 7-cell flat NiMH Battery, Power Cell
2926X **3000mAh 8.4V 7-cell hump NiMH Battery, Power Cell**
2942X **3300mAh 7.2V 6-cell flat NiMH Battery, Series 3 Power Cell**
2940X **3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell**
2941X **3300mAh 8.4V 7-cell hump NiMH Battery, Series 3 Power Cell**
2952X **4200mAh 7.2V 6-cell flat NiMH Battery, Series 4 Power Cell**
2950X **4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell**
2951X **4200mAh 8.4V 7-cell hump NiMH Battery, Series 4 Power Cell**
2842X **5000mah 7.4v 2-Cell 25C LiPo Battery**
2960X **5000mAh 8.4V 7-cell flat NiMH Battery, Series 5 Power Cell**
2961X **5000mAh 8.4V 7-cell hump NiMH Battery, Series 5 Power Cell**
2844R **5200mAh 7.4v 2-cell 35C LiPo Battery**
2843X **5800mah 7.4v 2-Cell 25C LiPo Battery**
2869X **7600mah 7.4v 2-Cell 25C LiPo Battery**
2976 **AC to DC adapter**
2938X **Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)**
2943 **Battery charge indicators, green (4), grey (4), blue (4)**
6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2914 **Battery, Power Cell AA Alkaline (4)**
2983 **Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))**
2992 **Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® Battery (1))**
2970-2SR **Battery/charger completer pack (includes #2970 iD® charger (1), #2844R 5200mAh 7.4V 2-cell 35C LiPo iD® Battery (1))**
2991 **Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2))**

2985-2S **Battery/charger completer pack (includes #2985 charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1))**
2260 **BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)**
2969 **Charger, AC, 2 amp NiMH peak detecting (5-7 cell, 6.0-8.4 volt, NiMH only)**
2975 **Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)**
2972 **Charger, EZ-Peak Live Dual, 100W, NiMH/ LiPo with ID Auto Battery Identification**
2973 **Charger, EZ-Peak Live Dual, 200W, NiMH/ LiPo with ID Auto Battery Identification**
2970 **Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification**
2981 **Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification**
2985 **Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification**
2982 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®)
6525 **Communication link, telemetry expander**
2971 **EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®**
2978 **Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)**
2053 Gear set (for 2055, 2056 servos)
2072A **Gear set (for 2070, 2075 servos)**
2252 **Gear set, metal (for 2250, 2255 servos)**
2272 **Gear set, metal (for 2270 waterproof servo)**
2968X **LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)**
2968 **LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)**
6535 **Mount, temperature sensor (electric motors)/ wire tie/ thermal pad**
2912 **Power adapter, AC, USB-C (45W) (110 volt, North America only)**
2916 **Power cable, USB-C, 100W (high output), 5 ft. (1.5m)**
6519 Receiver, micro, TQ 2.4GHz (3-channel)
6533X **Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)**
6552 **Seal kit, expander box (includes o-ring, seals, and silicone grease)**
6520 **Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)**
6521 **Sensor, temperature and voltage (long)**
2254 **Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)**
2253 **Servo case, aluminum (middle) (red-anodized) (for 2255 servo)**
2251 **Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)**
2271 **Servo case/ gaskets (for 2270 waterproof servo)**
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R **Servo, digital high-speed, metal gear (ball bearing), waterproof**
2075 **Servo, digital high-torque (ball bearing), waterproof**
2250 **Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof**
2255 **Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof**
2075X **Servo, digital high-torque, metal gear (ball bearing), waterproof**
2270 **Servo, digital high-torque, metal gear (ball bearing), waterproof**
2056 Servo, high-torque, waterproof (blue case)
6553X **Telemetry Expander 2.0 and GPS module 2.0, TQi radio system**
6550X **Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)**
6551X **Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)**
6538 **Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)**
6540 **Telemetry trigger magnet, 5X2mm (1)**
6509A **TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)**
6507A **TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)**
6516 Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528X **Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)**
6529X **Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)**
6530X **Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)**
6511 **Traxxas® Link Bluetooth® module**
6537 **Wire retainers, gear cover/ 3x4mm BCS (2)**
3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

Ready-To-Race Model

24254-8 Bandit®: 1/10 Scale Off-Road Buggy with TQ™ 2.4GHz radio system

Rear Suspension

9190 Camber links, rear (molded composite) (56mm center to center) (2) (assembled with hollow balls) (for use with #9182 upgrade kit)
9150 **Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-BLUE **Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-GRAY Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRN **Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-ORNG **Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-RED **Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9450 **Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)**
9450R **Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)**
3638X Shock tower (rear)
2753X Stub axles, rear (2)
2758 Suspension arms, black (rear, left & right), heavy duty
2758-BLUE **Suspension arms, blue (rear, left & right), heavy duty**
2758-GRN **Suspension arms, green (rear, left & right), heavy duty**
2758-ORNG **Suspension arms, orange (rear, left & right), heavy duty**
2758-RED **Suspension arms, red (rear, left & right), heavy duty**
9142 Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)

Shock Oil

5031 **Oil, shock (20 wt, 200 cSt, 60cc) (silicone)**
5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033 **Oil, shock (40 wt, 500 cSt, 60cc) (silicone)**
5034 **Oil, shock (50 wt, 600 cSt, 60cc) (silicone)**
5035 **Oil, shock (60 wt, 700 cSt, 60cc) (silicone)**
5036 **Oil, shock (70 wt, 900 cSt, 60cc) (silicone)**
5037 **Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)**
5029 **Shock oil bottle (60cc) (for mixing shock oil)**
5038X **Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)**
5038 **Spinning carousel rack**

Shocks (Pro-level Aluminum)

5862 **Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)**
2660 **Big-bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (2)**
2662 **Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)**
2669 **Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)**
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X Rod ends, short (6)/ hollow balls (6)
2667 **Shock caps, aluminum (2) (Big Bore Shocks)**
2362 **Shock rebuild kit (for 2 shocks)**
1664T **Shock shafts, hardened steel, titanium nitride coated (long) (2)**
1664 Shock shafts, steel, chrome finish (long) (2)
1765 Silicone diaphragms (4)
2668 **Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)**
5860 **Springs, front (white) (progressive rate) (2) (for Slash big bore shocks)**
5859 **Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks)**

Shocks (Ultra Shocks)

3642 **Attachment screws, shock (3x12mm shoulder screws) (6)**
3765A Body, Ultra Shock (long) (grey) (2)
3766A Body, Ultra Shock (XXL) (grey) (2)
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X Rod ends, short (6)/ hollow balls (6)
3767 **Shock caps (2)/ shock bottoms (2)**
8361 Shock caps (black) (4) (assembled with hollow balls)

3767A **Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)**
3767G **Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)**
3767T **Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)**
3767P **Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)**
3767X **Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)**
2362 **Shock rebuild kit (for 2 shocks)**
1664T **Shock shafts, hardened steel, titanium nitride coated (long) (2)**
1664 Shock shafts, steel, chrome finish (long) (2)
1765 Silicone diaphragms (4)
3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
2457 **Spring, rear(black) (2)**
2458P **Springs (front) (pink) (2)**
2458A Springs (front) (white) (2)
2457P **Springs, (rear) (pink) (2)**
2458 **Springs, front (black) (2)**
2457A Springs, rear (white) (2)
3760 **Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)**
3762 **Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)**
3760A Ultra Shocks (gray) (long) (complete w/ spring pre-load spacers & springs) (2)
3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

Slipper Clutch Components

3793 Input shaft (slipper shaft) / spring pin
5552A Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554 Screws, 3x6mm caphead machine (hex drive) (6)
5556 Slipper pressure plate & hub (aluminum alloy)

Spur Gears & Pinion Gears

3790 Gear adapter, fixed
2416 **Gear, 16-T pinion (48-pitch) / set screw**
1918 **Gear, 18-T pinion (48-pitch) / set screw**
2419 **Gear, 19-T pinion (48-pitch) / set screw**
2421 Gear, 21-T pinion (48-pitch) / set screw
2423 **Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw**
2426 **Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw**
2431 **Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw**
4725 **Gear, pinion (25-tooth) (48-pitch) / set screw**
4676 **Spur gear, 76-tooth (48-pitch) (for models with Torque Control slipper clutch)**
4683 Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper clutch)
4686 **Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)**
4690 **Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)**

Steering Components

2537 3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm)
5114 **Ball bearings, blue rubber shield (5x8x2.5mm) (2)**
2545 Bushings (plastic) (5x8x2.5mm) (4)
9191 Camber links, front (molded composite) (67mm center to center) (2) (assembled with hollow balls) (for use with #9182 upgrade kit)
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742 Rod ends, long (6)/ hollow ball connectors (6)
5347 **Rod ends, Revo® (large) with hollow balls (12)**
2742X Rod ends, short (6)/ hollow balls (6)
3742 Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
3743 Steering bellcranks (l&r)/ draglink
3743A **Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
3743G **Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
3743T **Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
3743P **Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
3743X **Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
6845X **Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering**
9192 Toe links (molded composite) (75mm center to center) (2) (assembled with hollow balls) (for use with #9182 upgrade kit)

Suspension Linkage

3642 **Attachment screws, shock (3x12mm shoulder screws) (6)**
9191 Camber links, front (molded composite) (67mm center to center) (2) (assembled with hollow balls) (for use with #9182 upgrade kit)
2444X **Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**
2444A **Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**
2444G **Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**
2444T **Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**
2444P **Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**
2444R **Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**
9190 Camber links, rear (molded composite) (56mm center to center) (2) (assembled with hollow balls) (for use with #9182 upgrade kit)
2443X **Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**
2443A **Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**
2443G **Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**
2443T **Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**
2443P **Camber links, rear (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**
2443R **Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5525R **Rod ends, heavy duty (Jato®/Slayer) (8)**
2742 Rod ends, long (6)/ hollow ball connectors (6)
5347 **Rod ends, Revo® (large) with hollow balls (12)**
2742X Rod ends, short (6)/ hollow balls (6)
9142 Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)
3740 Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)
2637 **Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension arm to caster block)**
2640 **Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)**
9192 Toe links (molded composite) (75mm center to center) (2) (assembled with hollow balls) (for use with #9182 upgrade kit)
2445X **Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**
2445A **Toe links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**
2445G **Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**
2445T **Toe links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**
2445P **Toe links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**
2445R **Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**

Team Traxxas Items

9916 **Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)**
2514 **Decal sheet, racing sponsors**
9917 **Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)**

9950 **Official Team Traxxas® racing decal set(flag logo/ 6-color)**
9909 **Traxxas® racing banner, red & black (3x7 feet)**

Tires & Wheels

3775 Bushings, self-lubricating (5x8x2.5mm) (12)
2475 **Front wheels(2)(Bandit)**
1747P **Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)**
3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747R **Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)**
1747G **Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)**
1747T **Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)**
1747A **Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)**
1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
2474 **Rear wheels (2) (Bandit)**
3471 **Street tread tires, 2.15"Pro-trax (f)(2)**
2754 Stub axle pins (4)
1771 **Tire, front 2.1" spike (2)**
2471-BLK Tires & wheels, assembled (2.2" black beadlock wheels, Alias® ribbed 2.2" tires) (2) (Bandit® front, medium compound with foam inserts)
2470-BLK Tires & wheels, assembled (2.2" black beadlock wheels, Alias® 2.2" tires) (2) (Bandit® rear, medium compound with foam inserts)
2470T **Tires & wheels, assembled (2.2" black chrome wheels, Alias® 2.2" tires) (2) (Bandit® rear, medium compound with foam inserts)**
2471T **Tires & wheels, assembled (2.2" black chrome wheels, Alias® ribbed 2.2" tires) (2) (Bandit® front, medium compound w/ foam inserts)**
2479T **Tires & wheels, assembled (2.2" black chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit® front))**
2478T **Tires & wheels, assembled (2.2" black chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit® rear)**
2470G **Tires & wheels, assembled (2.2" black, satin chrome beadlock wheels, Alias® 2.2" tires) (2) (Bandit® rear, medium compound with foam inserts)**
2471G **Tires & wheels, assembled (2.2" black, satin chrome beadlock wheels, Alias® ribbed 2.2" tires) (2) (Bandit® front, medium compound w/ foam inserts)**
2479G **Tires & wheels, assembled (2.2" black, satin chrome beadlock wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit® front)**
2478G **Tires & wheels, assembled (2.2" black, satin chrome beadlock wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit® rear)**
1770 **Tires, 2.15 spiked (rear) (2)**
2470 Tires, Alias® 2.2" (rear) (2)/ foam inserts (Bandit) (soft compound)
2478 **Tires, Anaconda® 2.2" (rear) (2)/ foam inserts (Bandit) (soft compound)**
2479 **Tires, Anaconda® 2.2" (wide, front) (2)/foam inserts (Bandit) (soft compound)**
3470 **Tires, street slicks (rear) (2)**
2481A **Wheels, 2.2" (black chrome) (2) (Bandit® front)**
2480A **Wheels, 2.2" (black chrome) (2) (Bandit® rear)**
2481 **Wheels, 2.2" (black, satin chrome beadlock) (2) (Bandit® front)**
2480 **Wheels, 2.2" (black, satin chrome beadlock) (2) (Bandit® rear)**

Transmission Components

5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
3792 Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit)
5478 **Flat wrench, 8mm (blue anodized aluminum)**
3790 Gear adapter, fixed
3691 **Gearbox halves (L&R) (black) w/ idler gear shaft**
3691A Gearbox halves (L&R) (grey) w/ idler gear shaft
5148 Grease, white lithium
9492 **Idler gear, 30-tooth/ idler gear shaft (steel)**
3696 Idler gear, steel (30-tooth)
9494 **Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD)**
3793 Input shaft (slipper shaft) / spring pin
2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
1552 **Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench**
2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
9495A **Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)**
5552A Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554 Screws, 3x6mm caphead machine (hex drive) (6)
3185X Screws, 3x8mm washerhead machine (large head for motor mount) (6)
5556 Slipper pressure plate & hub (aluminum alloy)
3195 Top drive gear, steel (22-tooth)
3695 **Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)**

Traxxas Tools

3433X **Body reamer (aluminum handle)**
3433 **Body reamer (plastic handle)**
3436 **Cap, body reamer**
3425 **Rubber pit mat, 16x24x0.28**
3426 **Rubber pit mat, 36x20**
3432 **Scissors, curved tip**
3431 **Scissors, straight tip**
8712 **Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive**
8720 **Speed bit handle, large (overmolded)**
8721 **Speed bit handle, medium (one piece)**
8722 **Speed bit handle, premium (rubber overmold)**
8710 **Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
8711 **Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
8719 **Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
8716 **Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive**
8716X **Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive**
8715 **Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive**
8715X **Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
8714 **Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive**
2748R **Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)**
3415 **Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)**

Turnbuckles & Threaded Rods

2537 3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm)
2444X **Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**
2444A **Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**
2444G **Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**
2444T **Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**
2444P **Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**
2444R **Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**
2443X **Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**
2443A **Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**
2443G **Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**
2443T **Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**

2443P	**Camber links, rear (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**
2443R	**Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5525R	**Rod ends, heavy duty (Jato®/Slayer) (8)**
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	**Rod ends, Revo® (large) with hollow balls (12)**
2742X	Rod ends, short (6)/ hollow balls (6)
2445X	**Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**
2445A	**Toe links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**
2445G	**Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**
2445T	**Toe links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**
2445P	**Toe links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**
2445R	**Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)**

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000,
or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM