Rustler® 4X4 Brushless (Model 67464-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool
1726	**Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)**
1726A	Antenna, tube, black (1)/ vinyl antenna cap (1)/ wire retainer (1)
6720	Body mounts, front & rear/ 3x12mm CS (4)/ 3x12mm shoulder screw (2)/ 3x10mm flat-head machine screw (8)/ 3x12mm BCS (1)
6719	Body support/ 3x12mm CS (4)
9077	**Body, Rustler® 4X4 (clear, requires painting)/ window, grille, lights decal sheet/ body plastics**
9077X	**Body, Rustler® 4X4, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet**
2514	**Decal sheet, racing sponsors**
9083	Latch, body mount, front (1)/ rear (1) (for clipless body mounting) (attaches to #9077 body)
9950	**Official Team Traxxas® racing decal set(flag logo/ 6-color)**
6728X	**Skid plate, roof (body) (blue)/ 3x12mm CS (4)**
6728G	**Skid plate, roof (body) (green)/ 3x12 CS (4)**
6728T	**Skid plate, roof (body) (orange)/ 3x12 CS (4)**
6728R	**Skid plate, roof (body) (red)/ 3x12mm CS (4)**
6728	Skid plate, roof (body)/ 3x12mm CS (4)
6721-BLK	Wing, Rustler® (black)
6721-BLUE	**Wing, Rustler® (blue)**
6721-GRN	**Wing, Rustler® (green)**
6721-ORNG	**Wing, Rustler® (orange)**
6721-RED	**Wing, Rustler® (red)**

Center Driveline

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
7477	**Cover, gear/ wire retainer**
7477-SLGRY	Cover, gear/ wire retainer (slate gray)
6780	**Differential kit, center (complete) (aluminum carrier)**
6780A	**Differential kit, center (complete) (assembled with 500K wt differential fluid & 54T spur gear)**
6888	Drive hub, center, rear (1)/ 4x3 GS (1)
6888X	**Drive hub, front, hardened steel (1)/ screw pin (1)**
6767X	**Driveshaft, center, plastic (black)/ screw pin**
6767X-BLUE	Driveshaft, center, plastic (blue)/ screw pin
6783	Gear set, differential (spider gears (4)/ spider gear shaft (2))
6781	**Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS (with threadlock) (4)**
9081	Housing, center differential/ x-ring gaskets (2)/ 5x10x0.5 PTFE-coated washer (1)/ 2.5x10 CCS (4)
6884	**Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)**
7460A	Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
7460R	**Motor mount, 6061-T6 aluminum (blue-anodized)**
2523	Screws, 2.5x10 countersunk machine (hex drive) (6)
6842X	**Spur gear, steel, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)**
3956X	Spur gear, steel, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)

Chassis & Attachments

3698	Access plug, rubber (receiver box)
6726X-SLGRY	Battery hold-down (3)/ battery clip/ hold-down post (slate gray)/ screw pin/ pivot post screw (fits #6723 chassis with 162mm long battery compartment)
6726X	**Battery hold-down (3)/ battery clip/ hold-down post/ screw pin/ pivot post screw (fits #6723R chassis with 162mm long battery compartment)**
6724	**Box, receiver (sealed)/ foam pad/ 2.5x8mm CS (4)/ 3x10mm CS (2)**
6724-BLK	Box, receiver (sealed)/ foam pad/ 2.5x8mm CS (5)/ 3x10mm CS (2)
6791	**Bumper, front (assembled, LED lights installed) (fits 4WD Rustler®)**
6736X	**Bumper, front / bumper support (fits 4WD Rustler®) (for LED light kit installation)**
6736-BLK	Bumper, front/ bumper support
6736	**Bumper, front/ bumper support**
6737X	**Bumper, rear / bumper mount (fits 4WD Rustler®) (for LED light kit installation)**
6737	Bumper, rear/ bumper mount, rear
6730X	**Chassis brace kit, blue (fits Rustler® 4X4 or Slash® 4X4 models equipped with Low-CG chassis)**
6730G	**Chassis brace kit, green (fits Rustler® 4X4 or Slash® 4X4 models equipped with Low-CG chassis)**
6730A	**Chassis brace kit, orange (fits Rustler® 4X4 or Slash® 4X4 models equipped with Low-CG chassis)**
6730R	**Chassis brace kit, red (fits Rustler® 4X4 or Slash® 4X4 models equipped with Low-CG chassis)**
6723-DGRY	**Chassis w/ bearing support for center driveshaft, charcoal gray (162mm long battery compartment) (fits flat style battery packs) (use only with #7430R front bulkhead & #6726X battery hold-down) (requires #6724-BLK receiver box)**
6723-GRAY	**Chassis w/ bearing support for center driveshaft, gray (162mm long battery compartment) (fits flat style battery packs) (use only with #7430R front bulkhead & #6726X battery hold-down) (requires #6724-BLK receiver box)**
6723-STGRY	Chassis w/ bearing support for center driveshaft, steel gray (162mm long battery compartment) (fits flat style battery packs) (use only with #7430R front bulkhead & #6726X battery hold-down) (requires #6724-BLK receiver box)
3965	Screws, 2.5x8mm cap-head machine (6)
6776	Wheelie bar

Differential Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5381	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
6780	**Differential kit, center (complete) (aluminum carrier)**
6780A	**Differential kit, center (complete) (assembled with 500K wt differential fluid & 54T spur gear)**
5136X	**Differential oil kit (1.7 oz (50cc) of 1 each: 10K, 30K, 50K weights)**
6788	**Differential, front (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio)**
6789	**Differential, rear (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio)**
6888X	**Drive hub, front, hardened steel (1)/ screw pin (1)**
6882X	Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)
6783	Gear set, differential (spider gears (4)/ spider gear shaft (2))
6783	**Gear set, differential (spider gears (4)/ spider gear shaft (2))**
6781	**Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS (with threadlock) (4)**
9081	Housing, center differential/ x-ring gaskets (2)/ 5x10x0.5 PTFE-coated washer (1)/ 2.5x10 CCS (4)
6881	Housings, differential, front
6880	Housings, differential, rear
5136	Oil, differential (30K wt) (1.7 oz (50cc))
6782X	Output gears, center differential, hardened steel (2)
5379X	Ring gear, differential/ pinion gear, differential
5379R	**Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)**
6879R	**Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)**
6879	Ring gear, differential/ pinion gear, differential (rear)
3965	Screws, 2.5x8mm cap-head machine (6)

Driveline Components

9059X	**Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)**
9057X	**Differential output shafts, steel-splined constant-velocity (2)**
9057	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)

9051	Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
9052	Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
6765	**Driveshaft, center, 6061-T6 aluminum (blue-anodized) (189mm)**
6765G	**Driveshaft, center, 6061-T6 aluminum (green-anodized) (189mm)**
6765A	**Driveshaft, center, 6061-T6 aluminum (orange-anodized) (189mm)**
6765R	**Driveshaft, center, 6061-T6 aluminum (red-anodized) (189mm)**
6767X	**Driveshaft, center, plastic (black)/ screw pin**
6767X-BLUE	Driveshaft, center, plastic (blue)/ screw pin
9051R	**Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)**
9052R	**Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)**
9055X	**Half shaft, external splined (steel-spline constant velocity) (1)**
9056X	**Half shaft, internal splined (steel-spline constant velocity) (1)**
9058X	**Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft)**
9056	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
9055	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
9054	**Stub axle, front, 6mm, extreme heavy duty (for use with #9051R steel CV driveshafts)**
9053	**Stub axle, rear, 6mm, extreme heavy duty (for use with #9052R steel CV driveshafts)**
5452X	U-joints, driveshaft (carrier (4)/ 4.5mm cross pin (4)/ 3mm headed pin (4)/ 4x15mm screw pin (2)/ hex pin (2)/ e-clips (10)/ 3x6x0.5 MW (8)) (metal parts for 2 driveshafts)
9087-BLUE	**Wheel hub, splined, 17mm, short (blue-anodized) (1)/ wheel nut, splined, 17mm (blue-anodized) (1)/ hub retainer, M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)**
9087-GRAY	**Wheel hub, splined, 17mm, short (gray-anodized) (1)/ wheel nut, splined, 17mm (gray-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)**
9087-GRN	**Wheel hub, splined, 17mm, short (green-anodized) (1)/ wheel nut, splined, 17mm (green-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)**
9087-ORNG	**Wheel hub, splined, 17mm, short (orange-anodized) (1)/ wheel nut, splined, 17mm (orange-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)**
9087-RED	**Wheel hub, splined, 17mm, short (red-anodized) (1)/ wheel nut, splined, 17mm (red-anodized) (1)/ hub retainer, M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)**
9069	Wheel hubs, 12mm hex (steel), extreme heavy duty (4)/ 2x9.8mm pin (4) (for use with #9080 upgrade kit and 6mm axles)
9086	**Wheel hubs, splined, 17mm, short (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)**
9086-GRAY	**Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)**
9086-GRN	**Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)**
9086-ORNG	**Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)**
9086-RED	**Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)**

Extreme HD Upgrade Kit

9050	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050X	**Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9050-GRAY	**Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9050G	**Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9050T	**Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9050R	**Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9032	Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9032X	**Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9032-GRAY	**Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9032G	**Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9032T	**Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9032R	**Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9057	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)
9051	Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
9052	Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
9051R	**Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)**
9052R	**Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)**
9080	**Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, black**
9080X	**Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, blue**
9080-GRAY	**Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gray**
9080G	**Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, green**
9080T	**Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, orange**
9080R	**Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, red**
9043	Screw pins, 3x16mm, extreme heavy duty (6) (for use with #9080 upgrade kit)
9038	**Shock tower, front, extreme heavy duty, black (for use with #9080 upgrade kit)**
9038X	**Shock tower, front, extreme heavy duty, blue (for use with #9080 upgrade kit)**
9038-GRAY	**Shock tower, front, extreme heavy duty, gray (for use with #9080 upgrade kit)**
9038G	**Shock tower, front, extreme heavy duty, green (for use with #9080 upgrade kit)**
9038T	**Shock tower, front, extreme heavy duty, orange (for use with #9080 upgrade kit)**
9038R	**Shock tower, front, extreme heavy duty, red (for use with #9080 upgrade kit)**
9038-SLGRY	Shock tower, front, extreme heavy duty, slate gray (for use with #9080 upgrade kit)
9039	**Shock tower, rear, extreme heavy duty, black (for use with #9080 upgrade kit)**
9039X	**Shock tower, rear, extreme heavy duty, blue (for use with #9080 upgrade kit)**
9039-GRAY	**Shock tower, rear, extreme heavy duty, gray (for use with #9080 upgrade kit)**
9039G	**Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit)**
9039T	**Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit)**
9039R	**Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit)**
9039-SLGRY	Shock tower, rear, extreme heavy duty, slate gray (for use with #9080 upgrade kit)
9037	Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)

9037X **Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9037-GRAY **Steering blocks, extreme heavy duty, gray (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9037G **Steering blocks, extreme heavy duty, green (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9037T **Steering blocks, extreme heavy duty, orange (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9037R **Steering blocks, extreme heavy duty, red (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9056 Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
9055 Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
9042 Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)
9042X **Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)**
9087-BLUE **Wheel hub, splined, 17mm, short (blue-anodized) (1)/ wheel nut, splined, 17mm (blue-anodized) (1)/ hub retainer, M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)**
9087-GRAY **Wheel hub, splined, 17mm, short (gray-anodized) (1)/ wheel nut, splined, 17mm (gray-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)**
9087-GRN **Wheel hub, splined, 17mm, short (green-anodized) (1)/ wheel nut, splined, 17mm (green-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)**
9087-ORNG **Wheel hub, splined, 17mm, short (orange-anodized) (1)/ wheel nut, splined, 17mm (orange-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)**
9087-RED **Wheel hub, splined, 17mm, short (red-anodized) (1)/ wheel nut, splined, 17mm (red-anodized) (1)/ hub retainer, M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)**
9069 Wheel hubs, 12mm hex (steel), extreme heavy duty (4)/ 2x9.8mm pin (4) (for use with #9080 upgrade kit and 6mm axles)
9086 **Wheel hubs, splined, 17mm, short (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)**
9086-GRAY **Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)**
9086-GRN **Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)**
9086-ORNG **Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)**
9086-RED **Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)**

Front Suspension & Steering

5114 Ball bearings, blue rubber shield (5x8x2.5mm) (2)
9084 Body mount, front (1)/ rear (1) (for clipless body mounting) (attaches to #9077 body)
6823 Bulkhead tie bars, front & rear, aluminum (blue-anodized)
6823-GRAY **Bulkhead tie bars, front & rear, aluminum (gray-anodized)**
6823G **Bulkhead tie bars, front & rear, aluminum (green-anodized)**
6823-ORNG **Bulkhead tie bars, front & rear, aluminum (orange-anodized)**
6823R **Bulkhead tie bars, front & rear, aluminum (red-anodized)**
7430R Bulkhead, front (for use only with #6723R chassis)
7453 Camber links, front (molded composite) (79.6mm center to center) (2) (assembled with hollow balls)
3643X **Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3643G **Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3643R **Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
9063-BLUE **Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized), left & right (for use with #9080 upgrade kit)**
9063-GRAY **Caster blocks (c-hubs), 6061-T6 aluminum (gray-anodized), left & right (for use with #9080 upgrade kit)**
9063-GRN **Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized), left & right (for use with #9080 upgrade kit)**
9063-ORNG **Caster blocks (c-hubs), 6061-T6 aluminum (orange-anodized), left & right (for use with #9080 upgrade kit)**
9063-RED **Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized), left & right (for use with #9080 upgrade kit)**
9032 Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9032X **Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9032-GRAY **Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9032G **Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9032T **Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9032R **Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9057 Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)
6845A **Drag link, machined 6061-T6 aluminum (blue-anodized)**
6845G **Drag link, machined 6061-T6 aluminum (green-anodized)**
6845T **Drag link, machined 6061-T6 aluminum (orange-anodized)**
6845R **Drag link, machined 6061-T6 aluminum (red-anodized)**
9051 Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
9051R **Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)**
7438 Linkage, steering
9038 **Shock tower, front, extreme heavy duty, black (for use with #9080 upgrade kit)**
9038X **Shock tower, front, extreme heavy duty, blue (for use with #9080 upgrade kit)**
9038-GRAY **Shock tower, front, extreme heavy duty, gray (for use with #9080 upgrade kit)**
9038G **Shock tower, front, extreme heavy duty, green (for use with #9080 upgrade kit)**
9038T **Shock tower, front, extreme heavy duty, orange (for use with #9080 upgrade kit)**
9038R **Shock tower, front, extreme heavy duty, red (for use with #9080 upgrade kit)**
9038-SLGRY Shock tower, front, extreme heavy duty, slate gray (for use with #9080 upgrade kit)
6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
9064-BLUE **Steering blocks, 6061-T6 aluminum (blue-anodized), left & right (for use with #9080 upgrade kit)**
9064-GRAY **Steering blocks, 6061-T6 aluminum (gray-anodized), left & right (for use with #9080 upgrade kit)**
9064-GRN **Steering blocks, 6061-T6 aluminum (green-anodized), left & right (for use with #9080 upgrade kit)**
9064-ORNG **Steering blocks, 6061-T6 aluminum (orange-anodized), left & right (for use with #9080 upgrade kit)**
9064-RED **Steering blocks, 6061-T6 aluminum (red-anodized), left & right (for use with #9080 upgrade kit)**
9037 Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9037X **Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9037-GRAY **Steering blocks, extreme heavy duty, gray (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9037G **Steering blocks, extreme heavy duty, green (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9037T **Steering blocks, extreme heavy duty, orange (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9037R **Steering blocks, extreme heavy duty, red (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9056 Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
3655-BLK **Suspension arms, black, front/rear (left & right), heavy duty (2)**
3655-BLUE **Suspension arms, blue, front/rear (left & right), heavy duty (2)**
3655-GRN **Suspension arms, green, front/rear (left & right), heavy duty (2)**
3655-ORNG **Suspension arms, orange, front/rear (left & right), heavy duty (2)**

3655-RED	**Suspension arms, red, front/rear (left & right), heavy duty (2)**
3655-SLGRY	Suspension arms, slate gray, front/rear (left & right), heavy duty (2)
6834	**Suspension pin set, complete (front and rear)**
9042	Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)
9042X	**Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)**
7452	Toe links (molded composite) (86.8mm center to center) (2) (assembled with hollow balls)
6742X	**Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)**
6742G	**Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)**
6742R	**Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)**
9031	**Turnbuckles, camber link, 91mm (80mm center to center) (assembled with rod ends and hollow balls) (2)**

Hardware

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1589	Double-sided adhesive tape (25mm x 25mm)
2745	Nuts, 3mm nylon locking (12)
1747P	**Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)**
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747R	**Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)**
1747G	**Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)**
1747T	**Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)**
1747A	**Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)**
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
5525	Rod ends (12)/ hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2586	Screws, 3x15mm cap-head machine (hex drive) (6)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
2583	Screws, 3x18 button-head machine (hex drive) (6)
2580	Screws, 3x20mm button-head machine (hex drive) (6)
2591	Screws, 3x23mm button-head machine (hex drive) (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
2592	Screws, 3x40mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2534	Screws, 3x6mm countersunk machine (6) (hex drive)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
1552	Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3936	Screws, 4x10mm button-head machine (hex drive) (6)
3937	Screws, 4x12mm button-head machine (hex drive) (6)
2542	Screws, 4x12mm countersunk machine (hex drive) (6)
3938	Screws, 4x14mm button-head machine (hex drive) (6)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)
2743	Set (grub) screws, 3mm hardened (12)
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
2754	Stub axle pins (4)
2746	Washers, 3x6mm metal (12)

LED Lights

6588X	**Accessory power supply (regulated, 3V, 3 amp)/ power tap connector (with cable)/ 3x10 BCS (2)/ 2.6x8 BCS (2)**
6797	**Bumper, front (with LED lights) (replacement for #6736 front bumper)**
6541X	**Connector, power tap (with cable)/ 2.6x8 BCS (2) (use #6549 power tap for telemetry voltage)**
5893	**LED light harness, rear (requires #5838, 6737X, or 6836 rear bumper)**
6795	**LED light set, complete (includes bumper with LED lights, roof skid plate with LED lights, 3-volt accessory power supply, and power tap connector (with cable) (fits #6717 body)**
6793	**LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 4WD Rustler®)**
6796	**Skid plate, roof (body) (with LED lights) (fits #6717 body)**
2263	**Y-harness, BEC to LED light set**

Motors & Electronics

1926	Antenna caps, vinyl (2)/ antenna spool
1726	**Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)**
1726A	Antenna, tube, black (1)/ vinyl antenna cap (1)/ wire retainer (1)
2260	**BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)**
3467-BLUE	**Cooling fan, electronic speed control, Velineon® VX3™ (blue)**
3467-GRAY	Cooling fan, electronic speed control, Velineon® VX3™ (gray)
3340	**Cooling fan, electronic speed control, Velineon® VXL-3s, VXL-4s or BL-2s®**
2053	**Gear set (for 2055, 2056 servos)**
2072A	**Gear set (for 2070, 2075 servos)**
2059	Gear set, metal (for 2057 servos)
2252	**Gear set, metal (for 2250, 2255 servos)**
2287	**Gear set, metal (for 2280 servo)**
7460A	Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
7460R	**Motor mount, 6061-T6 aluminum (blue-anodized)**
3442	Motor, V3200™, brushless
7490	Plate, motor
7490G	**Plate, motor, green**
7490A	**Plate, motor, orange**
7490R	**Plate, motor, red**
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2254	**Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)**
2253	**Servo case, aluminum (middle) (red-anodized) (for 2255 servo)**
2251	**Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)**
2074	**Servo case/gaskets (for 2056 and 2075 waterproof servos)**
2075R	**Servo, digital high-speed, metal gear (ball bearing), waterproof**
2075	**Servo, digital high-torque (ball bearing), waterproof**
2250	**Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof**
2255	**Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof**
2280	**Servo, digital high-torque 600 brushless, metal gear (ball bearing), waterproof**
2075X	**Servo, digital high-torque, metal gear (ball bearing), waterproof**
2056	**Servo, high-torque, waterproof (blue case)**
2057	Servo, metal gear, waterproof
3441	Velineon® VX3™ Brushless Power System, waterproof (includes VX3™ ESC & V3200™ motor)
3446	Velineon® VX3™ Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)

Radio System, Batteries & Chargers

2827X	**3000mah 7.4v 2-Cell LiPo Battery**
2849X	**4000mah 11.1v 3-Cell 25C LiPo Battery**
2832X	**5000mah 11.1v 3-Cell 25C LiPo Battery**
2872X	**5000mah 11.1v 3-Cell 25C LiPo Battery**
2842X	**5000mah 7.4v 2-Cell 25C LiPo Battery**
2844R	**5200mAh 7.4v 2-cell 35C LiPo Battery**
2843X	**5800mah 7.4v 2-Cell 25C LiPo Battery**
2869X	**7600mah 7.4v 2-Cell 25C LiPo Battery**
2938X	**Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)**
2943	**Battery charge indicators, green (4), grey (4), blue (4)**
2914	**Battery, Power Cell AA Alkaline (4)**
2992	**Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® Battery (1))**
2970-2SR	**Battery/charger completer pack (includes #2970 iD® charger (1), #2844R 5200mAh 7.4V 2-cell 35C LiPo iD® Battery (1))**
2991	**Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2))**
2985-2S	**Battery/charger completer pack (includes #2985 charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1))**
2260	**BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)**
2972	**Charger, EZ-Peak Live Dual, 100W, NiMH/ LiPo with ID Auto Battery Identification**

2973	**Charger, EZ-Peak Live Dual, 200W, NiMH/ LiPo with ID Auto Battery Identification**
2970	**Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification**
2981	**Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification**
2985	**Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification**
2971	**EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®**
2053	Gear set (for 2055, 2056 servos)
2072A	**Gear set (for 2070, 2075 servos)**
2072X	**Gear set, metal (for 2070, 2075 servos)**
2252	**Gear set, metal (for 2250, 2255 servos)**
2272	**Gear set, metal (for 2270 waterproof servo)**
2072R	**Gear set, metal, high-speed (for 2070, 2075 servos)**
2968X	**LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)**
2968	**LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)**
6562	**Mount, telemetry expander (requires #6730 chassis brace kit)**
6535	**Mount, temperature sensor (electric motors)/ wire tie/ thermal pad**
2912	**Power adapter, AC, USB-C (45W) (110 volt, North America only)**
2916	**Power cable, USB-C, 100W (high output), 5 ft. (1.5m)**
6533X	**Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)**
6568-3CH	Receiver, micro, TQi Sport, 2.4GHz with TSM® (3-channel)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
6552	**Seal kit, expander box (includes o-ring, seals, and silicone grease)**
6521	**Sensor, temperature and voltage (long)**
2254	**Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)**
2253	**Servo case, aluminum (middle) (red-anodized) (for 2255 servo)**
2251	**Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)**
2271	**Servo case/ gaskets (for 2270 waterproof servo)**
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	**Servo, digital high-speed, metal gear (ball bearing), waterproof**
2075	**Servo, digital high-torque (ball bearing), waterproof**
2250	**Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof**
2255	**Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof**
2075X	**Servo, digital high-torque, metal gear (ball bearing), waterproof**
2270	**Servo, digital high-torque, metal gear (ball bearing), waterproof**
2056	Servo, high-torque, waterproof (blue case)
6842X	**Spur gear, steel, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)**
6553X	**Telemetry Expander 2.0 and GPS module 2.0, TQi radio system**
6550X	**Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)**
6551X	**Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)**
6505-2CH	Transmitter, TQi Sport Compact 2.4GHz, 2-channel (transmitter only)
6528X	**Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)**
6529X	**Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)**
6530X	**Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)**
6511	**Traxxas® Link Bluetooth® module**

Ready-To-Race Model

67464-4	Rustler® 4X4 Brushless: 1/10-scale 4WD Stadium Truck with TQi™ Sport 2.4GHz Radio System & Traxxas Stability Management (TSM)

Rear Suspension

6823	Bulkhead tie bars, front & rear, aluminum (blue-anodized)
6823-GRAY	**Bulkhead tie bars, front & rear, aluminum (gray-anodized)**
6823G	**Bulkhead tie bars, front & rear, aluminum (green-anodized)**
6823-ORNG	**Bulkhead tie bars, front & rear, aluminum (orange-anodized)**
6823R	**Bulkhead tie bars, front & rear, aluminum (red-anodized)**
7429	Bulkhead, rear
7454	Camber links, rear (molded composite) (72.4mm center to center) (2) (assembled with hollow balls)
3644X	**Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3644G	**Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3644R	**Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
9065-RED	**Carriers, stub axle, 6061-T6 aluminum, left & right (red-anodized) (for use with #9080 upgrade kit)**
9065-BLUE	**Carriers, stub axle, rear, 6061-T6 aluminum, left & right (blue-anodized) (for use with #9080 upgrade kit)**
9065-GRAY	**Carriers, stub axle, rear, 6061-T6 aluminum, left & right (gray-anodized) (for use with #9080 upgrade kit)**
9065-GRN	**Carriers, stub axle, rear, 6061-T6 aluminum, left & right (green-anodized) (for use with #9080 upgrade kit)**
9065-ORNG	**Carriers, stub axle, rear, 6061-T6 aluminum, left & right (orange-anodized) (for use with #9080 upgrade kit)**
9050	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050X	**Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9050-GRAY	**Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9050G	**Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9050T	**Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9050R	**Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9057	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)
9052	Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
9052R	**Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)**
9039	**Shock tower, rear, extreme heavy duty, black (for use with #9080 upgrade kit)**
9039X	**Shock tower, rear, extreme heavy duty, blue (for use with #9080 upgrade kit)**
9039-GRAY	**Shock tower, rear, extreme heavy duty, gray (for use with #9080 upgrade kit)**
9039G	**Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit)**
9039T	**Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit)**
9039R	**Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit)**
9039-SLGRY	Shock tower, rear, extreme heavy duty, slate gray (for use with #9080 upgrade kit)
9055	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
3655-BLK	**Suspension arms, black, front/rear (left & right), heavy duty (2)**
3655-BLUE	**Suspension arms, blue, front/rear (left & right), heavy duty (2)**
3655-GRN	**Suspension arms, green, front/rear (left & right), heavy duty (2)**
3655-ORNG	**Suspension arms, orange, front/rear (left & right), heavy duty (2)**
3655-RED	**Suspension arms, red, front/rear (left & right), heavy duty (2)**
3655-SLGRY	Suspension arms, slate gray, front/rear (left & right), heavy duty (2)
6834	Suspension pin set, complete (front and rear)
9042	Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)
9042X	**Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)**

3644	**Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash, rear on Slash 4X4)**

Shock Oil

5031	**Oil, shock (20 wt, 200 cSt, 60cc) (silicone)**
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	**Oil, shock (40 wt, 500 cSt, 60cc) (silicone)**
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	**Oil, shock (60 wt, 700 cSt, 60cc) (silicone)**
5036	**Oil, shock (70 wt, 900 cSt, 60cc) (silicone)**
5037	**Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)**
5029	**Shock oil bottle (60cc) (for mixing shock oil)**
5038X	**Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)**
5038	**Spinning carousel rack**

Shocks (GTR)

7466-XGRY	**Body, GTR long (gray-anodized, PTFE-coated aluminum) (1)**
7466-PINK	**Body, GTR long (pink-anodized, PTFE-coated aluminum) (1)**
7466	**Body, GTR long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)**
7466G	**Body, GTR long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)**
7469-STGRY	Body, GTR long shock, steel gray (2)
7467-XGRY	**Body, GTR xx-long (gray-anodized, PTFE-coated aluminum) (1)**
7467-PINK	**Body, GTR xx-long (pink-anodized, PTFE-coated aluminum) (1)**
7467	**Body, GTR xx-long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)**
7467A	**Body, GTR xx-long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)**
7467R	**Body, GTR xx-long shock, aluminum (red-anodized) (PTFE-coated bodies) (1)**
7467-STGRY	Body, GTR xx-long shock, steel gray (2)
7468X	**Caps & spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))**
7468	**Caps and spring retainers, GTR long/xx-long shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))**
7468-SLGRY	Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls (2)/ bottom cap (2)/ upper & lower retainers (slate gray) (2 each)
7463	**Rebuild kit, GTR long/xx-long shocks (x-rings, bladders, pistons, piston nuts, shock rod ends, hollow balls) (renews 2 shocks)**
5469	**Rod ends (GTR shocks)**
7464	Shaft, GTR long (steel, chrome finish) (2)
7464T	**Shaft, GTR long, TiN-coated (2)**
7465	Shaft, GTR xx-long (steel, chrome finish) (2)
7465T	**Shaft, GTR xx-long, TiN-coated (2)**
7461-STGRY	Shocks, GTR long (steel gray) (assembled, without springs) (2)
7461	**Shocks, GTR long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7461G	**Shocks, GTR long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7461-ORNG	**Shocks, GTR long orange-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7461-PINK	**Shocks, GTR long pink-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7461-RED	**Shocks, GTR long red-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7461X	**Shocks, GTR long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)**
7462-GRAY	**Shocks, GTR xx-long (gray) (assembled) (2) (without springs)**
7462-STGRY	Shocks, GTR xx-long (steel gray) (assembled, without springs) (2)
7462	**Shocks, GTR xx-long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7462G	**Shocks, GTR xx-long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7462-ORNG	**Shocks, GTR xx-long orange-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7462-PINK	**Shocks, GTR xx-long pink-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7462-RED	**Shocks, GTR xx-long red-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7462X	**Shocks, GTR xx-long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)**
7440	**Spring, shock, white (GTR long) (0.623 rate orange) (1 pair)**
7441	**Spring, shock, white (GTR long) (0.653 rate green) (1 pair)**
7444	**Spring, shock, white (GTR long) (0.767 rate black) (1 pair)**
7445	Spring, shock, white (GTR long) (0.810 rate pink) (1 pair)
7448	**Spring, shock, white (GTR long) (0.892 rate blue) (1 pair)**
7442	**Spring, shock, white (GTR xx-long) (0.711 rate orange) (1 pair)**
7443	**Spring, shock, white (GTR xx-long) (0.762 rate green) (1 pair)**
7446	**Spring, shock, white (GTR xx-long) (0.874 rate black) (1 pair)**
7447	**Spring, shock, white (GTR xx-long) (0.884 rate pink) (1 pair)**
7449	Spring, shock, white (GTR xx-long) (1.004 rate blue) (1 pair)

Shocks (Pro-level Aluminum)

5862	**Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)**
2660	**Big-bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (2)**
2662	**Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)**
1942	**Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)**
2742X	**Rod ends, short (6)/ hollow balls (6)**
2667	**Shock caps, aluminum (2) (Big Bore Shocks)**
2362	**Shock rebuild kit (for 2 shocks)**
1664T	**Shock shafts, hardened steel, titanium nitride coated (long) (2)**
2656T	**Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)**
1664	**Shock shafts, steel, chrome finish (long) (2)**
2656	**Shock shafts, steel, chrome finish (xx-long) (2)**
1765	**Silicone diaphragms (4)**
2668	**Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)**
3759	**Springs, front (2)**
6863	**Springs, front (progressive, +10% rate, pink) (2)**
6864	**Springs, front (progressive, +20% rate, blue) (2)**
6862	**Springs, front (progressive, -10% rate, green) (2)**
6861	**Springs, front (progressive, -20% rate, orange) (2)**
6857	**Springs, front (white) (progressive rate) (2)**
6867	**Springs, rear (progressive, +10% rate, pink) (2)**
6868	**Springs, rear (progressive, +20% rate, blue) (2)**
6866	**Springs, rear (progressive, -10% rate, green) (2)**
6865	**Springs, rear (progressive, -20% rate, orange) (2)**
6858	**Springs, rear (white) (progressive rate) (2)**

Spur Gears & Pinion Gears

7477	**Cover, gear/ wire retainer**
7477-SLGRY	Cover, gear/ wire retainer (slate gray)
6790X	Gear adapters, fixed (fits Rustler® 4X4 or Slash® 4X4 models equipped with Low-CG chassis)
5641	**Gear, 11-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw**
5642	**Gear, 13-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw**
5640	**Gear, 14-T pinion (0.8 metric pitch, compatible with 32-pitch) (hardened steel) (fits 5mm shaft)/ set screw**
5651	**Gear, 15-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw**
5652	Gear, 16-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw
6842	**Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch)**
6842R	**Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for Slash 4x4 center differential)**
6843	**Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch)**
6843R	**Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch) (for Slash 4x4 center differential)**
3956	**Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch)**
3956R	**Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)**
3956X	Spur gear, steel, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)

Steering Components

6845A	**Drag link, machined 6061-T6 aluminum (blue-anodized)**
6845G	**Drag link, machined 6061-T6 aluminum (green-anodized)**
6845T	**Drag link, machined 6061-T6 aluminum (orange-anodized)**
6845R	**Drag link, machined 6061-T6 aluminum (red-anodized)**
7438	Linkage, steering
2742X	Rod ends, short (6)/ hollow balls (6)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
6742X	**Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)**

6742G **Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)**
6742R **Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)**
2746 Washers, 3x6mm metal (12)

Suspension Linkage

7453 Camber links, front (molded composite) (79.6mm center to center) (2) (assembled with hollow balls)
3643X **Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3643G **Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3643R **Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
7454 Camber links, rear (molded composite) (72.4mm center to center) (2) (assembled with hollow balls)
3644X **Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3644G **Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3644R **Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
5525 Rod ends (12)/ hollow balls (12)
6834 Suspension pin set, complete (front and rear)
7452 Toe links (molded composite) (86.8mm center to center) (2) (assembled with hollow balls)
6742X **Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)**
6742G **Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)**
6742R **Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)**

Team Traxxas Items

9916 **Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)**
2514 **Decal sheet, racing sponsors**
9917 **Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)**
9950 **Official Team Traxxas® racing decal set(flag logo/ 6-color)**
9909 **Traxxas® racing banner, red & black (3x7 feet)**

Tires & Wheels

5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
1747P **Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)**
8347 Nuts, 4mm flanged nylon locking, serrated (black) (10)
1748 **Nuts, 4mm nylon locking, black (10)**
1747R **Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)**
1747G **Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)**
1747T **Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)**
1747A **Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)**
1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
2754 Stub axle pins (4)
6775X **Tires & wheels, assembled, glued (2.8") (RXT black & chrome wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)**
6773X **Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)**
6775 **Tires & wheels, assembled, glued (2.8") (RXT black wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)**
6764 **Tires & wheels, assembled, glued (2.8") (RXT black wheels, Gravix® tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)**
9170-BLK Tires & wheels, assembled, glued (2.8") (RXT black wheels, Sledgehammer® ST tires, foam inserts) (4WD front and rear, 2WD electric front only) (2) (TSM® rated)
6773 **Tires & wheels, assembled, glued (2.8") (RXT black wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)**
6764-BLKCR **Tires & wheels, assembled, glued (2.8") (RXT charcoal gray & black chrome wheels, Gravix® tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)**
6775G **Tires & wheels, assembled, glued (2.8") (RXT green wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)**
6773G **Tires & wheels, assembled, glued (2.8") (RXT green wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)**
6775A **Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)**
6773A **Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)**
6773R **Tires & wheels, assembled, glued (2.8") (RXT satin chrome wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)**
6792 **Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (2) (TSM® rated)**
9072 **Tires & wheels, assembled, glued (black chrome 2.8" wheels, Sledgehammer® tires, foam inserts) (2) (TSM® rated)**
9072-GRAY **Tires & wheels, assembled, glued (charcoal gray 2.8" wheels, Sledgehammer® tires, foam inserts) (2) (TSM® rated)**
6769 **Tires, Talon EXT 2.8" (2)/ foam inserts (2)**
9087-BLUE **Wheel hub, splined, 17mm, short (blue-anodized) (1)/ wheel nut, splined, 17mm (blue-anodized) (1)/ hub retainer, M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)**
9087-GRAY **Wheel hub, splined, 17mm, short (gray-anodized) (1)/ wheel nut, splined, 17mm (gray-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)**
9087-GRN **Wheel hub, splined, 17mm, short (green-anodized) (1)/ wheel nut, splined, 17mm (green-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)**
9087-ORNG **Wheel hub, splined, 17mm, short (orange-anodized) (1)/ wheel nut, splined, 17mm (orange-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)**
9087-RED **Wheel hub, splined, 17mm, short (red-anodized) (1)/ wheel nut, splined, 17mm (red-anodized) (1)/ hub retainer, M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)**
9086 **Wheel hubs, splined, 17mm, short (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)**
9086-GRAY **Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)**
9086-GRN **Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)**
9086-ORNG **Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)**
9086-RED **Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)**
6772 Wheels, RXT 2.8" (black) (2)
6772-BLKCR **Wheels, RXT 2.8" (charcoal gray & black chrome) (2)**

Traxxas Tools

3433X **Body reamer (aluminum handle)**
3433 **Body reamer (plastic handle)**
3436 **Cap, body reamer**
3425 **Rubber pit mat, 16x24x0.28**
3426 **Rubber pit mat, 36x20**
3432 **Scissors, curved tip**
3431 **Scissors, straight tip**
8712 **Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive**
8720 **Speed bit handle, large (overmolded)**
8721 **Speed bit handle, medium (one piece)**
8722 **Speed bit handle, premium (rubber overmold)**
8710 **Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
8711 **Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive**

8719	**Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
8716	**Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive**
8716X	**Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive**
8715	**Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive**
8715X	**Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
8714	**Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive**
2748R	**Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)**
3415	**Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)**

Turnbuckles & Threaded Rods

7453	Camber links, front (molded composite) (79.6mm center to center) (2) (assembled with hollow balls)
3643X	**Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3643G	**Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3643R	**Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
7454	Camber links, rear (molded composite) (72.4mm center to center) (2) (assembled with hollow balls)
3644X	**Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3644G	**Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3644R	**Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
5525	Rod ends (12)/ hollow balls (12)
7452	Toe links (molded composite) (86.8mm center to center) (2) (assembled with hollow balls)
6742X	**Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)**
6742G	**Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)**
6742R	**Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)**

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM