Slash® 4X4 Brushless (Model 68454-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

2728	Ball bearings (5x8x2.5mm) (2)
5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5114	**Ball bearings, blue rubber shield (5x8x2.5mm) (2)**
2545	Bushings (plastic) (5x8x2.5mm) (4)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
6934	**Body conversion kit, Slash 2WD/Slash 4X4 (includes front & rear latch mounts, latches, hardware) (for clipless mounting)**
6990	**Body reinforcement set (fits #6958 body)**
6958	**Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4) (clear, requires painting)/ window masks/ decal sheet (requires #6953 latches and #6952 latch mounts for clipless mounting)**
6958X	**Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet (requires #6953 latches and #6952 latch mounts for clipless mounting)**
5924	**Body, Slash® 2WD, ProGraphix® (also fits Slash® VXL & Slash® 4X4) (graphics are printed, requires paint & final color application)/ decal sheet**
5855	**Body, Slash® 2WD, ProGraphix® (also fits Slash® VXL & Slash® 4X4) (graphics are printed, requires paint & final color application)/ decal sheet**
6965	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD) (clear, requires painting)/ window masks/ decal sheet (requires #6967 latches and #6966 latch mounts for clipless mounting)**
6910-BLUE	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6946-BLUE	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6941-BLUE	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6910-GRN	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), green (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6941-GRN	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), green (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6946-GRN	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), green (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6910-ORNG	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), orange (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6941-ORNG	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), orange (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6946-ORNG	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), orange (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6941-RED	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), red (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6910-RED	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), red (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6946-RED	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), red (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6932-GRN	**Body, Slash® 4X4, green (painted, decals applied) (assembled with front & rear body mount latches for clipless mounting)**
6958R	**Body, Slash® 4X4, heavy duty (also fits Slash® VXL & Slash® 2WD) (clear, requires painting)/ window masks/ decal sheets (requires #6953 latches and #6952 latch mounts for clipless mounting)**
5855X	**Body, Slash® 4X4, ProGraphix® (also fits Slash® VXL & Slash® 2WD) (graphics are printed, requires paint & final color application)/ decal sheet**
6933	**Body, Slash® 4X4, ProGraphix® (also fits Slash® VXL & Slash® 2WD) (graphics are printed, requires paint & final color application)/ decal sheet**
6932L	**Body, Slash® 4X4, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet**
6932-RED	**Body, Slash® 4X4, red (painted, decals applied) (assembled with front & rear body mount latches for clipless mounting)**
6928	**Chassis & body conversion kit, Slash 4X4 (includes front & rear body mounts, latches, hardware) (for clipless mounting)**
2514	**Decal sheet, racing sponsors**
6813R	**Decal sheet, Slash® 4X4**
6981	**Decal sheets, Slash®**
6966	**Latch mounts/ retainers (front & rear, left & right)**
6952	Latch mounts/ retainers (front & rear, left & right) (fits #6958 body)
6953	Latch, body mount, front & rear (for clipless body mounting) (attaches to #6958 body)
6967	**Latch, body mounts (front & rear)**
9950	**Official Team Traxxas® racing decal set(flag logo/ 6-color)**
6994	**Side skirts (left & right)/ retainers (left & right)/ 3x8mm BCS (6) (fits #6958 body)**
6992	Skid pads, roof (left & right)/ retainers (left & right)/ 3x10mm CS (6) (fits #6958 body)
6993	**Skid pads, tailgate (left & right)/ retainers (left (2), right (2))/ 3x10mm CS (6) (fits #6958 body)**

Center Driveline

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
7477	**Cover, gear/ wire retainer**
7477-SLGRY	Cover, gear/ wire retainer (slate gray)
6780	**Differential kit, center (complete) (aluminum carrier)**
6780A	**Differential kit, center (complete) (assembled with 500K wt differential fluid & 54T spur gear)**
6888X	Drive hub, front, hardened steel (1)/ screw pin (1)
7455X	Driveshaft, center, plastic (black)/ screw pin
6783	Gear set, differential (spider gears (4)/ spider gear shaft (2))
6781	**Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS (with threadlock) (4)**
9081	Housing, center differential/ x-ring gaskets (2)/ 5x10x0.5 PTFE-coated washer (1)/ 2.5x10 CCS (4)
6884	**Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)**
7460A	Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
7460R	**Motor mount, 6061-T6 aluminum (blue-anodized)**
2523	Screws, 2.5x10 countersunk machine (hex drive) (6)

Chassis & Attachments

3698	Access plug, rubber (receiver box)
7426	**Battery hold-down (1)/ hold-down retainer, front & rear (1 each)**
7426-SLGRY	Battery hold-down (1)/ hold-down retainer, front & rear (slate gray) (1 each)
7426X	**Battery hold-down, tall (1)/ hold-down retainer, front & rear (1 each) (allows for installation of taller, multi-cell batteries)**
10125	Body mount, rear/ inserts (2) (for clipless body mounting)
7424	Box, receiver (sealed)/ foam pads/ 2.5x12mm CS (2)/ 3x6mm CS (2)/ 3x12mm BCS (2)
6823	Bulkhead tie bars, front & rear, aluminum (blue-anodized)
6823-GRAY	**Bulkhead tie bars, front & rear, aluminum (gray-anodized)**
6823G	**Bulkhead tie bars, front & rear, aluminum (green-anodized)**
6823-ORNG	**Bulkhead tie bars, front & rear, aluminum (orange-anodized)**
6823R	**Bulkhead tie bars, front & rear, aluminum (red-anodized)**
7430X	Bulkhead, front
7429	Bulkhead, rear
7428	Bumper, front/ bumper support (fits Slash® 4X4)
6836X	Bumper, rear / bumper mount (fits Slash® 4X4) (for LED light kit installation)
7422X-DGRY	**Chassis (charcoal gray)**
7422X-GRAY	**Chassis (gray)**
7422X-STGRY	Chassis (steel gray)
7460A	Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)

7460R	**Motor mount, 6061-T6 aluminum (blue-anodized)**
7423	**Nerf bars, chassis (2)**
7425	Seal kit, receiver box (includes o-ring, seals, and silicone grease)

Differential Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5381	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
6814	**Differential kit, center (complete)**
6780	**Differential kit, center (complete) (aluminum carrier)**
6780A	**Differential kit, center (complete) (assembled with 500K wt differential fluid & 54T spur gear)**
5136X	**Differential oil kit (1.7 oz (50cc) of 1 each: 10K, 30K, 50K weights)**
6788	Differential, front (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio)
6789	**Differential, rear (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio)**
6888X	**Drive hub, front, hardened steel (1)/ screw pin (1)**
6882X	Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)
6783	Gear set, differential (spider gears (4)/ spider gear shaft (2))
6781	**Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS (with threadlock) (4)**
9081	Housing, center differential/ x-ring gaskets (2)/ 5x10x0.5 PTFE-coated washer (1)/ 2.5x10 CCS (4)
6881	Housings, differential, front
6880	Housings, differential, rear
5130	Oil, differential (100K wt) (0.7 oz (20cc))
5039	Oil, differential (500K wt) (0.7 oz (20cc))
6782X	Output gears, center differential, hardened steel (2)
5379X	Ring gear, differential/ pinion gear, differential
5379R	**Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)**
6879R	**Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)**
6879	Ring gear, differential/ pinion gear, differential (rear)
3965	Screws, 2.5x8mm cap-head machine (6)

Driveline Components

9059X	**Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)**
9057X	**Differential output shafts, steel-splined constant-velocity (2)**
9057	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)
9051	Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
9052	Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
7455X	Driveshaft, center, plastic (black)/ screw pin
9051R	**Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)**
9052R	**Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)**
9055X	**Half shaft, external splined (steel-spline constant velocity) (1)**
9056X	**Half shaft, internal splined (steel-spline constant velocity) (1)**
9058X	**Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft)**
9056	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
9054	**Stub axle, front, 6mm, extreme heavy duty (for use with #9051R steel CV driveshafts)**
9053	**Stub axle, rear, 6mm, extreme heavy duty (for use with #9052R steel CV driveshafts)**
5452X	U-joints, driveshaft (carrier (4)/ 4.5mm cross pin (4)/ 3mm headed pin (4)/ 4x15mm screw pin (2)/ hex pin (2)/ e-clips (10)/ 3x6x0.5 MW (8)) (metal parts for 2 driveshafts)
9087-BLUE	**Wheel hub, splined, 17mm, short (blue-anodized) (1)/ wheel nut, splined, 17mm (blue-anodized) (1)/ hub retainer, M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)**
9087-GRAY	**Wheel hub, splined, 17mm, short (gray-anodized) (1)/ wheel nut, splined, 17mm (gray-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)**
9087-GRN	**Wheel hub, splined, 17mm, short (green-anodized) (1)/ wheel nut, splined, 17mm (green-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)**
9087-ORNG	**Wheel hub, splined, 17mm, short (orange-anodized) (1)/ wheel nut, splined, 17mm (orange-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)**
9087-RED	**Wheel hub, splined, 17mm, short (red-anodized) (1)/ wheel nut, splined, 17mm (red-anodized) (1)/ hub retainer, M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)**
9069	Wheel hubs, 12mm hex (steel), extreme heavy duty (4)/ 2x9.8mm pin (4) (for use with #9080 upgrade kit and 6mm axles)
9086	**Wheel hubs, splined, 17mm, short (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)**
9086-GRAY	**Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)**
9086-GRN	**Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)**
9086-ORNG	**Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)**
9086-RED	**Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)**

Extreme HD Upgrade Kit

9050	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050X	**Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9050-GRAY	**Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9050G	**Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9050T	**Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9050R	**Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9032	Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9032X	**Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9032-GRAY	**Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9032G	**Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9032T	**Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9032R	**Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9057	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)
9051	Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
9052	Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
9051R	**Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)**
9052R	**Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)**
9080	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, black
9080X	**Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, blue**
9080-GRAY	**Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gray**

BFGoodrich and all associated names are trademarks used with permission. Distributed under license by Traxxas LP. Copyright © 2026 MNA, Inc. All rights reserved.

9080G	**Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, green**
9080T	**Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, orange**
9080R	**Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, red**
9043	Screw pins, 3x16mm, extreme heavy duty (6) (for use with #9080 upgrade kit)
9038	**Shock tower, front, extreme heavy duty, black (for use with #9080 upgrade kit)**
9038X	Shock tower, front, extreme heavy duty, blue (for use with #9080 upgrade kit)
9038-GRAY	**Shock tower, front, extreme heavy duty, gray (for use with #9080 upgrade kit)**
9038G	**Shock tower, front, extreme heavy duty, green (for use with #9080 upgrade kit)**
9038T	**Shock tower, front, extreme heavy duty, orange (for use with #9080 upgrade kit)**
9038R	**Shock tower, front, extreme heavy duty, red (for use with #9080 upgrade kit)**
9038-SLGRY	Shock tower, front, extreme heavy duty, slate gray (for use with #9080 upgrade kit)
9039	**Shock tower, rear, extreme heavy duty, black (for use with #9080 upgrade kit)**
9039X	**Shock tower, rear, extreme heavy duty, blue (for use with #9080 upgrade kit)**
9039-GRAY	**Shock tower, rear, extreme heavy duty, gray (for use with #9080 upgrade kit)**
9039G	**Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit)**
9039T	**Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit)**
9039R	**Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit)**
9039-SLGRY	Shock tower, rear, extreme heavy duty, slate gray (for use with #9080 upgrade kit)
9037	Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9037X	**Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9037-GRAY	**Steering blocks, extreme heavy duty, gray (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9037G	**Steering blocks, extreme heavy duty, green (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9037T	**Steering blocks, extreme heavy duty, orange (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9037R	**Steering blocks, extreme heavy duty, red (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9056	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
9055	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
9054	**Stub axle, front, 6mm, extreme heavy duty (for use with #9051R steel CV driveshafts)**
9053	**Stub axle, rear, 6mm, extreme heavy duty (for use with #9052R steel CV driveshafts)**
9042	Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)
9042X	**Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)**
9087-BLUE	**Wheel hub, splined, 17mm, short (blue-anodized) (1)/ wheel nut, splined, 17mm (blue-anodized) (1)/ hub retainer, M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)**
9087-GRAY	**Wheel hub, splined, 17mm, short (gray-anodized) (1)/ wheel nut, splined, 17mm (gray-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)**
9087-GRN	**Wheel hub, splined, 17mm, short (green-anodized) (1)/ wheel nut, splined, 17mm (green-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)**
9087-ORNG	**Wheel hub, splined, 17mm, short (orange-anodized) (1)/ wheel nut, splined, 17mm (orange-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)**
9087-RED	**Wheel hub, splined, 17mm, short (red-anodized) (1)/ wheel nut, splined, 17mm (red-anodized) (1)/ hub retainer, M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)**
9069	Wheel hubs, 12mm hex (steel), extreme heavy duty (4)/ 2x9.8mm pin (4) (for use with #9080 upgrade kit and 6mm axles)
9086	**Wheel hubs, splined, 17mm, short (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)**
9086-GRAY	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
9086-GRN	**Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)**
9086-ORNG	**Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)**
9086-RED	**Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)**

Front Suspension & Steering

6823	Bulkhead tie bars, front & rear, aluminum (blue-anodized)
6823-GRAY	**Bulkhead tie bars, front & rear, aluminum (gray-anodized)**
6823G	**Bulkhead tie bars, front & rear, aluminum (green-anodized)**
6823-ORNG	**Bulkhead tie bars, front & rear, aluminum (orange-anodized)**
6823R	**Bulkhead tie bars, front & rear, aluminum (red-anodized)**
7430X	Bulkhead, front
7453	Camber links, front (molded composite) (79.6mm center to center) (2) (assembled with hollow balls)
3643X	**Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3643G	**Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3643R	**Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
9063-BLUE	**Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized), left & right (for use with #9080 upgrade kit)**
9063-GRAY	**Caster blocks (c-hubs), 6061-T6 aluminum (gray-anodized), left & right (for use with #9080 upgrade kit)**
9063-GRN	**Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized), left & right (for use with #9080 upgrade kit)**
9063-ORNG	**Caster blocks (c-hubs), 6061-T6 aluminum (orange-anodized), left & right (for use with #9080 upgrade kit)**
9063-RED	**Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized), left & right (for use with #9080 upgrade kit)**
9032	Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9032X	**Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9032-GRAY	**Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9032G	**Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9032T	**Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9032R	**Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9057	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)
6845A	**Drag link, machined 6061-T6 aluminum (blue-anodized)**
6845G	**Drag link, machined 6061-T6 aluminum (green-anodized)**
6845T	**Drag link, machined 6061-T6 aluminum (orange-anodized)**
6845R	**Drag link, machined 6061-T6 aluminum (red-anodized)**
9051	Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
9051R	**Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)**
6846	Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
9038	**Shock tower, front, extreme heavy duty, black (for use with #9080 upgrade kit)**
9038X	**Shock tower, front, extreme heavy duty, blue (for use with #9080 upgrade kit)**
9038-GRAY	**Shock tower, front, extreme heavy duty, gray (for use with #9080 upgrade kit)**
9038G	**Shock tower, front, extreme heavy duty, green (for use with #9080 upgrade kit)**

BFGoodrich and all associated names are trademarks used with permission. Distributed under license by Traxxas LP. Copyright © 2026 MNA, Inc. All rights reserved.

9038T	**Shock tower, front, extreme heavy duty, orange (for use with #9080 upgrade kit)**
9038R	**Shock tower, front, extreme heavy duty, red (for use with #9080 upgrade kit)**
9038-SLGRY	Shock tower, front, extreme heavy duty, slate gray (for use with #9080 upgrade kit)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
9064-BLUE	**Steering blocks, 6061-T6 aluminum (blue-anodized), left & right (for use with #9080 upgrade kit)**
9064-GRAY	**Steering blocks, 6061-T6 aluminum (gray-anodized), left & right (for use with #9080 upgrade kit)**
9064-GRN	**Steering blocks, 6061-T6 aluminum (green-anodized), left & right (for use with #9080 upgrade kit)**
9064-ORNG	**Steering blocks, 6061-T6 aluminum (orange-anodized), left & right (for use with #9080 upgrade kit)**
9064-RED	**Steering blocks, 6061-T6 aluminum (red-anodized), left & right (for use with #9080 upgrade kit)**
9037	Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9037X	**Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9037-GRAY	**Steering blocks, extreme heavy duty, gray (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9037G	**Steering blocks, extreme heavy duty, green (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9037T	**Steering blocks, extreme heavy duty, orange (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9037R	**Steering blocks, extreme heavy duty, red (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9056	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
3655-BLK	**Suspension arms, black, front/rear (left & right), heavy duty (2)**
3655-BLUE	**Suspension arms, blue, front/rear (left & right), heavy duty (2)**
3655-GRN	**Suspension arms, green, front/rear (left & right), heavy duty (2)**
3655-ORNG	**Suspension arms, orange, front/rear (left & right), heavy duty (2)**
3655-RED	**Suspension arms, red, front/rear (left & right), heavy duty (2)**
3655-SLGRY	Suspension arms, slate gray, front/rear (left & right), heavy duty (2)
6834	Suspension pin set, complete (front and rear)
9042	Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)
9042X	**Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)**
7452	Toe links (molded composite) (86.8mm center to center) (2) (assembled with hollow balls)
6742X	**Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)**
6742G	**Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)**
6742R	**Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)**
9031	**Turnbuckles, camber link, 91mm (80mm center to center) (assembled with rod ends and hollow balls) (2)**

Hardware

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3935	Body clip (mounting clip), angled, 90-degrees (10)
3935A	**Body clip (mounting clip), angled, 90-degrees (black) (10)**
3934	Body clips, heavy duty (12)
1589	Double-sided adhesive tape (25mm x 25mm)
2745	Nuts, 3mm nylon locking (12)
1747P	**Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)**
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
8347	Nuts, 4mm flanged nylon locking, serrated (black) (10)
1747	Nuts, 4mm nylon locking (10)
1747R	**Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)**
1747G	**Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)**
1747T	**Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)**
1747A	**Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)**
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
5525	Rod ends (12)/ hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2586	Screws, 3x15mm cap-head machine (hex drive) (6)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
2583	Screws, 3x18 button-head machine (hex drive) (6)
2580	Screws, 3x20mm button-head machine (hex drive) (6)
2591	Screws, 3x23mm button-head machine (hex drive) (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
2592	Screws, 3x40mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2534	Screws, 3x6mm countersunk machine (6) (hex drive)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
1552	Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3937	Screws, 4x12mm button-head machine (hex drive) (6)
2542	Screws, 4x12mm countersunk machine (hex drive) (6)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)
2743	Set (grub) screws, 3mm hardened (12)
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
2754	Stub axle pins (4)
2746	Washers, 3x6mm metal (12)

LED Lights

6835X	**Bumper, front / bumper support (fits Slash® 4X4) (for LED light kit installation)**
6836X	Bumper, rear / bumper mount (fits Slash® 4X4) (for LED light kit installation)
5893	**LED light harness, rear (requires #5838, 6737X, or 6836 rear bumper)**
6894	**LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits Slash® 4X4)**
2263	**Y-harness, BEC to LED light set**

Motors & Electronics

1926	**Antenna caps, vinyl (2)/ antenna spool**
1726	**Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)**
1726A	Antenna, tube, black (1)/ vinyl antenna cap (1)/ wire retainer (1)
2260	**BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)**
3467-BLUE	**Cooling fan, electronic speed control, Velineon® VX3™ (blue)**
3467-GRAY	Cooling fan, electronic speed control, Velineon® VX3™ (gray)
6790X	Gear adapters, fixed (fits Rustler® 4X4 or Slash® 4X4 models equipped with Low-CG chassis)
2053	**Gear set (for 2055, 2056 servos)**
2072A	**Gear set (for 2070, 2075 servos)**
2059	Gear set, metal (for 2057 servos)
2252	**Gear set, metal (for 2250, 2255 servos)**
2287	**Gear set, metal (for 2280 servo)**
7460A	Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
7460R	**Motor mount, 6061-T6 aluminum (blue-anodized)**
3442	Motor, V3200™, brushless
7490	Plate, motor
7490G	**Plate, motor, green**
7490A	**Plate, motor, orange**
7490R	**Plate, motor, red**
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2254	**Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)**
2253	**Servo case, aluminum (middle) (red-anodized) (for 2255 servo)**
2251	**Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)**
2074	**Servo case/gaskets (for 2056 and 2075 waterproof servos)**
2075R	**Servo, digital high-speed, metal gear (ball bearing), waterproof**
2075	**Servo, digital high-torque (ball bearing), waterproof**
2250	**Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof**
2255	**Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof**
2280	**Servo, digital high-torque 600 brushless, metal gear (ball bearing), waterproof**
2075X	**Servo, digital high-torque, metal gear (ball bearing), waterproof**
2056	**Servo, high-torque, waterproof (blue case)**
2057	Servo, metal gear, waterproof
3441	Velineon® VX3™ Brushless Power System, waterproof (includes VX3™ ESC & V3200™ motor)
3446	Velineon® VX3™ Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)

BFGoodrich and all associated names are trademarks used with permission. Distributed under license by Traxxas LP. Copyright © 2026 MNA, Inc. All rights reserved.

Radio System, Batteries & Chargers

2827X	**3000mah 7.4v 2-Cell LiPo Battery**
2849X	**4000mah 11.1v 3-Cell 25C LiPo Battery**
2872X	**5000mah 11.1v 3-Cell 25C LiPo Battery**
2832X	**5000mah 11.1v 3-Cell 25C LiPo Battery**
2842X	**5000mah 7.4v 2-Cell 25C LiPo Battery**
2844R	**5200mAh 7.4v 2-cell 35C LiPo Battery**
2843X	**5800mah 7.4v 2-Cell 25C LiPo Battery**
2869X	**7600mah 7.4v 2-Cell 25C LiPo Battery**
2976	**AC to DC adapter**
2938X	**Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)**
2943	**Battery charge indicators, green (4), grey (4), blue (4)**
2914	**Battery, Power Cell AA Alkaline (4)**
2992	**Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® Battery (1))**
2970-2SR	**Battery/charger completer pack (includes #2970 iD® charger (1), #2844R 5200mAh 7.4V 2-cell 35C LiPo iD® Battery (1))**
2991	**Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2))**
2985-2S	**Battery/charger completer pack (includes #2985 charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1))**
2260	**BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)**
2972	**Charger, EZ-Peak Live Dual, 100W, NiMH/ LiPo with ID Auto Battery Identification**
2973	**Charger, EZ-Peak Live Dual, 200W, NiMH/ LiPo with ID Auto Battery Identification**
2970	**Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification**
2981	**Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification**
2985	**Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification**
6512	**Cover plate, Traxxas® Link Bluetooth® module**
2971	**EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®**
2978	**Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)**
2053	**Gear set (for 2055, 2056 servos)**
2072A	**Gear set (for 2070, 2075 servos)**
2059	Gear set, metal (for 2057 servos)
2252	**Gear set, metal (for 2250, 2255 servos)**
2968X	**LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)**
2968	**LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)**
6535	**Mount, temperature sensor (electric motors)/ wire tie/ thermal pad**
2912	**Power adapter, AC, USB-C (45W) (110 volt, North America only)**
2916	**Power cable, USB-C, 100W (high output), 5 ft. (1.5m)**
6533X	**Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)**
6568-3CH	Receiver, micro, TQi Sport, 2.4GHz with TSM® (3-channel)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
6521	**Sensor, temperature and voltage (long)**
2254	**Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)**
2253	**Servo case, aluminum (middle) (red-anodized) (for 2255 servo)**
2251	**Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)**
2074	**Servo case/gaskets (for 2056 and 2075 waterproof servos)**
2075R	**Servo, digital high-speed, metal gear (ball bearing), waterproof**
2075	**Servo, digital high-torque (ball bearing), waterproof**
2250	**Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof**
2255	**Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof**
2075X	**Servo, digital high-torque, metal gear (ball bearing), waterproof**
2056	**Servo, high-torque, waterproof (blue case)**
2057	Servo, metal gear, waterproof
6576	TQi Sport 2.4 GHz High Output radio system, 2-channel, TSM® (2-channel transmitter, 3-channel micro receiver)
6505-2CH	Transmitter, TQi Sport Compact 2.4GHz, 2-channel (transmitter only)
6506-2CH	**Transmitter, TQi Sport, 2.4GHz high output, 2-channel (transmitter only)**
6528X	**Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)**
6529X	**Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)**
6530X	**Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)**
6511	**Traxxas® Link Bluetooth® module**

Ready-To-Race Model

68454-4	Slash® 4X4 Brushless: 1/10 Scale 4WD Electric Short Course Truck with TQi™ Sport 2.4GHz Radio System & Traxxas Stability Management (TSM)

Rear Suspension

6823	Bulkhead tie bars, front & rear, aluminum (blue-anodized)
6823-GRAY	**Bulkhead tie bars, front & rear, aluminum (gray-anodized)**
6823G	**Bulkhead tie bars, front & rear, aluminum (green-anodized)**
6823-ORNG	**Bulkhead tie bars, front & rear, aluminum (orange-anodized)**
6823R	**Bulkhead tie bars, front & rear, aluminum (red-anodized)**
7429	Bulkhead, rear
7454	Camber links, rear (molded composite) (72.4mm center to center) (2) (assembled with hollow balls)
3644X	**Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3644G	**Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3644R	**Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
9065-RED	**Carriers, stub axle, 6061-T6 aluminum, left & right (red-anodized) (for use with #9080 upgrade kit)**
9065-BLUE	**Carriers, stub axle, rear, 6061-T6 aluminum, left & right (blue-anodized) (for use with #9080 upgrade kit)**
9065-GRAY	**Carriers, stub axle, rear, 6061-T6 aluminum, left & right (gray-anodized) (for use with #9080 upgrade kit)**
9065-GRN	**Carriers, stub axle, rear, 6061-T6 aluminum, left & right (green-anodized) (for use with #9080 upgrade kit)**
9065-ORNG	**Carriers, stub axle, rear, 6061-T6 aluminum, left & right (orange-anodized) (for use with #9080 upgrade kit)**
9050	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050X	**Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9050-GRAY	**Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9050G	**Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9050T	**Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9050R	**Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9057	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)
9052	Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
9052R	**Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)**
9039	**Shock tower, rear, extreme heavy duty, black (for use with #9080 upgrade kit)**
9039X	**Shock tower, rear, extreme heavy duty, blue (for use with #9080 upgrade kit)**
9039-GRAY	**Shock tower, rear, extreme heavy duty, gray (for use with #9080 upgrade kit)**
9039G	**Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit)**
9039T	**Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit)**
9039R	**Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit)**
9039-SLGRY	Shock tower, rear, extreme heavy duty, slate gray (for use with #9080 upgrade kit)
9056	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)

BFGoodrich and all associated names are trademarks used with permission. Distributed under license by Traxxas LP. Copyright © 2026 MNA, Inc. All rights reserved.

9055	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
3655-BLK	**Suspension arms, black, front/rear (left & right), heavy duty (2)**
3655-BLUE	**Suspension arms, blue, front/rear (left & right), heavy duty (2)**
3655-GRN	**Suspension arms, green, front/rear (left & right), heavy duty (2)**
3655-ORNG	**Suspension arms, orange, front/rear (left & right), heavy duty (2)**
3655-RED	**Suspension arms, red, front/rear (left & right), heavy duty (2)**
3655-SLGRY	Suspension arms, slate gray, front/rear (left & right), heavy duty (2)
9042	Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)
9042X	**Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)**

Shock Oil

5031	**Oil, shock (20 wt, 200 cSt, 60cc) (silicone)**
5032	**Oil, shock (30 wt, 350 cSt, 60cc) (silicone)**
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	**Oil, shock (60 wt, 700 cSt, 60cc) (silicone)**
5036	**Oil, shock (70 wt, 900 cSt, 60cc) (silicone)**
5037	**Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)**
5029	**Shock oil bottle (60cc) (for mixing shock oil)**
5038X	**Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)**
5038	**Spinning carousel rack**

Shocks (GTR)

7466-XGRY	**Body, GTR long (gray-anodized, PTFE-coated aluminum) (1)**
7466-PINK	**Body, GTR long (pink-anodized, PTFE-coated aluminum) (1)**
7466	**Body, GTR long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)**
7466G	**Body, GTR long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)**
7469-STGRY	Body, GTR long shock, steel gray (2)
7467-XGRY	**Body, GTR xx-long (gray-anodized, PTFE-coated aluminum) (1)**
7467-PINK	**Body, GTR xx-long (pink-anodized, PTFE-coated aluminum) (1)**
7467	**Body, GTR xx-long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)**
7467A	**Body, GTR xx-long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)**
7467R	**Body, GTR xx-long shock, aluminum (red-anodized) (PTFE-coated bodies) (1)**
7467-STGRY	Body, GTR xx-long shock, steel gray (2)
7468X	**Caps & spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))**
7468	**Caps and spring retainers, GTR long/xx-long shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))**
7468-SLGRY	Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls (2)/ bottom cap (2)/ upper & lower retainers (slate gray) (2 each))
5475	**Multi-tool (plastic)**
5158	**Nuts, 2.5mm nylon locking (12)**
7463	**Rebuild kit, GTR long/xx-long shocks (x-rings, bladders, pistons, piston nuts, shock rod ends, hollow balls) (renews 2 shocks)**
5469	**Rod ends (GTR shocks)**
7464	Shaft, GTR long (steel, chrome finish) (2)
7464T	**Shaft, GTR long, TiN-coated (2)**
7465	Shaft, GTR xx-long (steel, chrome finish) (2)
7465T	**Shaft, GTR xx-long, TiN-coated (2)**
7461-STGRY	Shocks, GTR long (steel gray) (assembled, without springs) (2)
7461	**Shocks, GTR long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7461G	**Shocks, GTR long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7461-ORNG	**Shocks, GTR long orange-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7461-PINK	**Shocks, GTR long pink-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7461-RED	**Shocks, GTR long red-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7461X	**Shocks, GTR long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)**
7462-GRAY	**Shocks, GTR xx-long (gray) (assembled) (2) (without springs)**
7462-STGRY	Shocks, GTR xx-long (steel gray) (assembled, without springs) (2)
7462	**Shocks, GTR xx-long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7462G	**Shocks, GTR xx-long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7462-ORNG	**Shocks, GTR xx-long orange-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7462-PINK	**Shocks, GTR xx-long pink-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7462-RED	**Shocks, GTR xx-long red-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7462X	**Shocks, GTR xx-long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)**
8459	**Spring retainers, lower (captured) (4)/ 2.5x10 CS (4)**
8459-SLGRY	Spring retainers, lower, slate gray (captured) (4)/ 2.5x10 CS (4)
7440	**Spring, shock, white (GTR long) (0.623 rate orange) (1 pair)**
7441	**Spring, shock, white (GTR long) (0.653 rate green) (1 pair)**
7444	**Spring, shock, white (GTR long) (0.767 rate black) (1 pair)**
7445	**Spring, shock, white (GTR long) (0.810 rate pink) (1 pair)**
7448	Spring, shock, white (GTR long) (0.892 rate blue) (1 pair)
7442	**Spring, shock, white (GTR xx-long) (0.711 rate orange) (1 pair)**
7443	**Spring, shock, white (GTR xx-long) (0.762 rate green) (1 pair)**
7446	**Spring, shock, white (GTR xx-long) (0.874 rate black) (1 pair)**
7447	Spring, shock, white (GTR xx-long) (0.884 rate pink) (1 pair)
7449	**Spring, shock, white (GTR xx-long) (1.004 rate blue) (1 pair)**

Shocks (Pro-level Aluminum)

5862	**Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)**
2660	**Big-bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (2)**
2662	**Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)**
2669	**Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)**
1942	**Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)**
2742X	**Rod ends, short (6)/ hollow balls (6)**
2667	**Shock caps, aluminum (2) (Big Bore Shocks)**
2362	**Shock rebuild kit (for 2 shocks)**
1664T	**Shock shafts, hardened steel, titanium nitride coated (long) (2)**
2656T	**Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)**
1664	**Shock shafts, steel, chrome finish (long) (2)**
2656	**Shock shafts, steel, chrome finish (xx-long) (2)**
1765	**Silicone diaphragms (4)**
2668	**Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)**
6863	**Springs, front (progressive, +10% rate, pink) (2)**
6864	**Springs, front (progressive, +20% rate, blue) (2)**
6862	**Springs, front (progressive, -10% rate, green) (2)**
6861	**Springs, front (progressive, -20% rate, orange) (2)**
6857	**Springs, front (white) (progressive rate) (2)**
6867	**Springs, rear (progressive, +10% rate, pink) (2)**
6868	**Springs, rear (progressive, +20% rate, blue) (2)**
6866	**Springs, rear (progressive, -10% rate, green) (2)**
6865	**Springs, rear (progressive, -20% rate, orange) (2)**
6858	**Springs, rear (white) (progressive rate) (2)**

Spur Gears & Pinion Gears

6790X	Gear adapters, fixed (fits Rustler® 4X4 or Slash® 4X4 models equipped with Low-CG chassis)
5641	**Gear, 11-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw**
5642	**Gear, 13-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw**
5640	**Gear, 14-T pinion (0.8 metric pitch, compatible with 32-pitch) (hardened steel) (fits 5mm shaft)/ set screw**
5651	**Gear, 15-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw**
5652	**Gear, 16-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw**
5643	**Gear, 17-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw**
5644	Gear, 18-T pinion (0.8 metric pitch, compatible with 32-pitch) (hardened steel) (fits 5mm shaft)/ set screw
6842	**Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch)**
6842R	**Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for Slash 4x4 center differential)**
6843	**Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch)**
6843R	**Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch) (for Slash 4x4 center differential)**
3956	**Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch)**
3956R	**Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)**

BFGoodrich and all associated names are trademarks used with permission. Distributed under license by Traxxas LP. Copyright © 2026 MNA, Inc. All rights reserved.

6842X **Spur gear, steel, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)**
3956X Spur gear, steel, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)

Steering Components

6845A **Drag link, machined 6061-T6 aluminum (blue-anodized)**
6845G **Drag link, machined 6061-T6 aluminum (green-anodized)**
6845T **Drag link, machined 6061-T6 aluminum (orange-anodized)**
6845R **Drag link, machined 6061-T6 aluminum (red-anodized)**
2742 Rod ends, long (6)/ hollow ball connectors (6)
6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
6742X **Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)**
6742G **Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)**
6742R **Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)**
2746 Washers, 3x6mm metal (12)

Suspension Linkage

7453 Camber links, front (molded composite) (79.6mm center to center) (2) (assembled with hollow balls)
3643X **Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3643G **Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3643R **Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
7454 Camber links, rear (molded composite) (72.4mm center to center) (2) (assembled with hollow balls)
3644X **Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3644G **Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3644R **Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
5525 **Rod ends (12)/ hollow balls (12)**
7452 Toe links (molded composite) (86.8mm center to center) (2) (assembled with hollow balls)
6742X **Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)**
6742G **Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)**
6742R **Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)**

Team Traxxas Items

9916 **Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)**
2514 **Decal sheet, racing sponsors**
9917 **Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)**
9950 **Official Team Traxxas® racing decal set(flag logo/ 6-color)**
9909 **Traxxas® racing banner, red & black (3x7 feet)**

Tires & Wheels

5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
1747P **Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)**
3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747R **Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)**
1747G **Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)**
1747T **Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)**
1747A **Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)**
1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
2754 Stub axle pins (4)
5889R **Tire & wheel assembled, glued (S1 compound) (SCT Split-Spoke black, satin chrome beadlock style wheel (dual profile 2.2" outer 3.0" inner), SCT off-road tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)**
5863R **Tire & wheel assembled, glued (S1 compound) (SCT, black, orange beadlock wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)**
6874R **Tire & wheel assy, glued (S1 compound) (SCT Split-Spoke satin chrome, black beadlock wheel, Kumho tire, insert) (2) (4WD front/rear, 2WD rear only)**
6873R **Tire & wheel assy, glued (S1 compound) (SCT SS, chrome red beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)**
6873X **Tire & wheel assy, glued (S1 compound) (SCT SS, satin chrome black beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)**
5878-BLK **Tire & wheel assy, glued (SCT black beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD front/rear, 2WD rear only)**
5880X **Tire & wheel assy, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)**
5878 **Tire & wheel assy, glued (SCT satin chrome, black beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, insert) (2)(4WD front/rear, 2WD rear only)**
6873A **Tire & wheel assy, glued (SCT Split-Spoke chrome, red beadlock style wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)**
5883A **Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)**
5883 **Tire & wheel assy, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)**
5863 **Tire & wheel assy, glued (SCT, black, orange beadlock wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)**
5873X **Tire & wheel assy, glued (SCTsatin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear only)**
6892R **Tires & wheels, assembled, glued (S1 compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)**
5869A **Tires & wheels, assembled, glued (SCT chrome, blue beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)**
5867A **Tires & wheels, assembled, glued (SCT chrome, blue beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD front/rear, 2WD rear only)**
6874-BLK Tire & wheel assy, glued (SCT Split-Spoke black wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
6964 **Tires & wheels, assembled, glued (SCT Split-Spoke gray beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)**
6964 **Tires & wheels, assembled, glued (SCT Split-Spoke gray beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)**
5892G **Tires & wheels, assembled, glued (SCT Split-Spoke green wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)**
5892 **Tires & wheels, assembled, glued (SCT Split-Spoke orange wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)**
6873 **Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)**
6892 **Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)**
5889 **Tires & wheels, assembled, glued (SCT Split-Spoke, black, satin chrome beadlock style wheel, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)**
5873 **Tires & wheels, assembled, glued (SCT, satin chrome wheels, beadlock type (dual profile 2.2" outer 3.0" inner), SCT off-road tires, foam inserts) (2) (Rear) (TSM® rated)**
5873A **Tires & wheels, assembled, glued (SCT, satin chrome wheels, red beadlock, (dual profile 2.2" outer 3.0" inner), SCT off-road tires, foam inserts) (2) (Rear)**
5873R **Tires & wheels, assembled, glued (SCT, satin chrome, red beadlock wheels, ultra soft S1 compound off-road racing tires, foam inserts) (2) (2WD Rear, 4WD F/R)**
6871 **Tires, BFGoodrich® Mud-Terrain™ T/A® KM2 (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)**
6871R **Tires, BFGoodrich® Mud-Terrain™ T/A® KM2 , ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)**
6870 Tires, Kumho (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)
5871R **Tires, Ultra soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)**
9087-BLUE **Wheel hub, splined, 17mm, short (blue-anodized) (1)/ wheel nut, splined, 17mm (blue-anodized) (1)/ hub retainer, M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)**

BFGoodrich and all associated names are trademarks used with permission. Distributed under license by Traxxas LP. Copyright © 2026 MNA, Inc. All rights reserved.

9087-GRAY Wheel hub, splined, 17mm, short (gray-anodized) (1)/ wheel nut, splined, 17mm (gray-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)
9087-GRN Wheel hub, splined, 17mm, short (green-anodized) (1)/ wheel nut, splined, 17mm (green-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)
9087-ORNG Wheel hub, splined, 17mm, short (orange-anodized) (1)/ wheel nut, splined, 17mm (orange-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)
9087-RED Wheel hub, splined, 17mm, short (red-anodized) (1)/ wheel nut, splined, 17mm (red-anodized) (1)/ hub retainer, M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)
9069 Wheel hubs, 12mm hex (steel), extreme heavy duty (4)/ 2x9.8mm pin (4) (for use with #9080 upgrade kit and 6mm axles)
9086 Wheel hubs, splined, 17mm, short (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
9086-GRAY Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
9086-GRN Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
9086-ORNG Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
9086-RED Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
5353 Wheel nuts, splined, 17mm (blue-anodized) (4)
5480X Wheel wrench, splined, 17mm
5868A Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only)
5870A Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (2WD front only)
5868 Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only)
5872 Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (Rear)
5872X Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only)
5884A Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)
5884 Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)
6872X Wheels, SCT Split-Spoke, chrome, green beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear) (2)
6872 Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear only) (2)
5868X Wheels, SCT, black, orange beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)

Traxxas Tools

3433X Body reamer (aluminum handle)
3433 Body reamer (plastic handle)
3436 Cap, body reamer
3425 Rubber pit mat, 16x24x0.28
3426 Rubber pit mat, 36x20
3432 Scissors, curved tip
3431 Scissors, straight tip
8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8720 Speed bit handle, large (overmolded)
8721 Speed bit handle, medium (one piece)
8722 Speed bit handle, premium (rubber overmold)
8710 Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8714 Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
2748R Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

Turnbuckles & Threaded Rods

7453 Camber links, front (molded composite) (79.6mm center to center) (2) (assembled with hollow balls)
3643X Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643G Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643R Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
7454 Camber links, rear (molded composite) (72.4mm center to center) (2) (assembled with hollow balls)
3644X Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644G Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644R Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
5525 Rod ends (12)/ hollow balls (12)
7452 Toe links (molded composite) (86.8mm center to center) (2) (assembled with hollow balls)
6742X Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742G Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742R Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.com

BFGoodrich and all associated names are trademarks used with permission. Distributed under license by Traxxas LP. Copyright © 2026 MNA, Inc. All rights reserved.