X-Monster™ Chassis
(Model 77036-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

7890	**Ball bearing kit, X-Maxx®/XRT® (complete)**
5106A	Ball bearing, black rubber sealed (15x24x5mm) (2)
5108A	Ball Bearing, black rubber sealed (15x26x5) (2)
5107A	Ball Bearing, black rubber sealed (17x26x5) (2)
5196A	Ball bearing, black rubber sealed (20x32x7mm) (2)
5196X	**Ball bearing, black rubber sealed, stainless (20x32x7mm) (2)**
5106	Ball Bearing, blue rubber sealed (15x24x5) (2)
4611	Ball bearings (5x11x4mm) (2)
5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)
5180A	Ball bearings, black rubber sealed (6x13x5mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)

Body & Accessories

7715X	**Body mounts, front & rear/ 3x15mm BCS (1)/ 3x12mm shoulder screw (2)/ 3x10mm flat-head machine screw (6)/ 3x15mm flat-head machine screw (2)**
7690	**Body reinforcement set (fits #7691 body)**
7698	**Body reinforcement set (fits #7697 body)**
7692	**Body support (fits #7691 body)**
7713X	**Body support, rear/ 3x15mm CS (2) / 3x15mm flat-head machine (2) (fits X-Maxx®)**
7691-BLUE	**Body, Bigfoot® No. 8, Officially Licensed replica, complete (painted, decals applied) (assembled with body support for clipless mounting) (fits X-Monster™ Chassis)**
7697	**Body, Chevrolet GMT400 CK Truck (clear, requires painting)/ window masks/ decal sheet (for clipless mounting) (fits X-Monster™ chassis)**
7697-BLUE	**Body, Chevrolet GMT400 CK Truck, complete, blue (painted, decals applied) (assembled with body support for clipless mounting) (fits X-Monster™ chassis)**
7697-GRN	**Body, Chevrolet GMT400 CK Truck, complete, green (painted, decals applied) (assembled with body support for clipless mounting) (fits X-Monster™ Chassis)**
7697-RED	**Body, Chevrolet GMT400 CK Truck, complete, red (painted, decals applied) (assembled with body support for clipless mounting) (fits X-Monster™ chassis)**
7697R	**Body, Chevrolet GMT400 CK Truck, heavy duty (clear, 2.0mm, requires painting)/ window masks/ decal sheet (for clipless mounting) (fits X-Monster™ chassis)**
7697-WHT	**Body, Chevrolet GMT400 CK Truck, USA-1, Officially Licensed replica, complete (painted, decals applied) (assembled with body support for clipless mounting) (fits X-Monster™ Chassis)**
7691	**Body, Ford F-150 Truck (clear, requires painting)/ window masks/ decal sheet (for clipless mounting) (fits X-Monster™ Chassis)**
7691-BLK	**Body, Ford F-150 Truck, complete, black (painted, decals applied) (assembled with body support for clipless mounting) (fits X-Monster™ Chassis)**
7691R	**Body, Ford F-150 Truck, heavy duty (clear, 2.0mm, requires painting)/ window masks/ decal sheet (for clipless mounting) (fits X-Monster™ Chassis)**
7711	**Body, X-Maxx® (clear, trimmed, requires painting)/ window masks/ decal sheet**
7868-BLUE	**Body, X-Maxx® Ultimate, blue (painted, decals applied) (assembled with front & rear body mounts, rear body support, roof skid plate, and tailgate protector)**
7936-BLUE	**Body, X-Maxx® Ultimate, blue (painted, decals applied) (assembled with front & rear body mounts, rear body support, roof skid plate, and tailgate protector)**
7936-GRN	**Body, X-Maxx® Ultimate, green (painted, decals applied) (assembled with front & rear body mounts, rear body support, roof skid plate, and tailgate protector)**
7868-GRN	**Body, X-Maxx® Ultimate, green (painted, decals applied) (assembled with front & rear body mounts, rear body support, roof skid plate, and tailgate protector)**
7868X	**Body, X-Maxx® Ultimate, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet**
7867-BLUE	**Body, X-Maxx®, blue (painted, decals applied) (assembled with front & rear body mounts, rear body support, roof skid plate, and tailgate protector)**
7811G	**Body, X-Maxx®, green (painted, decals applied) (assembled with front & rear body mounts, rear body support, roof skid plate, and tailgate protector)**
7867-GRN	**Body, X-Maxx®, green (painted, decals applied) (assembled with front & rear body mounts, rear body support, roof skid plate, and tailgate protector)**
7811	**Body, X-Maxx®, orange (painted, decals applied) (assembled with front & rear body mounts, rear body support, roof skid plate, and tailgate protector)**
7867-ORNG	**Body, X-Maxx®, orange (painted, decals applied) (assembled with front & rear body mounts, rear body support, roof skid plate, and tailgate protector)**
7711X	**Body, X-Maxx®, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet**
7811R	**Body, X-Maxx®, red (painted, decals applied) (assembled with front & rear body mounts, rear body support, roof skid plate, and tailgate protector)**
7867-RED	**Body, X-Maxx®, red (painted, decals applied) (assembled with front & rear body mounts, rear body support, roof skid plate, and tailgate protector)**
7711T	**Body, X-Maxx®, Rock n' Roll (painted, decals applied) (assembled with tailgate protector)**
7811X	**Body, X-Maxx®, Solar Flare (painted, decals applied) (assembled with front & rear body mounts, rear body support, roof skid plate, and tailgate protector)**
7694	**Mount, whip light (universal) (requires #10992 series whip light)**
7688	**Tailgate protector/ mount**

Bumpers & Skidplates

7733X	Bumper mount, front/ bumper support
7734X	Bumper mount, rear/ bumper support
7686	Bumper, front/ bumper cover, front
7687	Bumper, rear/ bumper adapter, rear
7745	Skidplate, center
7744	Skidplate, front (1), rear (1)/ rubber impact cushion (2)

Chassis & Attachments

3698	Access plug, rubber (receiver box)
7719	Battery hold-down (2)/ foam pad (2)
7718	Battery hold-down mounts, left (2)/ right (2)/ 3x18mm CS (4)
7724X	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x15 CS (4)
7733X	Bumper mount, front/ bumper support
7734X	Bumper mount, rear/ bumper support
7686	Bumper, front/ bumper cover, front
7687	Bumper, rear/ bumper adapter, rear
7722	Chassis
7714X	Chassis top brace
7723	Nerf bars, chassis (2)
7745	Skidplate, center
7744	Skidplate, front (1), rear (1)/ rubber impact cushion (2)
7717X	Spacer, battery compartment (2)/ foam blocks (4)/ foam pad (2)
7799	**Tires, rubber (2) (fits Traxxas® #7775X wheelie bar wheels)**
7776	Wheelie bar, black (assembled)
7775	Wheels, wheelie bar (2)/ axles, wheelie bar (2)/ 10x15x4 plastic bushings (4) (for #7776, 8976, or 9576 wheelie bar)
7775X	**Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)**
7775A	**Wheels, wheelie bar, 6061-T6 aluminum (dark titanium-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)**
7775G	**Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)**
7775T	**Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)**
7775R	**Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)**

Cush Drive Components

7794	Cush drive key/ pin/ elastomer damper
7793X	Housing, cush drive (front & rear halves)
6442	**Spur gear, 46-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)**
6447R	Spur gear, 46-tooth, steel (wide-face, 1.0 metric pitch)
6443	**Spur gear, 50-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)**

6448R **Spur gear, 50-tooth, steel (wide-face, 1.0 metric pitch)**
6444 **Spur gear, 54-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)**
6449R **Spur gear, 54-tooth, steel (wide-face, 1.0 metric pitch)**

Differential Components

7781X Carrier, differential (aluminum)/ (requires #7783X spider gear shaft)
7781 Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 16X23.5X.5 TW
5136X **Differential oil kit (1 each: 10K, 30K, 50K weights)**
7880 **Differential, front, complete (fits X-Maxx® 8s or XRT®)**
7881 **Differential, rear, complete (fits X-Maxx® 8s or XRT®)**
10949 Drive cup, steel, extreme durability (1)/ 3x8mm CS (use only with #7750X & 7896 driveshafts) (machined, heat treated)
7782 Gear set, differential (output gears (2)/ spider gears (4)/16X23.5X.5 TW(2))
5041 Grease, premium high performance (20cc)
7780 Housing, differential (front/rear)
7780-BLUE **Housing, differential (front/rear), 6061-T6 aluminum (blue-anodized)**
7780-GRAY **Housing, differential (front/rear), 6061-T6 aluminum (gray-anodized)**
7780-GRN **Housing, differential (front/rear), 6061-T6 aluminum (green-anodized)**
7780-ORNG **Housing, differential (front/rear), 6061-T6 aluminum (orange-anodized)**
7780-RED **Housing, differential (front/rear), 6061-T6 aluminum (red-anodized)**
5040 Oil, differential (20M wt) (standard)
7790 Pinion gear, differential, 11-tooth (front) (heavy duty) (use with #7792 35-tooth differential ring gear)
7791 Pinion gear, differential, 11-tooth (rear) (heavy duty) (use with #7792 35-tooth differential ring gear)
7792 Ring gear, differential, 35-tooth (heavy duty) (use with #7790, #7791 11-tooth differential pinion gears)
7783X Spider gear shaft (2)/ spacers (4)/16x23.5x.5 stainless washer (2) (for #7781X aluminum differential carrier)
7783 Spider gear shaft (2)/ spacers (4)/16X23.5X.5 TW (2)

Driveline Components

7794 Cush drive key/ pin/ elastomer damper
10949 Drive cup, steel, extreme durability (1)/ 3x8mm CS (use only with #7750X & 7896 driveshafts) (machined, heat treated)
7755 Driveshaft assembly, center, aluminum
7750X Driveshaft, steel constant-velocity (heavy duty, shaft only, 160mm) (1) (replacing #7750 also requires #7751X, #7754X and #7768 or #7768R)
5040 Oil, differential (20M wt) (standard)
7751X Rebuild kit, steel constant-velocity driveshaft (includes pins for 2 driveshaft assemblies (for use only with #7750X driveshaft)
7836-BLUE **Steering blocks, 6061-T6 aluminum (blue-anodized), left & right**
7836-GRAY **Steering blocks, 6061-T6 aluminum (gray-anodized), left & right**
7836-GRN **Steering blocks, 6061-T6 aluminum (green-anodized), left & right**
7836-ORNG **Steering blocks, 6061-T6 aluminum (orange-anodized), left & right**
7836-RED **Steering blocks, 6061-T6 aluminum (red-anodized), left & right**
7836 Steering blocks, left & right
7836X **Steering blocks, left & right/ caster blocks (c-hubs), left & right/ 20x32x7mm bearings (2)/ 15x24x5mm bearings (2)**
7768A **Stub axle, aluminum (black-anodized) (1) (for use only with #7750X or 7896 driveshaft)**
7768 Stub axle, aluminum, (blue-anodized) (1) (for use only with #7750X or 7896 driveshaft)
7768G **Stub axle, aluminum, (green-anodized) (1) (for use only with #7750X or 7896 driveshaft)**
7768T **Stub axle, aluminum, (orange-anodized) (1) (for use only with #7750X or 7896 driveshaft)**
7768R **Stub axle, aluminum, (red-anodized) (1) (for use only with #7750X or 7896 driveshaft)**
7758A **Wheel nuts, splined, 17mm, serrated (black-anodized) (4)**
7758 Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)
7758-GRAY **Wheel nuts, splined, 17mm, serrated (gray-anodized) (4)**
7758G **Wheel nuts, splined, 17mm, serrated (green-anodized) (4)**
7758T **Wheel nuts, splined, 17mm, serrated (orange-anodized) (4)**
7758R **Wheel nuts, splined, 17mm, serrated (red-anodized) (4)**

Front Suspension & Steering

7868 Bellcrank bushing, steering (1) (for use with #7746 aluminum steering bellcranks)
7726 Bulkhead tie bar, upper (1)/ lower (2) (steel)
7721 Bulkhead, front (lower)
7720X Bulkhead, front (upper)
7832-BLUE **Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized), left & right**
7832-GRAY **Caster blocks (c-hubs), 6061-T6 aluminum (gray-anodized), left & right**
7832-GRN **Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized), left & right**
7832-ORNG **Caster blocks (c-hubs), 6061-T6 aluminum (orange-anodized), left & right**
7832-RED **Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized), left & right**
7832 Caster blocks (c-hubs), left & right
7879-BLUE **Drag link, 6061-T6 aluminum (blue-anodized)**
7879-GRAY **Drag link, 6061-T6 aluminum (gray-anodized)**
7879-GRN **Drag link, 6061-T6 aluminum (green-anodized)**
7879-ORNG **Drag link, 6061-T6 aluminum (orange-anodized)**
7879-RED **Drag link, 6061-T6 aluminum (red-anodized)**
7716 Mount, tie bar, front (1)/ rear (1)
7747-BLUE **Servo horn, steering, 6061-T6 aluminum (blue-anodized)**
7747-GRAY **Servo horn, steering, 6061-T6 aluminum (gray-anodized)**
7747-GRN **Servo horn, steering, 6061-T6 aluminum (green-anodized)**
7747-ORNG **Servo horn, steering, 6061-T6 aluminum (orange-anodized)**
7747-RED **Servo horn, steering, 6061-T6 aluminum (red-anodized)**
7747 Servo horn, steering/ linkage, steering (46mm, assembled with pivot balls)
7739 Shock tower, front (left & right halves)
7746-BLUE **Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, blue-anodized) (fits X-Maxx®)**
7746-GRAY **Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, gray-anodized) (fits X-Maxx®)**
7746-GRN **Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, green-anodized) (fits X-Maxx®)**
7746-ORNG **Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, orange-anodized) (fits X-Maxx®)**
7746-RED **Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, red-anodized) (fits X-Maxx®)**
7746 Steering bellcranks/ bellcrank support/servo saver/ servo saver spring/ draglink/ 3x20mm shoulder screws (2)
7836-BLUE **Steering blocks, 6061-T6 aluminum (blue-anodized), left & right**
7836-GRAY **Steering blocks, 6061-T6 aluminum (gray-anodized), left & right**
7836-GRN **Steering blocks, 6061-T6 aluminum (green-anodized), left & right**
7836-ORNG **Steering blocks, 6061-T6 aluminum (orange-anodized), left & right**
7836-RED **Steering blocks, 6061-T6 aluminum (red-anodized), left & right**
7836 Steering blocks, left & right
7836X Steering blocks, left & right/ caster blocks (c-hubs), left & right/ 20x32x7mm bearings (2)/ 15x24x5mm bearings (2)
7746X Steering link, steel/ servo saver spring, heavy duty (use with #2085X metal gear servo)
7831 Suspension arm, black, lower (left, front or rear), heavy duty (1)
7830 Suspension arm, black, lower (right, front or rear), heavy duty (1)
7831X **Suspension arm, blue, lower (left, front or rear), heavy duty (1)**
7830X **Suspension arm, blue, lower (right, front or rear), heavy duty (1)**
7831G **Suspension arm, green, lower (left, front or rear), heavy duty (1)**
7830G **Suspension arm, green, lower (right, front or rear), heavy duty (1)**
7831T **Suspension arm, orange, lower (left, front or rear), heavy duty (1)**
7830T **Suspension arm, orange, lower (right, front or rear), heavy duty (1)**
7831R **Suspension arm, red, lower (left, front or rear), heavy duty (1)**
7830R **Suspension arm, red, lower (right, front or rear), heavy duty (1)**
7829 Suspension arms, black, upper (left or right, front or rear), heavy duty (2)
7829X **Suspension arms, blue, upper (left or right, front or rear), heavy duty (2)**
7829G **Suspension arms, green, upper (left or right, front or rear), heavy duty (2)**
7829T **Suspension arms, orange, upper (left or right, front or rear), heavy duty (2)**
7829R **Suspension arms, red, upper (left or right, front or rear), heavy duty (2)**
7743 Suspension pin retainer (4)
7743-BLUE **Suspension pin retainer, 6061-T6 aluminum (blue-anodized) (4)**
7743-GRAY **Suspension pin retainer, 6061-T6 aluminum (gray-anodized) (4)**
7743-GRN **Suspension pin retainer, 6061-T6 aluminum (green-anodized) (4)**
7743-ORNG **Suspension pin retainer, 6061-T6 aluminum (orange-anodized) (4)**
7743-RED **Suspension pin retainer, 6061-T6 aluminum (red-anodized) (4)**
7740 Suspension pin set, front or rear corner (hardened steel), 4x85mm (1), 4x47mm (3), 4x33mm (2) (qty 4, #7740 required for complete set)

7742	Suspension pin set, shock mount (front or rear, hardened steel), 4x25mm (2), 4x38mm (2)
7741	Suspension pins, 4x85mm (hardened steel) (2)
7685	Suspension pins, outer, lower, 4x47mm (threaded) (2)/ M4x0.7mm NL (2)

Hardware

4859	CS 3x10 flathead (hex drive)
7889X	**Hardware kit, stainless steel, X-Maxx® (contains all stainless steel hardware used on X-Maxx®)**
7889	**Hardware kit, X-Maxx® (contains all hardware used on X-Maxx®)**
2584	Head screws, 3x12mm cap-head machine (hex drive) (6) (TRX® 2.5, 2.5R, 3.3)
4955	Pins, axle (2.5x12mm) (4)
4857	Screw, 3x20 countersunk machine (hex drive) (6)
3234	Screws, 2.5x14mm cap-head machine (hex drive) (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2587	Screws, 3x10mm caphead machine (6) (no washer)
2593	Screws, 3x14mm button-head machine (hex drive) (6)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2586	Screws, 3x15mm cap-head machine (hex drive) (6)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
2580	Screws, 3x20mm button-head machine (hex drive) (6)
2585	Screws, 3x20mm cap-head machine (hex drive) (6)
4830	Screws, 3x20mm flat-head machine (hex drive) (6)
2581	Screws, 3x25mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
2535	Screws, 4x10mm countersunk machine (hex drive) (6)
3937	Screws, 4x12mm button-head machine (hex drive) (6)
3938	Screws, 4x14mm button-head machine (hex drive) (6)
2594	Screws, 4x15mm button-head machine (hex drive) (6)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)
3933	Screws, 4x16mm button-head machine (hex drive) (6)
2589	Screws, 4x20mm button-head machine (hex drive) (6)
2597	Screws, 4x22mm button-head machine (hex drive) (6)
2596	Screws, 4x25mm button-head machine (hex drive) (6)
2598X	Screws, 4x30mm button-head machine (hex drive) (6)
2595	Screws, 4x35mm button-head machine (hex drive) (6)
4897X	Screws, set (grub), 4mm (with heavy duty threadlock) (6)
2743	Set (grub) screws, 3mm hardened (12)
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
5480X	Wheel wrench, splined, 17mm

LED Lights

6588X	**Accessory power supply (regulated, 3V, 3 amp)/ power tap connector (with cable)/ 3x10 BCS (2)/ 2.6x8 BCS (2)**
7693	**Adapter kit, LED light bar (includes cutting template and bumper cover) (required for installation of #7885 light kit)**
10959	**Extension harness, LED lights**
7882	**Extension harness, LED lights (high-voltage)**
6590	**High-Voltage Power Amplifier**
7884	**LED light bar, front (high-voltage) (40 white LEDs (double row), 82mm wide) (fits Maxx®, Maxx Slash®, X-Maxx®, or XRT®)**
7883X	**LED light bar, rear, red (with white reverse light) (high-voltage) (24 red LEDs, 24 white LEDs, 100mm wide)/ light bar mount (fits Maxx®, X-Maxx®, or XRT®)**
10998-BLUE	**LED light kit, blue, complete (underbody) (includes 3-volt accessory power supply, power harnesses & mounting hardware)**
7885	**LED light kit, complete (includes #6590 high-voltage power amplifier)**
10998-GRN	**LED light kit, green, complete (underbody) (includes 3-volt accessory power supply, power harnesses & mounting hardware)**
10998-ORNG	**LED light kit, orange, complete (underbody) (includes 3-volt accessory power supply, power harnesses & mounting hardware)**
10998-RED	**LED light kit, red, complete (underbody) (includes 3-volt accessory power supply, power harnesses & mounting hardware)**
7694	**Mount, whip light (universal) (requires #10992 series whip light)**
10992-BLUE	**Whip light, LED, blue (assembled) (1)/ 3x12mm BCS (2) (replacement for 1 whip light, left or right) (requires #6588X accessory power supply)**
10992-GRN	**Whip light, LED, green (assembled) (1)/ 3x12mm BCS (2) (replacement for 1 whip light, left or right) (requires #6588X accessory power supply)**
10992-ORNG	**Whip light, LED, orange (assembled) (1)/ 3x12mm BCS (2) (replacement for 1 whip light, left or right) (requires #6588X accessory power supply)**
10992-RED	**Whip light, LED, red (assembled) (1)/ 3x12mm BCS (2) (replacement for 1 whip light, left or right) (requires #6588X accessory power supply)**

Motors & Electronics

7749	**Adapter, standard servo (adapts standard servo to fit in Maxx®, X-Maxx®, XRT® or Funco® Pro Scale® Replica)**
3475	Cooling fan, Velineon® VXL ESC (fits VXL-6s & VXL-8s)
7787-BLUE	**Cover, gear (blue-anodized 6061-T6 aluminum)**
7787-GRAY	**Cover, gear (gray-anodized 6061-T6 aluminum)**
7787-GRN	**Cover, gear (green-anodized 6061-T6 aluminum)**
7787-ORNG	**Cover, gear (orange-anodized 6061-T6 aluminum)**
7787-RED	**Cover, gear (red-anodized 6061-T6 aluminum)**
3474	Dual cooling fan kit (with shroud), Velineon® 1200XL motor
2087X	Gear set, metal (for 2085, 2085X, 2085XL servos)
3362	Heat sink, Velineon® 1200XL
7760	Motor mounts (front and rear)/ pins (2)
7760-BLUE	**Motor mounts, 6061-T6 aluminum (blue-anodized) (front & rear)**
7760-GRAY	**Motor mounts, 6061-T6 aluminum (gray-anodized) (front & rear)**
7760-GRN	**Motor mounts, 6061-T6 aluminum (green-anodized) (front & rear)**
7760-ORNG	**Motor mounts, 6061-T6 aluminum (orange-anodized) (front & rear)**
7760-RED	**Motor mounts, 6061-T6 aluminum (red-anodized) (front & rear)**
3491	Motor, Velineon® 1200XL, brushless
3492	Rebuild kit, Velineon® 1200XL (includes plastic endbells (2), 6x17x6mm ball bearings (2), 6x8x.3 washer (1), 6x8x1 washer (1), 7x6x12 spacer (1))
2086	Servo case/gaskets (for 2085, 2085L, 2085R, 2085RL, 2085X & 2085XL servos)
2085XL	Servo, digital high-torque, metal gear (ball bearing), waterproof/ servo saver spring/ steering link
2085RL	**Servo, digital high-torque/high-speed, metal gear (ball bearing), waterproof**
7878X	Spacer, motor shaft (steel)/ e-clip (1)
3496T	Velineon® VXL-8s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
7759	**Washers, motor mount, aluminum (blue-anodized) (4)/ 4x18mm BCS (4)**
7759-GRAY	**Washers, motor mount, aluminum (gray-anodized) (4)/ 4x18mm BCS (4)**
7759G	**Washers, motor mount, aluminum (green-anodized) (4)/ 4x18mm BCS (4)**
7759-ORNG	**Washers, motor mount, aluminum (orange-anodized) (4)/ 4x18mm BCS (4)**
7759R	**Washers, motor mount, aluminum (red-anodized) (4)/ 4x18mm BCS (4)**

Radio System, Batteries & Chargers

2872X	**5000mah 11.1v 3-Cell 25C LiPo Battery**
2889X	**5000mah 14.8v 4-Cell 25C LiPo Battery (long)**
2857X	**6400mah 11.1v 3-Cell 25C LiPo Battery**
2890X	**6700mah 14.8v 4-Cell 25C LiPo Battery**
2938X	**Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)**
2943	**Battery charge indicators, green (4), grey (4), blue (4)**
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2914	**Battery, Power Cell AA Alkaline (4)**
2996X	**Battery/charger completer pack (includes #2971 iD® charger (1), #2889X 5000 mAh 14.8V 4-cell 25C LiPo battery (1))**
2990	**Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2872X 5000mAh 11.1V 3-cell 25C LiPo iD® Battery (2))**
2997	**Battery/charger completer pack (includes #2973 Dual iD® charger (1), #2890X 6700mAh 14.8V 4-cell 25C LiPo iD® Battery (2))**
2972	**Charger, EZ-Peak Live Dual, 100W, NiMH/ LiPo with ID Auto Battery Identification**
2973	**Charger, EZ-Peak Live Dual, 200W, NiMH/ LiPo with ID Auto Battery Identification**
2970	**Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification**
2981	**Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification**
6525	**Communication link, telemetry expander**
6565	**Data link, telemetry expander (connects #6550X telemetry expander 2.0 to the #6590 high-voltage power amplifier)**
6566	**Data link, telemetry expander (connects #6550X telemetry expander 2.0 to the Velineon® #3465 VXL-4s, #3485 Velineon® VXL-6s, or #3496 Velineon® VXL-8s electronic speed control)**
2971	**EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®**

2087X Gear set, metal (for 2085, 2085X, 2085XL servos)
2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6533X Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)
6531 Sensor, temperature & voltage (fits X-Maxx®, XRT® or Funco® Pro Scale® Replica)
6521 Sensor, temperature and voltage (long)
2086 Servo case/gaskets (for 2085, 2085L, 2085R, 2085RL, 2085X & 2085XL servos)
2085XL Servo, digital high-torque, metal gear (ball bearing), waterproof/ servo saver spring/ steering link
2085RL Servo, digital high-torque/high-speed, metal gear (ball bearing), waterproof
6553X Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6509A TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
6507A TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
6528X Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529X Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
6530X Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511 Traxxas® Link Bluetooth® module

Rear Suspension

7726 Bulkhead tie bar, upper (1)/ lower (2) (steel)
7727A Bulkhead, rear (upper & lower)/ motor mount washers (steel) (4)/ 4x18mm BCS (4)
7727R Bulkhead, rear (upper) (fits X-Maxx® 8s or XRT®)
7852-BLUE Carriers, stub axle (blue-anodized 6061-T6 aluminum) (left & right)
7852-GRAY Carriers, stub axle (gray-anodized 6061-T6 aluminum) (left & right)
7852-GRN Carriers, stub axle (green-anodized 6061-T6 aluminum) (left & right)
7852-ORNG Carriers, stub axle (orange-anodized 6061-T6 aluminum) (left & right)
7852 Carriers, stub axle (rear) (left & right)
7852X Carriers, stub axle (rear) (left & right)/ 20x32x7mm bearings (2)/ 15x24x5mm bearings (2)
7852-RED Carriers, stub axle (red-anodized 6061-T6 aluminum) (left & right)
7716 Mount, tie bar, front (1)/ rear (1)
7738 Shock tower, rear (left & right halves)
7831 Suspension arm, black, lower (left, front or rear), heavy duty (1)
7830 Suspension arm, black, lower (right, front or rear), heavy duty (1)
7831X Suspension arm, blue, lower (left, front or rear), heavy duty (1)
7830X Suspension arm, blue, lower (right, front or rear), heavy duty (1)
7831G Suspension arm, green, lower (left, front or rear), heavy duty (1)
7830G Suspension arm, green, lower (right, front or rear), heavy duty (1)
7831T Suspension arm, orange, lower (left, front or rear), heavy duty (1)
7830T Suspension arm, orange, lower (right, front or rear), heavy duty (1)
7831R Suspension arm, red, lower (left, front or rear), heavy duty (1)
7830R Suspension arm, red, lower (right, front or rear), heavy duty (1)
7829 Suspension arms, black, upper (left or right, front or rear), heavy duty (2)
7829X Suspension arms, blue, upper (left or right, front or rear), heavy duty (2)
7829G Suspension arms, green, upper (left or right, front or rear), heavy duty (2)
7829T Suspension arms, orange, upper (left or right, front or rear), heavy duty (2)
7829R Suspension arms, red, upper (left or right, front or rear), heavy duty (2)
7743 Suspension pin retainer (4)
7743-BLUE Suspension pin retainer, 6061-T6 aluminum (blue-anodized) (4)
7743-GRAY Suspension pin retainer, 6061-T6 aluminum (gray-anodized) (4)
7743-GRN Suspension pin retainer, 6061-T6 aluminum (green-anodized) (4)
7743-ORNG Suspension pin retainer, 6061-T6 aluminum (orange-anodized) (4)
7743-RED Suspension pin retainer, 6061-T6 aluminum (red-anodized) (4)
7740 Suspension pin set, front or rear corner (hardened steel), 4x85mm (1), 4x47mm (3), 4x33mm (2) (qty 4, #7740 required for complete set)
7742 Suspension pin set, shock mount (front or rear, hardened steel), 4x25mm (2), 4x38mm (2)
7741 Suspension pins, 4x85mm (hardened steel) (2)
7685 Suspension pins, outer, lower, 4x47mm (threaded) (2)/ M4x0.7mm NL (2)

Shock Oil

5031 Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035 Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036 Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029 Shock oil bottle (60cc) (for mixing shock oil)
5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
5038 Spinning carousel rack

Shocks (GTX)

7765 Body, GTX shock (aluminum, blue-anodized) (1)
7765G Body, GTX shock (aluminum, green-anodized) (1)
7765X Body, GTX shock (aluminum, hard-anodized, PTFE-coated) (1)
7765T Body, GTX shock (aluminum, orange-anodized) (1)
7765R Body, GTX shock (aluminum, red-anodized) (1)
7762X Rebuild kit, GTX shocks (lower cartridge, assembled, pistons, piston nuts, bladders) (renews 2 shocks)
7763T Shaft, GTX shock TiN-coated (2) (assembled with rod ends and steel hollow balls)
7764A Shock caps, aluminum (blue-anodized), GTX shocks (4)/ spacers (8)
7764G Shock caps, aluminum (green-anodized), GTX shocks (4)/ spacers (8)
7764X Shock caps, aluminum (hard anodized, PTFE-coated), GTX shocks (4)/ spacers (8)
7764R Shock caps, aluminum (red-anodized), GTX shocks (4)/ spacers (8)
7764 Shock caps, GTX shocks/ spring perch/ adjusters/ 2.5x14 CS (2) (for 2 shocks)
7763 Shock shafts, GTX, 110mm (assembled with rod ends & hollow balls) (steel, chrome finish) (2)
7761A Shocks, GTX, aluminum (black-anodized) (fully assembled w/o springs) (2)
7761 Shocks, GTX, aluminum, blue-anodized (fully assembled w/o springs) (2)
7761G Shocks, GTX, aluminum, green-anodized (fully assembled w/o springs) (2)
7761T Shocks, GTX, aluminum, orange-anodized (fully assembled w/o springs) (2)
7761R Shocks, GTX, aluminum, red-anodized (fully assembled w/o springs) (2)
7888 Spacer, shock cap, 6061-T6 aluminum (black-anodized) (8)
7767 Spring retainer (adjuster), blue-anodized aluminum, GTX shocks (4) (assembled with o-ring)
7767G Spring retainer (adjuster), green-anodized aluminum, GTX shocks (4) (assembled with o-ring)
7767X Spring retainer (adjuster), PTFE-coated aluminum, GTX shocks (4) (assembled with o-ring)
7767R Spring retainer (adjuster), red-anodized aluminum, GTX shocks (4) (assembled with o-ring)
7853 Springs, shock (natural finish) (GTX) (0.824 rate, white stripe) (2)
7854 Springs, shock (natural finish) (GTX) (0.929 rate, orange stripe) (2)
7766 Springs, shock (natural finish) (GTX) (1.055 rate) (2)
7855 Springs, shock (natural finish) (GTX) (1.199 rate, green stripe) (2)
7856 Springs, shock (natural finish) (GTX) (1.346 rate, blue stripe) (2)
7857 Springs, shock (natural finish) (GTX) (1.450 rate, black stripe) (2)
7858 Springs, shock (natural finish) (GTX) (1.538 rate, red stripe) (2)

Spur Gears & Pinion Gears

6484X Gear, 11-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6485X Gear, 12-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)

6486X **Gear, 13-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6488X **Gear, 14-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6487X Gear, 15-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6489X **Gear, 16-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6490X **Gear, 17-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6491X Gear, 18-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6494X **Gear, 20-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6494R **Gear, 20-T pinion (machined, hardened steel) (1.0 metric pitch) (fits 5mm shaft)/ set screw**
6495X **Gear, 22-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6496X **Gear, 24-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6442 **Spur gear, 46-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)**
6447R Spur gear, 46-tooth, steel (wide-face, 1.0 metric pitch)
6443 **Spur gear, 50-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)**
6448R **Spur gear, 50-tooth, steel (wide-face, 1.0 metric pitch)**
6444 **Spur gear, 54-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)**
6449R Spur gear, 54-tooth, steel (wide-face, 1.0 metric pitch)

Steering Components

5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
7868 Bellcrank bushing, steering (1) (for use with #7746 aluminum steering bellcranks)
7879-BLUE **Drag link, 6061-T6 aluminum (blue-anodized)**
7879-GRAY **Drag link, 6061-T6 aluminum (gray-anodized)**
7879-GRN **Drag link, 6061-T6 aluminum (green-anodized)**
7879-ORNG **Drag link, 6061-T6 aluminum (orange-anodized)**
7879-RED **Drag link, 6061-T6 aluminum (red-anodized)**
7747-BLUE **Servo horn, steering, 6061-T6 aluminum (blue-anodized)**
7747-GRAY **Servo horn, steering, 6061-T6 aluminum (gray-anodized)**
7747-GRN **Servo horn, steering, 6061-T6 aluminum (green-anodized)**
7747-ORNG **Servo horn, steering, 6061-T6 aluminum (orange-anodized)**
7747-RED **Servo horn, steering, 6061-T6 aluminum (red-anodized)**
7747 Servo horn, steering/ linkage, steering (46mm, assembled with pivot balls)
7746-BLUE **Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, blue-anodized) (fits X-Maxx®)**
7746-GRAY **Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, gray-anodized) (fits X-Maxx®)**
7746-GRN **Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, green-anodized) (fits X-Maxx®)**
7746-ORNG **Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, orange-anodized) (fits X-Maxx®)**
7746-RED **Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, red-anodized) (fits X-Maxx®)**
7746 Steering bellcranks/ bellcrank support/servo saver/ servo saver spring/ draglink/ 3x20mm shoulder screws (2)
7746X Steering link, steel/ servo saver spring, heavy duty (use with #2085X metal gear servo)
7748 Toe links, molded composite, 173mm (158mm center to center) (black) (2)
7748X **Toe links, X-Maxx® (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**
7748G **Toe links, X-Maxx® (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**
7748R **Toe links, X-Maxx® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**

Suspension Linkage

7798 **Insert, threaded steel (replacement inserts for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X) (includes (1) left and (1) right threaded insert)**
7797 **Rod ends (4) (assembled with steel pivot balls) (replacement ends for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X)**
7743 Suspension pin retainer (4)
7743-BLUE **Suspension pin retainer, 6061-T6 aluminum (blue-anodized) (4)**
7743-GRAY **Suspension pin retainer, 6061-T6 aluminum (gray-anodized) (4)**
7743-GRN **Suspension pin retainer, 6061-T6 aluminum (green-anodized) (4)**
7743-ORNG **Suspension pin retainer, 6061-T6 aluminum (orange-anodized) (4)**
7743-RED **Suspension pin retainer, 6061-T6 aluminum (red-anodized) (4)**
7740 Suspension pin set, front or rear corner (hardened steel), 4x85mm (1), 4x47mm (3), 4x33mm (2) (qty 4, #7740 required for complete set)
7742 Suspension pin set, shock mount (front or rear, hardened steel), 4x25mm (2), 4x38mm (2)
7741 Suspension pins, 4x85mm (hardened steel) (2)
7748 Toe links, molded composite, 173mm (158mm center to center) (black) (2)
7748-BLK **Toe links, X-Maxx® (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**
7748X **Toe links, X-Maxx® (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**
7748-GRAY **Toe links, X-Maxx® (TUBES gray-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**
7748G **Toe links, X-Maxx® (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**
7748-ORNG **Toe links, X-Maxx® (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**
7748R **Toe links, X-Maxx® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**

Team Traxxas Items

2514 **Decal sheet, racing sponsors**
9950 **Official Team Traxxas® racing decal set(flag logo/ 6-color)**
9909 **Traxxas® racing banner, red & black (3x7 feet)**

Tires & Wheels

7696 **Tires & wheels, assembled, glued (chrome wheels, center caps, Terra Groove dual profile tires) (left & right)**
10947 **Tires & wheels, assembled, glued (Funco® Pro Scale® Replica Race black wheels, Gravix® tires, foam inserts) (rear) (1 left, 1 right)**
7689 Tires & wheels, assembled, glued (white wheels, center caps, Terra Groove dual profile tires) (left & right)
7774A **Tires & wheels, assembled, glued (X-Maxx® black chrome wheels, Sledgehammer® tires, foam inserts) (left & right) (2)**
7871X **Tires & wheels, assembled, glued (X-Maxx® black chrome wheels, Sledgehammer® belted tires, dual profile (4.3" outer, 5.7" inner), foam inserts) (left & right)**
7877 **Tires & wheels, assembled, glued (X-Maxx® black wheels, Gravix® tires, foam inserts) (left & right)**
7772X **Tires & wheels, assembled, glued (X-Maxx® black wheels, Maxx® AT tires, foam inserts) (left & right) (2)**
7773 **Tires & wheels, assembled, glued (X-Maxx® black wheels, paddle tires, foam inserts) (left & right) (2)**
7871 **Tires & wheels, assembled, glued (X-Maxx® black wheels, Sledgehammer® belted tires, dual profile (4.3" outer, 5.7" inner), foam inserts) (left & right)**
7772G **Tires & wheels, assembled, glued (X-Maxx® green wheels, Maxx® AT tires, foam inserts) (left & right) (2)**
7774G **Tires & wheels, assembled, glued (X-Maxx® green wheels, Sledgehammer® tires, foam inserts) (left & right) (2)**
7772T **Tires & wheels, assembled, glued (X-Maxx® orange wheels, Maxx® AT tires, foam inserts) (left & right) (2)**
7774T **Tires & wheels, assembled, glued (X-Maxx® orange wheels, Sledgehammer® tires, foam inserts) (left & right) (2)**
7772R **Tires & wheels, assembled, glued (X-Maxx® satin chrome wheels, Maxx® AT tires, foam inserts) (left & right) (2)**
7862X **Tires & wheels, assembled, glued (XRT® Race black chrome wheels, Gravix® belted tires, dual profile (4.3" outer, 5.7" inner) foam inserts) (left & right)**
7862 **Tires & wheels, assembled, glued (XRT® Race black wheels, Gravix® belted tires, dual profile (4.3" outer, 5.7" inner), foam inserts) (left & right)**
7872 **Tires & wheels, assembled, glued (XRT® Race black wheels, Gravix® tires, foam inserts) (left & right)**
7875 **Tires & wheels, assembled, glued (XRT® Race black wheels, Maxx® AT tires, foam inserts) (left & right)**
7876 **Tires & wheels, assembled, glued (XRT® Race black wheels, Sledgehammer® tires, foam inserts) (left & right)**
7860 **Tires, Gravix® (belted, dual profile (4.3" outer, 5.7" inner)) (left & right)/ foam inserts (2)**
7873 **Tires, Gravix® (left & right)/ foam inserts (2)**
7870 **Tires, Sledgehammer® (belted, dual profile (4.3" outer, 5.7" inner)) (left & right)/ foam inserts (2)**

7757 Wheel hex clips (6)
7756-BLK Wheel hubs, hex (2)/ hex clips (2)
7756X Wheel hubs, hex, aluminum (blue-anodized) (4)
7756-GRAY Wheel hubs, hex, aluminum (gray-anodized) (4)
7756G Wheel hubs, hex, aluminum (green-anodized) (4)
7756-ORNG Wheel hubs, hex, aluminum (orange-anodized) (4)
7756R Wheel hubs, hex, aluminum (red-anodized) (4)
7758A Wheel nuts, splined, 17mm, serrated (black-anodized) (4)
7758 Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)
7758-GRAY Wheel nuts, splined, 17mm, serrated (gray-anodized) (4)
7758G Wheel nuts, splined, 17mm, serrated (green-anodized) (4)
7758T Wheel nuts, splined, 17mm, serrated (orange-anodized) (4)
7758R Wheel nuts, splined, 17mm, serrated (red-anodized) (4)
5480X Wheel wrench, splined, 17mm
7771 Wheels, X-Maxx®, black (left and right)
7874 Wheels, XRT® Race, black (left and right)

Transmission Components

7796 Center drive, torque biasing (assembled)/ 17x26x5 ball bearings (2) (requires #7727A bulkheads)
7787-BLUE Cover, gear (blue-anodized 6061-T6 aluminum)
7787-GRAY Cover, gear (gray-anodized 6061-T6 aluminum)
7787-GRN Cover, gear (green-anodized 6061-T6 aluminum)
7787-ORNG Cover, gear (orange-anodized 6061-T6 aluminum)
7787-RED Cover, gear (red-anodized 6061-T6 aluminum)
7886 Gear set, overdrive (includes 47T ouput gear, 24T input gear, 3x10mm FCS (with threadlock) (4))
7785X Input gear, transmission, 20-tooth/ 2.5x12mm pin
7786X Input shaft, transmission (cush drive)
5040 Oil, differential (20M wt) (standard)
7784X Output gear, 51-tooth, metal (requires #7785X input gear)

Traxxas Tools

3433X Body reamer (aluminum handle)
3433 Body reamer (plastic handle)
3436 Cap, body reamer
3425 Rubber pit mat, 16x24x0.28
3426 Rubber pit mat, 36x20
3432 Scissors, curved tip
3431 Scissors, straight tip
8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8720 Speed bit handle, large (overmolded)
8721 Speed bit handle, medium (one piece)
8722 Speed bit handle, premium (rubber overmold)
8710 Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8714 Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
2748R Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)
5480X Wheel wrench, splined, 17mm

Turnbuckles & Threaded Rods

7798 Insert, threaded steel (replacement inserts for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X) (includes (1) left and (1) right threaded insert)
7797 Rod ends (4) (assembled with steel pivot balls) (replacement ends for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X)
7748 Toe links, molded composite, 173mm (158mm center to center) (black) (2)
7748-BLK Toe links, X-Maxx® (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7748X Toe links, X-Maxx® (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7748-GRAY Toe links, X-Maxx® (TUBES gray-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7748G Toe links, X-Maxx® (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7748-ORNG Toe links, X-Maxx® (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7748R Toe links, X-Maxx® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)

WideMaxx® Suspension Kit

7896 Driveshaft, steel constant velocity (shaft only, 190.3mm) (1) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7894 Suspension arm, lower, black (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7893 Suspension arm, lower, black (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7894X Suspension arm, lower, blue (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7893X Suspension arm, lower, blue (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7894G Suspension arm, lower, green (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7893G Suspension arm, lower, green (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7894T Suspension arm, lower, orange (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7893T Suspension arm, lower, orange (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7894R Suspension arm, lower, red (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7893R Suspension arm, lower, red (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7892 Suspension arms, upper, black (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7892X Suspension arms, upper, blue (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7892G Suspension arms, upper, green (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7892T Suspension arms, upper, orange (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7892R Suspension arms, upper, red (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7895 Suspension kit, X-Maxx® WideMaxx®, black (includes front & rear suspension arms, front toe links, driveshafts, shock springs)
7895X Suspension kit, X-Maxx® WideMaxx®, blue (includes front & rear suspension arms, front toe links, driveshafts, shock springs)
7895G Suspension kit, X-Maxx® WideMaxx®, green (includes front & rear suspension arms, front toe links, driveshafts, shock springs)
7895T Suspension kit, X-Maxx® WideMaxx®, orange (includes front & rear suspension arms, front toe links, driveshafts, shock springs)
7895R Suspension kit, X-Maxx® WideMaxx®, red (includes front & rear suspension arms, front toe links, driveshafts, shock springs)
7897 Toe links, 202.5mm (187.5mm center to center) (black) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7897A Toe links, front (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7897X Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895X X-Maxx® WideMaxx® suspension kit)
7897G Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895G X-Maxx® WideMaxx® suspension kit)
7897R Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895R X-Maxx® WideMaxx® suspension kit)