X-Maxx® Ultimate
(Model 77097-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

7890	**Ball bearing kit, X-Maxx®/XRT® (complete)**
5106A	Ball bearing, black rubber sealed (15x24x5mm) (2)
5108A	Ball Bearing, black rubber sealed (15x26x5) (2)
5107A	Ball Bearing, black rubber sealed (17x26x5) (2)
5196A	Ball bearing, black rubber sealed (20x32x7mm) (2)
5196X	**Ball bearing, black rubber sealed, stainless (20x32x7mm) (2)**
5106	Ball Bearing, blue rubber sealed (15x24x5) (2)
4611	Ball bearings (5x11x4mm) (2)
5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)
5180A	Ball bearings, black rubber sealed (6x13x5mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)

Body & Accessories

7715	Body mounts, front & rear/ 3x15mm BCS (1)/ 3x12mm shoulder screw (2)/ 3x10mm flat-head machine screw (6)/ 3x15mm flat-head machine screw (2)
7710	Body reinforcement set (fits #7711 body)
7713X	Body support, rear/ 3x15mm CS (2) / 3x15mm flat-head machine (2) (fits X-Maxx®)
7691-BLUE	**Body, Bigfoot® No. 8, Officially Licensed replica, complete (painted, decals applied) (assembled with body support for clipless mounting) (fits X-Monster™ Chassis)**
7697	**Body, Chevrolet GMT400 CK Truck (clear, requires painting)/ window masks/ decal sheet (for clipless mounting) (fits X-Monster™ chassis)**
7697-BLUE	**Body, Chevrolet GMT400 CK Truck, complete, blue (painted, decals applied) (assembled with body support for clipless mounting) (fits X-Monster™ chassis)**
7697-GRN	**Body, Chevrolet GMT400 CK Truck, complete, green (painted, decals applied) (assembled with body support for clipless mounting) (fits X-Monster™ Chassis)**
7697R	**Body, Chevrolet GMT400 CK Truck, heavy duty (clear, 2.0mm, requires painting)/ window masks/ decal sheet (for clipless mounting) (fits X-Monster™ chassis)**
7691	**Body, Ford F-150 Truck (clear, requires painting)/ window masks/ decal sheet (for clipless mounting) (fits X-Monster™ Chassis)**
7691-BLK	**Body, Ford F-150 Truck, complete, black (painted, decals applied) (assembled with body support for clipless mounting) (fits X-Monster™ Chassis)**
7691R	**Body, Ford F-150 Truck, heavy duty (clear, 2.0mm, requires painting)/ window masks/ decal sheet (for clipless mounting) (fits X-Monster™ Chassis)**
7711	**Body, X-Maxx® (clear, trimmed, requires painting)/ window masks/ decal sheet**
7936-BLUE	**Body, X-Maxx® Ultimate, blue (painted, decals applied) (assembled with front & rear body mounts, rear body support, roof skid plate, and tailgate protector)**
7868-BLUE	**Body, X-Maxx® Ultimate, blue (painted, decals applied) (assembled with front & rear body mounts, rear body support, roof skid plate, and tailgate protector)**
7868-GRN	**Body, X-Maxx® Ultimate, green (painted, decals applied) (assembled with front & rear body mounts, rear body support, roof skid plate, and tailgate protector)**
7936-GRN	**Body, X-Maxx® Ultimate, green (painted, decals applied) (assembled with front & rear body mounts, rear body support, roof skid plate, and tailgate protector)**
7868X	**Body, X-Maxx® Ultimate, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet**
7867-BLUE	**Body, X-Maxx®, blue (painted, decals applied) (assembled with front & rear body mounts, rear body support, roof skid plate, and tailgate protector)**
7867-GRN	**Body, X-Maxx®, green (painted, decals applied) (assembled with front & rear body mounts, rear body support, roof skid plate, and tailgate protector)**
7811G	**Body, X-Maxx®, green (painted, decals applied) (assembled with front & rear body mounts, rear body support, roof skid plate, and tailgate protector)**
7867-ORNG	**Body, X-Maxx®, orange (painted, decals applied) (assembled with front & rear body mounts, rear body support, roof skid plate, and tailgate protector)**
7811	**Body, X-Maxx®, orange (painted, decals applied) (assembled with front & rear body mounts, rear body support, roof skid plate, and tailgate protector)**
7711X	**Body, X-Maxx®, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet**
7811R	**Body, X-Maxx®, red (painted, decals applied) (assembled with front & rear body mounts, rear body support, roof skid plate, and tailgate protector)**
7867-RED	**Body, X-Maxx®, red (painted, decals applied) (assembled with front & rear body mounts, rear body support, roof skid plate, and tailgate protector)**
7711T	**Body, X-Maxx®, Rock n' Roll (painted, decals applied) (assembled with tailgate protector)**
7811X	**Body, X-Maxx®, Solar Flare (painted, decals applied) (assembled with front & rear body mounts, rear body support, roof skid plate, and tailgate protector)**
7817	**Skid plate, roof (body) (black)/ 3x15mm CS (4) (requires #7713X to mount)**
7817X	**Skid plate, roof (body) (blue)/ 3x15mm CS (4) (requires #7713X to mount)**
7817G	**Skid plate, roof (body) (green)/ 3x15mm CS (4) (requires #7713X to mount)**
7817T	**Skid plate, roof (body) (orange)/ 3x15mm CS (4) (requires #7713X to mount)**
7817R	**Skid plate, roof (body) (red)/ 3x15mm CS (4) (requires #7713X to mount)**
7712	Tailgate protector/ 3x8mm flathead screw (4)

Bumpers & Skidplates

7733X	Bumper mount, front/ bumper support
7734X	Bumper mount, rear/ bumper support
7735	Bumper, front
7736	Bumper, rear
7745	Skidplate, center
7744	Skidplate, front (1), rear (1)/ rubber impact cushion (2)

Chassis & Attachments

3698	Access plug, rubber (receiver box)
7719	Battery hold-down (2)/ foam pad (2)
7718	Battery hold-down mounts, left (2)/ right (2)/ 3x18mm CS (4)
7715	Body mounts, front & rear/ 3x15mm BCS (1)/ 3x12mm shoulder screw (2)/ 3x10mm flat-head machine screw (6)/ 3x15mm flat-head machine screw (2)
7724X	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x15 CS (4)
7733X	Bumper mount, front/ bumper support
7734X	Bumper mount, rear/ bumper support
7735	Bumper, front
7736	Bumper, rear
7722	Chassis
7714X	Chassis top brace
7723	Nerf bars, chassis (2)
7745	Skidplate, center
7744	Skidplate, front (1), rear (1)/ rubber impact cushion (2)
7717X	Spacer, battery compartment (2)/ foam blocks (4)/ foam pad (2)
7799	**Tires, rubber (2) (fits Traxxas® #7775X wheelie bar wheels)**
7776	Wheelie bar, black (assembled)
7775	**Wheels, wheelie bar (2)/ axles, wheelie bar (2)/ 10x15x4 plastic bushings (4) (for #7776, 8976, or 9576 wheelie bar)**
7775X	Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)
7775A	**Wheels, wheelie bar, 6061-T6 aluminum (dark titanium-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)**
7775G	Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)
7775T	**Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)**
7775R	**Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)**

Cush Drive Components

7794	Cush drive key/ pin/ elastomer damper
7793X	Housing, cush drive (front & rear halves)
6442	**Spur gear, 46-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)**
6447R	**Spur gear, 46-tooth, steel (wide-face, 1.0 metric pitch)**

6443 **Spur gear, 50-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)**
6448R **Spur gear, 50-tooth, steel (wide-face, 1.0 metric pitch)**
6444 Spur gear, 54-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)
6449X **Spur gear, 54-tooth, steel (1.0 metric pitch)**
6449R **Spur gear, 54-tooth, steel (wide-face, 1.0 metric pitch)**

Differential Components

7781X Carrier, differential (aluminum)/ (requires #7783X spider gear shaft)
7781 Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 16X23.5X.5 TW
5136X **Differential oil kit (1 each: 10K, 30K, 50K weights)**
7880 **Differential, front, complete (fits X-Maxx® 8s or XRT®)**
7881 **Differential, rear, complete (fits X-Maxx® 8s or XRT®)**
10949 **Drive cup, steel, extreme durability (1)/ 3x8mm CS (use only with #7750X & 7896 driveshafts) (machined, heat treated)**
7782 Gear set, differential (output gears (2)/ spider gears (4)/16X23.5X.5 TW(2))
5041 Grease, premium high performance (20cc)
7780 **Housing, differential (front/rear)**
7780-BLUE Housing, differential (front/rear), 6061-T6 aluminum (blue-anodized)
7780-GRAY **Housing, differential (front/rear), 6061-T6 aluminum (gray-anodized)**
7780-GRN Housing, differential (front/rear), 6061-T6 aluminum (green-anodized)
7780-ORNG **Housing, differential (front/rear), 6061-T6 aluminum (orange-anodized)**
7780-RED **Housing, differential (front/rear), 6061-T6 aluminum (red-anodized)**
5040 Oil, differential (20M wt) (standard)
7790 Pinion gear, differential, 11-tooth (front) (heavy duty) (use with #7792 35-tooth differential ring gear)
7791 Pinion gear, differential, 11-tooth (rear) (heavy duty) (use with #7792 35-tooth differential ring gear)
7792 Ring gear, differential, 35-tooth (heavy duty) (use with #7790, #7791 11-tooth differential pinion gears)
7783X Spider gear shaft (2)/ spacers (4)/16x23.5x.5 stainless washer (2) (for #7781X aluminum differential carrier)
7783 Spider gear shaft (2)/ spacers (4)/16X23.5X.5 TW (2)

Driveline Components

7794 Cush drive key/ pin/ elastomer damper
10949 Drive cup, steel, extreme durability (1)/ 3x8mm CS (use only with #7750X & 7896 driveshafts) (machined, heat treated)
7754R **Drive cup, steel, extreme heavy duty (2)/ 3x8mm CS, heavy duty (2) (use only with #7750X or 7896 driveshaft) (machined, heat treated)**
7755 Driveshaft assembly, center, aluminum
7750X Driveshaft, steel constant-velocity (heavy duty, shaft only, 160mm) (1) (replacing #7750 also requires #7751X, #7754X and #7768 or #7768R)
7945 Driveshaft, steel constant-velocity (shaft only, 160mm) (laser-etched with Traxxas logo) (1)
5040 Oil, differential (20M wt) (standard)
7751X Rebuild kit, steel constant-velocity driveshaft (includes pins for 2 driveshaft assemblies (for use only with #7750X driveshaft)
7836-BLUE Steering blocks, 6061-T6 aluminum (blue-anodized), left & right
7836-GRAY **Steering blocks, 6061-T6 aluminum (gray-anodized), left & right**
7836-GRN Steering blocks, 6061-T6 aluminum (green-anodized), left & right
7836-ORNG **Steering blocks, 6061-T6 aluminum (orange-anodized), left & right**
7836-RED **Steering blocks, 6061-T6 aluminum (red-anodized), left & right**
7836 **Steering blocks, left & right**
7737X Steering blocks, left & right (requires 20x32x7 ball bearings)
7836X **Steering blocks, left & right/ caster blocks (c-hubs), left & right/ 20x32x7mm bearings (2)/ 15x24x5mm bearings (2)**
7768A **Stub axle, aluminum (black-anodized) (1) (for use only with #7750X or 7896 driveshaft)**
7768 Stub axle, aluminum, (blue-anodized) (1) (for use only with #7750X or 7896 driveshaft)
7768G Stub axle, aluminum, (green-anodized) (1) (for use only with #7750X or 7896 driveshaft)
7768T **Stub axle, aluminum, (orange-anodized) (1) (for use only with #7750X or 7896 driveshaft)**
7768R **Stub axle, aluminum, (red-anodized) (1) (for use only with #7750X or 7896 driveshaft)**
7758A **Wheel nuts, splined, 17mm, serrated (black-anodized) (4)**
7758 Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)
7758-GRAY **Wheel nuts, splined, 17mm, serrated (gray-anodized) (4)**
7758G Wheel nuts, splined, 17mm, serrated (green-anodized) (4)
7758T **Wheel nuts, splined, 17mm, serrated (orange-anodized) (4)**
7758R **Wheel nuts, splined, 17mm, serrated (red-anodized) (4)**

Front Suspension & Steering

7868 **Bellcrank bushing, steering (1) (for use with #7746 aluminum steering bellcranks)**
7726 Bulkhead tie bar, upper (1)/ lower (2) (steel)
7721 Bulkhead, front (lower)
7720X Bulkhead, front (upper)
7832-BLUE Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized), left & right
7832-GRAY **Caster blocks (c-hubs), 6061-T6 aluminum (gray-anodized), left & right**
7832-GRN Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized), left & right
7832-ORNG **Caster blocks (c-hubs), 6061-T6 aluminum (orange-anodized), left & right**
7832-RED **Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized), left & right**
7732 **Caster blocks (c-hubs), left & right**
7832 **Caster blocks (c-hubs), left & right**
7879-BLUE Drag link, 6061-T6 aluminum (blue-anodized)
7879-GRAY **Drag link, 6061-T6 aluminum (gray-anodized)**
7879-GRN Drag link, 6061-T6 aluminum (green-anodized)
7879-ORNG **Drag link, 6061-T6 aluminum (orange-anodized)**
7879-RED **Drag link, 6061-T6 aluminum (red-anodized)**
7716 Mount, tie bar, front (1)/ rear (1)
7747-BLUE Servo horn, steering, 6061-T6 aluminum (blue-anodized)
7747-GRAY **Servo horn, steering, 6061-T6 aluminum (gray-anodized)**
7747-GRN Servo horn, steering, 6061-T6 aluminum (green-anodized)
7747-ORNG **Servo horn, steering, 6061-T6 aluminum (orange-anodized)**
7747-RED **Servo horn, steering, 6061-T6 aluminum (red-anodized)**
7747 **Servo horn, steering/ linkage, steering (46mm, assembled with pivot balls)**
10950 **Servo saver spring**
7739 Shock tower, front (left & right halves)
7746-BLUE Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, blue-anodized) (fits X-Maxx®)
7746-GRAY **Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, gray-anodized) (fits X-Maxx®)**
7746-GRN Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, green-anodized) (fits X-Maxx®)
7746-ORNG **Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, orange-anodized) (fits X-Maxx®)**
7746-RED **Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, red-anodized) (fits X-Maxx®)**
7746 **Steering bellcranks/ bellcrank support/servo saver/ servo saver spring/ draglink/ 3x20mm shoulder screws (2)**
7836-BLUE Steering blocks, 6061-T6 aluminum (blue-anodized), left & right
7836-GRAY **Steering blocks, 6061-T6 aluminum (gray-anodized), left & right**
7836-GRN Steering blocks, 6061-T6 aluminum (green-anodized), left & right
7836-ORNG **Steering blocks, 6061-T6 aluminum (orange-anodized), left & right**
7836-RED **Steering blocks, 6061-T6 aluminum (red-anodized), left & right**
7836 **Steering blocks, left & right**
7737X **Steering blocks, left & right (requires 20x32x7 ball bearings)**
7836X **Steering blocks, left & right/ caster blocks (c-hubs), left & right/ 20x32x7mm bearings (2)/ 15x24x5mm bearings (2)**
7746X Steering link, steel/ servo saver spring, heavy duty (use with #2085X metal gear servo)
7831 **Suspension arm, black, lower (left, front or rear), heavy duty (1)**
7830 **Suspension arm, black, lower (right, front or rear), heavy duty (1)**
7831X **Suspension arm, blue, lower (left, front or rear), heavy duty (1)**
7830X **Suspension arm, blue, lower (right, front or rear), heavy duty (1)**
7831-CHRM **Suspension arm, chrome, lower (left, front or rear), heavy duty (1)**
7830-CHRM **Suspension arm, chrome, lower (right, front or rear), heavy duty (1)**
7831G **Suspension arm, green, lower (left, front or rear), heavy duty (1)**
7830G **Suspension arm, green, lower (right, front or rear), heavy duty (1)**
7731 Suspension arm, lower (left, front or rear) (1)
7730 Suspension arm, lower (right, front or rear) (1)
7831T **Suspension arm, orange, lower (left, front or rear), heavy duty (1)**
7830T **Suspension arm, orange, lower (right, front or rear), heavy duty (1)**
7831R **Suspension arm, red, lower (left, front or rear), heavy duty (1)**
7830R **Suspension arm, red, lower (right, front or rear), heavy duty (1)**
7729 Suspension arm, upper (left or right, front or rear) (2)

7829 **Suspension arms, black, upper (left or right, front or rear), heavy duty (2)**
7829X **Suspension arms, blue, upper (left or right, front or rear), heavy duty (2)**
7829-CHRM **Suspension arms, chrome, upper (left or right, front or rear), heavy duty (2)**
7829G **Suspension arms, green, upper (left or right, front or rear), heavy duty (2)**
7829T **Suspension arms, orange, upper (left or right, front or rear), heavy duty (2)**
7829R **Suspension arms, red, upper (left or right, front or rear), heavy duty (2)**
7743 **Suspension pin retainer (4)**
7743-BLUE Suspension pin retainer, 6061-T6 aluminum (blue-anodized) (4)
7743-GRAY **Suspension pin retainer, 6061-T6 aluminum (gray-anodized) (4)**
7743-GRN Suspension pin retainer, 6061-T6 aluminum (green-anodized) (4)
7743-ORNG **Suspension pin retainer, 6061-T6 aluminum (orange-anodized) (4)**
7743-RED **Suspension pin retainer, 6061-T6 aluminum (red-anodized) (4)**
7740 Suspension pin set, front or rear corner (hardened steel), 4x85mm (1), 4x47mm (3), 4x33mm (2) (qty 4, #7740 required for complete set)
7742 Suspension pin set, shock mount (front or rear, hardened steel), 4x25mm (2), 4x38mm (2)
7741 Suspension pins, 4x85mm (hardened steel) (2)

Hardware

4859 CS 3x10 flathead (hex drive)
7889X **Hardware kit, stainless steel, X-Maxx® (contains all stainless steel hardware used on X-Maxx®)**
7889 **Hardware kit, X-Maxx® (contains all hardware used on X-Maxx®)**
2584 Head screws, 3x12mm cap-head machine (hex drive) (6) (TRX® 2.5, 2.5R, 3.3)
4955 Pins, axle (2.5x12mm) (4)
4857 Screw, 3x20 countersunk machine (hex drive) (6)
3234 Screws, 2.5x14mm cap-head machine (hex drive) (6)
2577 Screws, 3x10mm button-head machine (hex drive) (6)
2587 Screws, 3x10mm caphead machine (6) (no washer)
2593 Screws, 3x14mm button-head machine (hex drive) (6)
2579 Screws, 3x15mm button-head machine (hex drive) (6)
2586 Screws, 3x15mm cap-head machine (hex drive) (6)
3646 Screws, 3x15mm flat-head machine (hex drive) (6)
2585 Screws, 3x20mm cap-head machine (hex drive) (6)
2581 Screws, 3x25mm button-head machine (hex drive) (6)
2575 Screws, 3x6mm button-head machine (hex drive) (6)
2576 Screws, 3x8mm button-head machine (hex drive) (6)
2535 Screws, 4x10mm countersunk machine (hex drive) (6)
3937 Screws, 4x12mm button-head machine (hex drive) (6)
3938 Screws, 4x14mm button-head machine (hex drive) (6)
2594 Screws, 4x15mm button-head machine (hex drive) (6)
2546 Screws, 4x15mm countersunk machine (hex drive) (6)
3933 Screws, 4x16mm button-head machine (hex drive) (6)
2597 Screws, 4x22mm button-head machine (hex drive) (6)
2596 Screws, 4x25mm button-head machine (hex drive) (6)
2598X Screws, 4x30mm button-head machine (hex drive) (6)
2595 Screws, 4x35mm button-head machine (hex drive) (6)
4897X Screws, set (grub), 4mm (with heavy duty threadlock) (6)
2743 Set (grub) screws, 3mm hardened (12)
3642X Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
5480X Wheel wrench, splined, 17mm

LED Lights

10959 **Extension harness, LED lights**
7882 **Extension harness, LED lights (high-voltage)**
6590 **High-Voltage Power Amplifier**
7884 **LED light bar, front (high-voltage) (40 white LEDs (double row), 82mm wide) (fits Maxx®, Maxx Slash®, X-Maxx®, or XRT®)**
7883X **LED light bar, rear, red (with white reverse light) (high-voltage) (24 red LEDs, 24 white LEDs, 100mm wide)/ light bar mount (fits Maxx®, X-Maxx®, or XRT®)**
10998-BLUE **LED light kit, blue, complete (underbody) (includes 3-volt accessory power supply, power harnesses & mounting hardware)**
7885 **LED light kit, complete (includes #6590 high-voltage power amplifier)**
10998-GRN **LED light kit, green, complete (underbody) (includes 3-volt accessory power supply, power harnesses & mounting hardware)**
10998-ORNG **LED light kit, orange, complete (underbody) (includes 3-volt accessory power supply, power harnesses & mounting hardware)**
10998-RED **LED light kit, red, complete (underbody) (includes 3-volt accessory power supply, power harnesses & mounting hardware)**
7694 **Mount, whip light (universal) (requires #10992 series whip light)**
10992-BLUE **Whip light, LED, blue (assembled) (1)/ 3x12mm BCS (2) (replacement for 1 whip light, left or right) (requires #6588X accessory power supply)**
10992-GRN **Whip light, LED, green (assembled) (1)/ 3x12mm BCS (2) (replacement for 1 whip light, left or right) (requires #6588X accessory power supply)**
10992-ORNG **Whip light, LED, orange (assembled) (1)/ 3x12mm BCS (2) (replacement for 1 whip light, left or right) (requires #6588X accessory power supply)**
10992-RED **Whip light, LED, red (assembled) (1)/ 3x12mm BCS (2) (replacement for 1 whip light, left or right) (requires #6588X accessory power supply)**
10919 **Wire harness, power supply**

Motors & Electronics

7749 **Adapter, standard servo (adapts standard servo to fit in Maxx®, X-Maxx®, XRT® or Pro Scale® Sand Car)**
3475 Cooling fan, Velineon® VXL ESC (fits VXL-6s & VXL-8s)
7787-BLUE Cover, gear (blue-anodized 6061-T6 aluminum)
7787-GRAY **Cover, gear (gray-anodized 6061-T6 aluminum)**
7787-GRN Cover, gear (green-anodized 6061-T6 aluminum)
7787-ORNG **Cover, gear (orange-anodized 6061-T6 aluminum)**
7787-RED **Cover, gear (red-anodized 6061-T6 aluminum)**
7887 **Covers, gear (3)**
3474 Dual cooling fan kit (with shroud), Velineon® 1200XL motor
2087X Gear set, metal (for 2085, 2085X, 2085XL servos)
3362 Heat sink, Velineon® 1200XL
7760 **Motor mounts (front and rear)/ pins (2)**
7760-BLUE Motor mounts, 6061-T6 aluminum (blue-anodized) (front & rear)
7760-GRAY **Motor mounts, 6061-T6 aluminum (gray-anodized) (front & rear)**
7760-GRN Motor mounts, 6061-T6 aluminum (green-anodized) (front & rear)
7760-ORNG **Motor mounts, 6061-T6 aluminum (orange-anodized) (front & rear)**
7760-RED **Motor mounts, 6061-T6 aluminum (red-anodized) (front & rear)**
3491 Motor, Velineon® 1200XL, brushless
3492 Rebuild kit, Velineon® 1200XL (includes plastic endbells (2), 6x17x6mm ball bearings (2), 6x8x.3 washer (1), 6x8x1 washer (1), 7x6x12 spacer (1))
2086 Servo case/gaskets (for 2085, 2085L, 2085R, 2085RL, 2085X & 2085XL servos)
2085RL Servo, digital high-torque/high-speed, metal gear (ball bearing), waterproof
7878X Spacer, motor shaft (steel)/ e-clip (1)
7759 Washers, motor mount, aluminum (blue-anodized) (4)/ 4x18mm BCS (4)
7759-GRAY **Washers, motor mount, aluminum (gray-anodized) (4)/ 4x18mm BCS (4)**
7759G Washers, motor mount, aluminum (green-anodized) (4)/ 4x18mm BCS (4)
7759-ORNG **Washers, motor mount, aluminum (orange-anodized) (4)/ 4x18mm BCS (4)**
7759R **Washers, motor mount, aluminum (red-anodized) (4)/ 4x18mm BCS (4)**
7759-BLK **Washers, motor mount, steel (4)/ 4x18mm BCS (4)**

Radio System, Batteries & Chargers

2872X **5000mah 11.1v 3-Cell 25C LiPo Battery**
2889X **5000mah 14.8v 4-Cell 25C LiPo Battery (long)**
2857X **6400mah 11.1v 3-Cell 25C LiPo Battery**
2890X **6700mah 14.8v 4-Cell 25C LiPo Battery**
2938X **Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)**
2943 **Battery charge indicators, green (4), grey (4), blue (4)**
6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2914 **Battery, Power Cell AA Alkaline (4)**
2996X **Battery/charger completer pack (includes #2971 iD® charger (1), #2889X 5000 mAh 14.8V 4-cell 25C LiPo battery (1))**
2990 **Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2872X 5000mAh 11.1V 3-cell 25C LiPo iD® Battery (2))**
2997 **Battery/charger completer pack (includes #2973 Dual iD® charger (1), #2890X 6700mAh 14.8V 4-cell 25C LiPo iD® Battery (2))**
2972 **Charger, EZ-Peak Live Dual, 100W, NiMH/ LiPo with ID Auto Battery Identification**
2973 **Charger, EZ-Peak Live Dual, 200W, NiMH/ LiPo with ID Auto Battery Identification**

2970 **Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification**
2981 **Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification**
6525 **Communication link, telemetry expander**
6565 **Data link, telemetry expander (connects #6550X telemetry expander 2.0 to the #6590 high-voltage power amplifier)**
6566 **Data link, telemetry expander (connects #6550X telemetry expander 2.0 to the Velineon® #3465 VXL-4s, #3485 Velineon® VXL-6s, or #3496 Velineon® VXL-8s electronic speed control)**
2971 **EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®**
2087X Gear set, metal (for 2085, 2085X, 2085XL servos)
2968X **LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)**
2968 **LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)**
6533X Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
6552 **Seal kit, expander box (includes o-ring, seals, and silicone grease)**
6531 Sensor, temperature & voltage (fits X-Maxx®, XRT® or Pro Scale® Sand Car)
6521 **Sensor, temperature and voltage (long)**
2086 Servo case/gaskets (for 2085, 2085L, 2085R, 2085RL, 2085X & 2085XL servos)
2085RL Servo, digital high-torque/high-speed, metal gear (ball bearing), waterproof
6553X **Telemetry Expander 2.0 and GPS module 2.0, TQi radio system**
6550X **Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)**
6551X **Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)**
6509A TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
6507A **TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)**
6528X Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529X **Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)**
6530X **Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)**
6511 Traxxas® Link Bluetooth® module

Ready-To-Race Model

77097-4 X-Maxx® Ultimate: Brushless Electric Monster Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)®

Rear Suspension

7726 Bulkhead tie bar, upper (1)/ lower (2) (steel)
7727A Bulkhead, rear (upper & lower)/ motor mount washers (steel) (4)/ 4x18mm BCS (4) (replacing #7727 & #7728 requires #5107A ball bearings (2))
7727R Bulkhead, rear (upper) (fits X-Maxx® 8s or XRT®)
7852-BLUE Carriers, stub axle (blue-anodized 6061-T6 aluminum) (left & right)
7852-GRAY **Carriers, stub axle (gray-anodized 6061-T6 aluminum) (left & right)**
7852-GRN Carriers, stub axle (green-anodized 6061-T6 aluminum) (left & right)
7752X **Carriers, stub axle (left & right) (requires 20x32x7 ball bearings)**
7852-ORNG **Carriers, stub axle (orange-anodized 6061-T6 aluminum) (left & right)**
7852 **Carriers, stub axle (rear) (left & right)**
7852X **Carriers, stub axle (rear) (left & right)/ 20x32x7mm bearings (2)/ 15x24x5mm bearings (2)**
7852-RED **Carriers, stub axle (red-anodized 6061-T6 aluminum) (left & right)**
7716 Mount, tie bar, front (1)/ rear (1)
7738 Shock tower, rear (left & right halves)
7831 **Suspension arm, black, lower (left, front or rear), heavy duty (1)**
7830 **Suspension arm, black, lower (right, front or rear), heavy duty (1)**
7831X **Suspension arm, blue, lower (left, front or rear), heavy duty (1)**
7830X **Suspension arm, blue, lower (right, front or rear), heavy duty (1)**
7831-CHRM **Suspension arm, chrome, lower (left, front or rear), heavy duty (1)**
7830-CHRM **Suspension arm, chrome, lower (right, front or rear), heavy duty (1)**
7831G **Suspension arm, green, lower (left, front or rear), heavy duty (1)**
7830G **Suspension arm, green, lower (right, front or rear), heavy duty (1)**
7731 Suspension arm, lower (left, front or rear) (1)
7730 Suspension arm, lower (right, front or rear) (1)
7831T **Suspension arm, orange, lower (left, front or rear), heavy duty (1)**
7830T **Suspension arm, orange, lower (right, front or rear), heavy duty (1)**
7831R **Suspension arm, red, lower (left, front or rear), heavy duty (1)**
7830R **Suspension arm, red, lower (right, front or rear), heavy duty (1)**
7729 Suspension arm, upper (left or right, front or rear) (2)
7829 **Suspension arms, black, upper (left or right, front or rear), heavy duty (2)**
7829X **Suspension arms, blue, upper (left or right, front or rear), heavy duty (2)**
7829-CHRM **Suspension arms, chrome, upper (left or right, front or rear), heavy duty (2)**
7829G **Suspension arms, green, upper (left or right, front or rear), heavy duty (2)**
7829T **Suspension arms, orange, upper (left or right, front or rear), heavy duty (2)**
7829R **Suspension arms, red, upper (left or right, front or rear), heavy duty (2)**
7743 **Suspension pin retainer (4)**
7743-BLUE Suspension pin retainer, 6061-T6 aluminum (blue-anodized) (4)
7743-GRAY **Suspension pin retainer, 6061-T6 aluminum (gray-anodized) (4)**
7743-GRN Suspension pin retainer, 6061-T6 aluminum (green-anodized) (4)
7743-ORNG **Suspension pin retainer, 6061-T6 aluminum (orange-anodized) (4)**
7743-RED **Suspension pin retainer, 6061-T6 aluminum (red-anodized) (4)**
7740 Suspension pin set, front or rear corner (hardened steel), 4x85mm (1), 4x47mm (3), 4x33mm (2) (qty 4, #7740 required for complete set)
7742 Suspension pin set, shock mount (front or rear, hardened steel), 4x25mm (2), 4x38mm (2)
7741 Suspension pins, 4x85mm (hardened steel) (2)

Shock Oil

5031 **Oil, shock (20 wt, 200 cSt, 60cc) (silicone)**
5032 **Oil, shock (30 wt, 350 cSt, 60cc) (silicone)**
5033 **Oil, shock (40 wt, 500 cSt, 60cc) (silicone)**
5034 **Oil, shock (50 wt, 600 cSt, 60cc) (silicone)**
5035 **Oil, shock (60 wt, 700 cSt, 60cc) (silicone)**
5036 **Oil, shock (70 wt, 900 cSt, 60cc) (silicone)**
5037 **Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)**
5029 **Shock oil bottle (60cc) (for mixing shock oil)**
5038X **Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)**
5038 **Spinning carousel rack**

Shocks (GTX)

7765 Body, GTX shock (aluminum, blue-anodized) (1)
7765G Body, GTX shock (aluminum, green-anodized) (1)
7765X **Body, GTX shock (aluminum, hard-anodized, PTFE-coated) (1)**
7765T **Body, GTX shock (aluminum, orange-anodized) (1)**
7765R **Body, GTX shock (aluminum, red-anodized) (1)**
7762X Rebuild kit, GTX shocks (lower cartridge, assembled, pistons, piston nuts, bladders) (renews 2 shocks)
7763T Shaft, GTX shock TiN-coated (2) (assembled with rod ends and steel hollow balls)
7764A Shock caps, aluminum (blue-anodized), GTX shocks (4)/ spacers (8)
7764-GRAY **Shock caps, aluminum (gray-anodized), GTX shocks (4)/ spacers (8)**
7764G Shock caps, aluminum (green-anodized), GTX shocks (4)/ spacers (8)
7764X **Shock caps, aluminum (hard anodized, PTFE-coated), GTX shocks (4)/ spacers (8)**
7764-ORNG **Shock caps, aluminum (orange-anodized), GTX shocks (4)/ spacers (8)**
7764R **Shock caps, aluminum (red-anodized), GTX shocks (4)/ spacers (8)**
7764 **Shock caps, GTX shocks/ spring perch/ adjusters/ 2.5x14 CS (2) (for 2 shocks)**
7763 **Shock shafts, GTX, 110mm (assembled with rod ends & hollow balls) (steel, chrome finish) (2)**
7761A **Shocks, GTX, aluminum (black-anodized) (fully assembled w/o springs) (2)**
7761 Shocks, GTX, aluminum, blue-anodized (fully assembled w/o springs) (2)

7761G Shocks, GTX, aluminum, green-anodized (fully assembled w/o springs) (2)
7761T Shocks, GTX, aluminum, orange-anodized (fully assembled w/o springs) (2)
7761R Shocks, GTX, aluminum, red-anodized (fully assembled w/o springs) (2)
7888 Spacer, shock cap, 6061-T6 aluminum (black-anodized) (8)
7767 Spring retainer (adjuster), blue-anodized aluminum, GTX shocks (4) (assembled with o-ring)
7767-GRAY Spring retainer (adjuster), gray-anodized aluminum, GTX shocks (4) (assembled with o-ring)
7767G Spring retainer (adjuster), green-anodized aluminum, GTX shocks (4) (assembled with o-ring)
7767-ORNG Spring retainer (adjuster), orange-anodized aluminum, GTX shocks (4) (assembled with o-ring)
7767X Spring retainer (adjuster), PTFE-coated aluminum, GTX shocks (4) (assembled with o-ring)
7767R Spring retainer (adjuster), red-anodized aluminum, GTX shocks (4) (assembled with o-ring)
7853 Springs, shock (natural finish) (GTX) (0.824 rate, white stripe) (2)
7854 Springs, shock (natural finish) (GTX) (0.929 rate, orange stripe) (2)
7766 Springs, shock (natural finish) (GTX) (1.055 rate) (2)
7855 Springs, shock (natural finish) (GTX) (1.199 rate, green stripe) (2)
7856 Springs, shock (natural finish) (GTX) (1.346 rate, blue stripe) (2)
7857 Springs, shock (natural finish) (GTX) (1.450 rate, black stripe) (2)
7858 Springs, shock (natural finish) (GTX) (1.538 rate, red stripe) (2)

Spur Gears & Pinion Gears

6484X Gear, 11-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6485X Gear, 12-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6486X Gear, 13-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6488X Gear, 14-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6487X Gear, 15-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6489X Gear, 16-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6490X Gear, 17-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6491R Gear, 18-T pinion (machined) (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6494R Gear, 20-T pinion (machined, hardened steel) (1.0 metric pitch) (fits 5mm shaft)/ set screw
6442 Spur gear, 46-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)
6447R Spur gear, 46-tooth, steel (wide-face, 1.0 metric pitch)
6443 Spur gear, 50-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)
6448R Spur gear, 50-tooth, steel (wide-face, 1.0 metric pitch)
6444 Spur gear, 54-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)
6449X Spur gear, 54-tooth, steel (1.0 metric pitch)
6449R Spur gear, 54-tooth, steel (wide-face, 1.0 metric pitch)

Steering Components

5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
7868 Bellcrank bushing, steering (1) (for use with #7746 aluminum steering bellcranks)
7879-BLUE Drag link, 6061-T6 aluminum (blue-anodized)
7879-GRAY Drag link, 6061-T6 aluminum (gray-anodized)
7879-GRN Drag link, 6061-T6 aluminum (green-anodized)
7879-ORNG Drag link, 6061-T6 aluminum (orange-anodized)
7879-RED Drag link, 6061-T6 aluminum (red-anodized)
7747-BLUE Servo horn, steering, 6061-T6 aluminum (blue-anodized)
7747-GRAY Servo horn, steering, 6061-T6 aluminum (gray-anodized)
7747-GRN Servo horn, steering, 6061-T6 aluminum (green-anodized)
7747-ORNG Servo horn, steering, 6061-T6 aluminum (orange-anodized)
7747-RED Servo horn, steering, 6061-T6 aluminum (red-anodized)
7747 Servo horn, steering/ linkage, steering (46mm, assembled with pivot balls)
7746-BLUE Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, blue-anodized) (fits X-Maxx®)
7746-GRAY Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, gray-anodized) (fits X-Maxx®)
7746-GRN Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, green-anodized) (fits X-Maxx®)
7746-ORNG Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, orange-anodized) (fits X-Maxx®)
7746-RED Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, red-anodized) (fits X-Maxx®)
7746 Steering bellcranks/ bellcrank support/servo saver/ servo saver spring/ draglink/ 3x20mm shoulder screws (2)
7746X Steering link, steel/ servo saver spring, heavy duty (use with #2085X metal gear servo)
7748 Toe links, molded composite, 173mm (158mm center to center) (black) (2)
7748X Toe links, X-Maxx® (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7748-GRAY Toe links, X-Maxx® (TUBES gray-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7748G Toe links, X-Maxx® (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7748-ORNG Toe links, X-Maxx® (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7748R Toe links, X-Maxx® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)

Suspension Linkage

7798 Insert, threaded steel (replacement inserts for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X) (includes (1) left and (1) right threaded insert)
7797 Rod ends (4) (assembled with steel pivot balls) (replacement ends for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X)
7743 Suspension pin retainer (4)
7743-BLUE Suspension pin retainer, 6061-T6 aluminum (blue-anodized) (4)
7743-GRAY Suspension pin retainer, 6061-T6 aluminum (gray-anodized) (4)
7743-GRN Suspension pin retainer, 6061-T6 aluminum (green-anodized) (4)
7743-ORNG Suspension pin retainer, 6061-T6 aluminum (orange-anodized) (4)
7743-RED Suspension pin retainer, 6061-T6 aluminum (red-anodized) (4)
7740 Suspension pin set, front or rear corner (hardened steel), 4x85mm (1), 4x47mm (3), 4x33mm (2) (qty 4, #7740 required for complete set)
7742 Suspension pin set, shock mount (front or rear, hardened steel), 4x25mm (2), 4x38mm (2)
7741 Suspension pins, 4x85mm (hardened steel) (2)
7748 Toe links, molded composite, 173mm (158mm center to center) (black) (2)
7748-BLK Toe links, X-Maxx® (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7748X Toe links, X-Maxx® (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7748-GRAY Toe links, X-Maxx® (TUBES gray-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7748G Toe links, X-Maxx® (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7748-ORNG Toe links, X-Maxx® (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7748R Toe links, X-Maxx® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)

Team Traxxas Items

2514 Decal sheet, racing sponsors
9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)
9909 Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

10948-BLUE Beadlock rings, rear, blue (4.3") (2)
10948-CHRM Beadlock rings, rear, chrome (4.3") (2)
10948-GRN Beadlock rings, rear, green (4.3") (2)
10948-ORNG Beadlock rings, rear, orange (4.3") (2)
10948-RED Beadlock rings, rear, red (4.3") (2)
10947 Tires & wheels, assembled, glued (Pro Scale® Sand Car Race black wheels, Gravix® tires, foam inserts) (rear) (1 left, 1 right)

7772A **Tires & wheels, assembled, glued (X-Maxx® black chrome wheels, Maxx® AT tires, foam inserts) (left & right) (2)**
7774A **Tires & wheels, assembled, glued (X-Maxx® black chrome wheels, Sledgehammer® tires, foam inserts) (left & right) (2)**
7871X **Tires & wheels, assembled, glued (X-Maxx® black chrome wheels, Sledgehammer® belted tires, dual profile (4.3" outer, 5.7" inner), foam inserts) (left & right)**
7772X **Tires & wheels, assembled, glued (X-Maxx® black wheels, Maxx® AT tires, foam inserts) (left & right) (2)**
7773 **Tires & wheels, assembled, glued (X-Maxx® black wheels, paddle tires, foam inserts) (left & right) (2)**
7871 Tires & wheels, assembled, glued (X-Maxx® black wheels, Sledgehammer® belted tires, dual profile (4.3" outer, 5.7" inner), foam inserts) (left & right)
7877 **Tires & wheels, assembled, glued (X-Maxx® black wheels, Gravix® tires, foam inserts) (left & right)**
7772G **Tires & wheels, assembled, glued (X-Maxx® green wheels, Maxx® AT tires, foam inserts) (left & right) (2)**
7774G **Tires & wheels, assembled, glued (X-Maxx® green wheels, Sledgehammer® tires, foam inserts) (left & right) (2)**
7772T **Tires & wheels, assembled, glued (X-Maxx® orange wheels, Maxx® AT tires, foam inserts) (left & right) (2)**
7774T **Tires & wheels, assembled, glued (X-Maxx® orange wheels, Sledgehammer® tires, foam inserts) (left & right) (2)**
7772R **Tires & wheels, assembled, glued (X-Maxx® satin chrome wheels, Maxx® AT tires, foam inserts) (left & right) (2)**
7862X **Tires & wheels, assembled, glued (XRT® Race black chrome wheels, Gravix® belted tires, dual profile (4.3" outer, 5.7" inner) foam inserts) (left & right)**
7862 **Tires & wheels, assembled, glued (XRT® Race black wheels, Gravix® belted tires, dual profile (4.3" outer, 5.7" inner), foam inserts) (left & right)**
7872 **Tires & wheels, assembled, glued (XRT® Race black wheels, Gravix® tires, foam inserts) (left & right)**
7875 **Tires & wheels, assembled, glued (XRT® Race black wheels, Maxx® AT tires, foam inserts) (left & right)**
7876 **Tires & wheels, assembled, glued (XRT® Race black wheels, Sledgehammer® tires, foam inserts) (left & right)**
7873 **Tires, Gravix® (left & right)/ foam inserts (2)**
7870 Tires, Sledgehammer® (belted, dual profile (4.3" outer, 5.7" inner)) (left & right)/ foam inserts (2)
7757 Wheel hex clips (6)
7756-BLK **Wheel hubs, hex (2)/ hex clips (2)**
7756X Wheel hubs, hex, aluminum (blue-anodized) (4)
7756-GRAY **Wheel hubs, hex, aluminum (gray-anodized) (4)**
7756G Wheel hubs, hex, aluminum (green-anodized) (4)
7756-ORNG **Wheel hubs, hex, aluminum (orange-anodized) (4)**
7756R **Wheel hubs, hex, aluminum (red-anodized) (4)**
7758A **Wheel nuts, splined, 17mm, serrated (black-anodized) (4)**
7758 Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)
7758-GRAY **Wheel nuts, splined, 17mm, serrated (gray-anodized) (4)**
7758G Wheel nuts, splined, 17mm, serrated (green-anodized) (4)
7758T **Wheel nuts, splined, 17mm, serrated (orange-anodized) (4)**
7758R **Wheel nuts, splined, 17mm, serrated (red-anodized) (4)**
5480X Wheel wrench, splined, 17mm
7771 Wheels, X-Maxx®, black (left and right)
7874 **Wheels, XRT® Race, black (left and right)**

Transmission Components

7796 Center drive, torque biasing (assembled)/ 17x26x5 ball bearings (2) (requires #7727A bulkheads)
7787-BLUE Cover, gear (blue-anodized 6061-T6 aluminum)
7787-GRAY **Cover, gear (gray-anodized 6061-T6 aluminum)**
7787-GRN Cover, gear (green-anodized 6061-T6 aluminum)
7787-ORNG **Cover, gear (orange-anodized 6061-T6 aluminum)**
7787-RED **Cover, gear (red-anodized 6061-T6 aluminum)**
7887 **Covers, gear (3)**
7886 **Gear set, overdrive (includes 47T ouput gear, 24T input gear, 3x10mm FCS (with threadlock) (4))**
5045 **Grease, ultra high performance (30cc)**
7785X Input gear, transmission, 20-tooth/ 2.5x12mm pin
7786X Input shaft, transmission (cush drive)
5040 Oil, differential (20M wt) (standard)
7784X Output gear, 51-tooth, metal (requires #7785X input gear)

Traxxas Tools

3433X **Body reamer (aluminum handle)**
3433 **Body reamer (plastic handle)**
3436 **Cap, body reamer**
5474 **Flat wrench, 10mm (black anodized aluminum)**
3425 **Rubber pit mat, 16x24x0.28**
3426 **Rubber pit mat, 36x20**
3432 **Scissors, curved tip**
3431 **Scissors, straight tip**
8712 **Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive**
8720 **Speed bit handle, large (overmolded)**
8721 **Speed bit handle, medium (one piece)**
8722 **Speed bit handle, premium (rubber overmold)**
8710 **Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
8711 **Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
8719 **Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
8716 **Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive**
8716X **Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive**
8715 **Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive**
8715X **Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
8714 **Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive**
2748R **Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)**
3415 **Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)**
5480X Wheel wrench, splined, 17mm

Turnbuckles & Threaded Rods

7798 Insert, threaded steel (replacement inserts for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X) (includes (1) left and (1) right threaded insert)
7797 Rod ends (4) (assembled with steel pivot balls) (replacement ends for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X)
7748 **Toe links, molded composite, 173mm (158mm center to center) (black) (2)**
7748-BLK **Toe links, X-Maxx® (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**
7748X Toe links, X-Maxx® (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7748-GRAY **Toe links, X-Maxx® (TUBES gray-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**
7748G Toe links, X-Maxx® (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7748-ORNG **Toe links, X-Maxx® (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**
7748R **Toe links, X-Maxx® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**

WideMaxx® Suspension Kit

7896 **Driveshaft, steel constant velocity (shaft only, 190.3mm) (1) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7894 **Suspension arm, lower, black (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7893 **Suspension arm, lower, black (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7894X **Suspension arm, lower, blue (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7893X **Suspension arm, lower, blue (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7894G **Suspension arm, lower, green (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7893G **Suspension arm, lower, green (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**

7894T	**Suspension arm, lower, orange (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7893T	**Suspension arm, lower, orange (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7894R	**Suspension arm, lower, red (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7893R	**Suspension arm, lower, red (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7892	**Suspension arms, upper, black (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7892X	**Suspension arms, upper, blue (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7892G	**Suspension arms, upper, green (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7892T	**Suspension arms, upper, orange (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7892R	**Suspension arms, upper, red (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7895	**Suspension kit, X-Maxx® WideMaxx®, black (includes front & rear suspension arms, front toe links, driveshafts, shock springs)**
7895X	**Suspension kit, X-Maxx® WideMaxx®, blue (includes front & rear suspension arms, front toe links, driveshafts, shock springs)**
7895G	**Suspension kit, X-Maxx® WideMaxx®, green (includes front & rear suspension arms, front toe links, driveshafts, shock springs)**
7895T	**Suspension kit, X-Maxx® WideMaxx®, orange (includes front & rear suspension arms, front toe links, driveshafts, shock springs)**
7895R	**Suspension kit, X-Maxx® WideMaxx®, red (includes front & rear suspension arms, front toe links, driveshafts, shock springs)**
7897	**Toe links, 202.5mm (187.5mm center to center) (black) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7897A	**Toe links, front (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7897X	**Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895X X-Maxx® WideMaxx® suspension kit)**
7897G	**Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895G X-Maxx® WideMaxx® suspension kit)**
7897R	**Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895R X-Maxx® WideMaxx® suspension kit)**

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000,
or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.com