XRT® (Model 78086-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

7890	**Ball bearing kit, X-Maxx®/XRT® (complete)**
5106A	Ball bearing, black rubber sealed (15x24x5mm) (2)
5108A	Ball Bearing, black rubber sealed (15x26x5) (2)
5107A	Ball Bearing, black rubber sealed (17x26x5) (2)
5196A	Ball bearing, black rubber sealed (20x32x7mm) (2)
5196X	**Ball bearing, black rubber sealed, stainless (20x32x7mm) (2)**
5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)
5180A	Ball bearings, black rubber sealed (6x13x5mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5124	Ball bearings, blue rubber sealed (4x7x2.5mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)

Body & Accessories

7825	Body mounts, front
7815	Body mounts, front & rear
7826	Body mounts, rear
7813	Body support (includes front mount & rear latch, roof & hood skid pads)/ 3x12mm CS (19) (attaches to #7812 body)
7812	**Body, XRT® (clear, requires painting)/ window masks/ decal sheet**
7840	Body, XRT®, black (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roof & hood skid pads)
7812A	Body, XRT®, blue (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roof & hood skid pads)
7812G	Body, XRT®, green (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roof & hood skid pads)
7812T	Body, XRT®, orange (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roof & hood skid pads)
7812X	**Body, XRT®, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet**
7812R	Body, XRT®, red (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roof & hood skid pads)
7899	**Body, XRT®, Rock n' Roll (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roof & hood skid pads)**
7898	**Body, XRT®, Solar Flare (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roof & hood skid pads)**
7823	Latch, body mount, front (for clipless body mounting)/ 3x12mm CS (6) (attaches to #7812 body)
7824	Latch, body mount, rear (for clipless body mounting)/ 3x12mm CS (4) (attaches to #7812 body)
7814	Skid pads (hood scoop)/ mount/ 3x12mm CS (11) (attaches to #7812 body)
7816	Skid pads (roof)/ 3x12mm CS (8) (attaches to #7812 body)

Bumpers & Skidplates

7834	Bumper mount, rear
7835	Bumper, front/ bumper mount, front
7837	Skid plate, center
7844	Skid plate, front (1), rear (1)/ rubber impact cushion (1)

Chassis & Attachments

3698	Access plug, rubber (receiver box)
7833	Battery hold-down mounts, left (2)/ right (2)/ 4x15mm CCS (4)
7819	Battery hold-down/ battery compartment spacers/ foam pads
7825	Body mounts, front
7815	Body mounts, front & rear
7826	Body mounts, rear
7724X	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x15 CS (4)
7834	Bumper mount, rear
7835	Bumper, front/ bumper mount, front
7822X	Chassis
7819X	**Foam pads, battery compartment**
7723	Nerf bars, chassis (2)
7820	Servo mount/ bulkhead cover/ chassis brace/ steering cover/ 3x12mm CS (2)/ 3x8mm CS (2)
7837	Skid plate, center
7844	Skid plate, front (1), rear (1)/ rubber impact cushion (1)
7799	**Tires, rubber (2) (fits Traxxas® #7775X wheelie bar wheels)**
7776	Wheelie bar, black (assembled)
7775	Wheels, wheelie bar (2)/ axles, wheelie bar (2)/ 10x15x4 plastic bushings (4) (for #7776, 8976, or 9576 wheelie bar)
7775X	**Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)**
7775A	**Wheels, wheelie bar, 6061-T6 aluminum (dark titanium-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)**
7775G	**Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)**
7775T	**Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)**
7775R	**Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)**
7818	Wing mount
7821X	**Wing, blue/ 4x12mm FCS (4)**
7821G	**Wing, green/ 4x12mm FCS (4)**
7821T	**Wing, orange/ 4x12mm FCS (4)**
7821R	**Wing, red/ 4x12mm FCS (4)**
7821	Wing/ 4x12mm FCS (4)

Cush Drive Components

7794	Cush drive key/ pin/ elastomer damper
7793X	Housing, cush drive (front & rear halves)
6442	**Spur gear, 46-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)**
6447R	Spur gear, 46-tooth, steel (wide-face, 1.0 metric pitch)
6443	**Spur gear, 50-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)**
6448R	Spur gear, 50-tooth, steel (wide-face, 1.0 metric pitch)
6444	**Spur gear, 54-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)**
6449X	**Spur gear, 54-tooth, steel (1.0 metric pitch)**
6449R	**Spur gear, 54-tooth, steel (wide-face, 1.0 metric pitch)**

Differential Components

7781X	Carrier, differential (aluminum)/ (requires #7783X spider gear shaft)
7781	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 16X23.5X.5 TW
5136X	**Differential oil kit (1 each: 10K, 30K, 50K weights)**
7880	**Differential, front, complete (fits X-Maxx® 8s or XRT®)**
7881	**Differential, rear, complete (fits X-Maxx® 8s or XRT®)**
7782	Gear set, differential (output gears (2)/ spider gears (4)/16X23.5X.5 TW(2))
5041	Grease, premium high performance (20cc)
7780	Housing, differential (front/rear)
7780-BLUE	**Housing, differential (front/rear), 6061-T6 aluminum (blue-anodized)**
7780-GRAY	**Housing, differential (front/rear), 6061-T6 aluminum (gray-anodized)**
7780-GRN	**Housing, differential (front/rear), 6061-T6 aluminum (green-anodized)**
7780-ORNG	**Housing, differential (front/rear), 6061-T6 aluminum (orange-anodized)**
7780-RED	**Housing, differential (front/rear), 6061-T6 aluminum (red-anodized)**
5040	Oil, differential (20M wt) (standard)
7790	Pinion gear, differential, 11-tooth (front) (heavy duty) (use with #7792 35-tooth differential ring gear)
7791	Pinion gear, differential, 11-tooth (rear) (heavy duty) (use with #7792 35-tooth differential ring gear)
7792	Ring gear, differential, 35-tooth (heavy duty) (use with #7790, #7791 11-tooth differential pinion gears)
7783X	Spider gear shaft (2)/ spacers (4)/16x23.5x.5 stainless washer (2) (for #7781X aluminum differential carrier)
7783	Spider gear shaft (2)/ spacers (4)/16X23.5X.5 TW (2)

Driveline Components

7851	Bushings, driveshaft, front (1), rear (1)
7794	Cush drive key/ pin/ elastomer damper
7754X	Drive cup (1)/ 3x8mm CS (for use only with #7750X driveshaft)
10949	**Drive cup, steel, extreme durability (1)/ 3x8mm CS (use only with #7750X & 7896 driveshafts) (machined, heat treated)**
7754R	**Drive cup, steel, extreme heavy duty (2)/ 3x8mm CS, heavy duty (2) (use only with #7750X or 7896 driveshaft) (machined, heat treated)**
7755	Driveshaft assembly, center, aluminum
5040	Oil, differential (20M wt) (standard)
7751X	Rebuild kit, steel constant-velocity driveshaft (includes pins for 2 driveshaft assemblies (for use only with #7750X driveshaft)
7836-BLUE	**Steering blocks, 6061-T6 aluminum (blue-anodized), left & right**
7836-GRAY	**Steering blocks, 6061-T6 aluminum (gray-anodized), left & right**

7836-GRN **Steering blocks, 6061-T6 aluminum (green-anodized), left & right**
7836-ORNG **Steering blocks, 6061-T6 aluminum (orange-anodized), left & right**
7836-RED **Steering blocks, 6061-T6 aluminum (red-anodized), left & right**
7836 Steering blocks, left & right
7836X **Steering blocks, left & right/ caster blocks (c-hubs), left & right/ 20x32x7mm bearings (2)/ 15x24x5mm bearings (2)**
7768A **Stub axle, aluminum (black-anodized) (1) (for use only with #7750X or 7896 driveshaft)**
7768 Stub axle, aluminum, (blue-anodized) (1) (for use only with #7750X or 7896 driveshaft)
7768G Stub axle, aluminum, (green-anodized) (1) (for use only with #7750X or 7896 driveshaft)
7768T Stub axle, aluminum, (orange-anodized) (1) (for use only with #7750X or 7896 driveshaft)
7768R Stub axle, aluminum, (red-anodized) (1) (for use only with #7750X or 7896 driveshaft)
7758A **Wheel nuts, splined, 17mm, serrated (black-anodized) (4)**
7758 Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)
7758-GRAY **Wheel nuts, splined, 17mm, serrated (gray-anodized) (4)**
7758G Wheel nuts, splined, 17mm, serrated (green-anodized) (4)
7758T Wheel nuts, splined, 17mm, serrated (orange-anodized) (4)
7758R Wheel nuts, splined, 17mm, serrated (red-anodized) (4)

Front Suspension & Steering

7869 Bellcrank bushing, steering (1) (for use with #7843 aluminum steering bellcranks)
7726 Bulkhead tie bar, upper (1)/ lower (2) (steel)
7828 Bulkhead, front (lower)
7720X Bulkhead, front (upper)
7835 Bumper, front/ bumper mount, front
7832-BLUE **Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized), left & right**
7832-GRAY **Caster blocks (c-hubs), 6061-T6 aluminum (gray-anodized), left & right**
7832-GRN **Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized), left & right**
7832-ORNG **Caster blocks (c-hubs), 6061-T6 aluminum (orange-anodized), left & right**
7832-RED **Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized), left & right**
7832 Caster blocks (c-hubs), left & right
7879-BLUE **Drag link, 6061-T6 aluminum (blue-anodized)**
7879-GRAY **Drag link, 6061-T6 aluminum (gray-anodized)**
7879-GRN **Drag link, 6061-T6 aluminum (green-anodized)**
7879-ORNG **Drag link, 6061-T6 aluminum (orange-anodized)**
7879-RED **Drag link, 6061-T6 aluminum (red-anodized)**
7716 Mount, tie bar, front (1)/ rear (1)
7747-BLUE **Servo horn, steering, 6061-T6 aluminum (blue-anodized)**
7747-GRAY **Servo horn, steering, 6061-T6 aluminum (gray-anodized)**
7747-GRN **Servo horn, steering, 6061-T6 aluminum (green-anodized)**
7747-ORNG **Servo horn, steering, 6061-T6 aluminum (orange-anodized)**
7747-RED **Servo horn, steering, 6061-T6 aluminum (red-anodized)**
7847 Servo horn, steering/ linkage, steering (48mm, assembled with pivot balls)
7839 Shock tower, front (left & right halves)
7843-BLUE **Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, blue-anodized) (fits XRT® or Pro Scale® Sand Car)**
7843-GRAY **Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, gray-anodized) (fits XRT® or Pro Scale® Sand Car)**
7843-GRN **Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, green-anodized) (fits XRT® or Pro Scale® Sand Car)**
7843-ORNG **Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, orange-anodized) (fits XRT® or Pro Scale® Sand Car)**
7843-RED **Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, red-anodized) (fits XRT® or Pro Scale® Sand Car)**
7843 Steering bellcranks/ servo saver/ servo saver spring/ draglink/ 3x20mm shoulder screws (2)
7836-BLUE **Steering blocks, 6061-T6 aluminum (blue-anodized), left & right**
7836-GRAY **Steering blocks, 6061-T6 aluminum (gray-anodized), left & right**
7836-GRN **Steering blocks, 6061-T6 aluminum (green-anodized), left & right**
7836-ORNG **Steering blocks, 6061-T6 aluminum (orange-anodized), left & right**
7836-RED **Steering blocks, 6061-T6 aluminum (red-anodized), left & right**
7836 Steering blocks, left & right
7836X **Steering blocks, left & right/ caster blocks (c-hubs), left & right/ 20x32x7mm bearings (2)/ 15x24x5mm bearings (2)**
7746X Steering link, steel/ servo saver spring, heavy duty (use with #2085X metal gear servo)
7894 Suspension arm, lower, black (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7893 Suspension arm, lower, black (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7894X **Suspension arm, lower, blue (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7893X **Suspension arm, lower, blue (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7894G **Suspension arm, lower, green (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7893G **Suspension arm, lower, green (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7894T **Suspension arm, lower, orange (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7893T **Suspension arm, lower, orange (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7894R **Suspension arm, lower, red (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7893R **Suspension arm, lower, red (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7892 Suspension arms, upper, black (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7892X **Suspension arms, upper, blue (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7892G **Suspension arms, upper, green (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7892T **Suspension arms, upper, orange (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7892R **Suspension arms, upper, red (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7743 Suspension pin retainer (4)
7743-BLUE **Suspension pin retainer, 6061-T6 aluminum (blue-anodized) (4)**
7743-GRAY **Suspension pin retainer, 6061-T6 aluminum (gray-anodized) (4)**
7743-GRN **Suspension pin retainer, 6061-T6 aluminum (green-anodized) (4)**
7743-ORNG **Suspension pin retainer, 6061-T6 aluminum (orange-anodized) (4)**
7743-RED **Suspension pin retainer, 6061-T6 aluminum (red-anodized) (4)**
7740 Suspension pin set, front or rear corner (hardened steel), 4x85mm (1), 4x47mm (3), 4x33mm (2) (qty 4, #7740 required for complete set)
7742 Suspension pin set, shock mount (front or rear, hardened steel), 4x25mm (2), 4x38mm (2)
7741 Suspension pins, 4x85mm (hardened steel) (2)

Hardware

4859 CS 3x10 flathead (hex drive)
3474X Dual cooling fan kit, low profile (with shroud) (fits #3491 motor)
7998X **Hardware kit, black stainless steel, XRT® (contains all stainless steel hardware used on XRT®)**
7998 **Hardware kit, XRT® (contains all hardware used on XRT®)**
2584 Head screws, 3x12mm cap-head machine (hex drive) (6) (TRX® 2.5, 2.5R, 3.3)
4955 Pins, axle (2.5x12mm) (4)
3234 Screws, 2.5x14mm cap-head machine (hex drive) (6)
2577 Screws, 3x10mm button-head machine (hex drive) (6)
2587 Screws, 3x10mm caphead machine (6) (no washer)
2551 Screws, 3x10mm countersunk machine (6) (hex drive)
2578 Screws, 3x12mm button-head machine (hex drive) (6)
2579 Screws, 3x15mm button-head machine (hex drive) (6)
2586 Screws, 3x15mm cap-head machine (hex drive) (6)
2581 Screws, 3x25mm button-head machine (hex drive) (6)
2575 Screws, 3x6mm button-head machine (hex drive) (6)
2576 Screws, 3x8mm button-head machine (hex drive) (6)
2535 Screws, 4x10mm countersunk machine (hex drive) (6)
3937 Screws, 4x12mm button-head machine (hex drive) (6)
3938 Screws, 4x14mm button-head machine (hex drive) (6)
2594 Screws, 4x15mm button-head machine (hex drive) (6)
2546 Screws, 4x15mm countersunk machine (hex drive) (6)
3933 Screws, 4x16mm button-head machine (hex drive) (6)
2547 Screws, 4x18mm countersunk machine (hex drive) (6)
2589 Screws, 4x20mm button-head machine (hex drive) (6)
2597 Screws, 4x22mm button-head machine (hex drive) (6)
2596 Screws, 4x25mm button-head machine (hex drive) (6)
2598X Screws, 4x30mm button-head machine (hex drive) (6)
2595 Screws, 4x35mm button-head machine (hex drive) (6)
4897X Screws, set (grub), 4mm (with heavy duty threadlock) (6)
2743 Set (grub) screws, 3mm hardened (12)
3642X Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
5480X Wheel wrench, splined, 17mm

LED Lights

7882 **Extension harness, LED lights (high-voltage)**
6590 **High-Voltage Power Amplifier**
7884 **LED light bar, front (high-voltage) (40 white LEDs (double row), 82mm wide) (fits Maxx®, Maxx Slash®, X-Maxx®, or XRT®)**

7883X **LED light bar, rear, red (with white reverse light) (high-voltage) (24 red LEDs, 24 white LEDs, 100mm wide)/ light bar mount (fits Maxx®, X-Maxx®, or XRT®)**
7885 **LED light kit, complete (includes #6590 high-voltage power amplifier)**

Motors & Electronics

7749 **Adapter, standard servo (adapts standard servo to fit in Maxx®, X-Maxx®, XRT® or Pro Scale® Sand Car)**
3475 Cooling fan, Velineon® VXL ESC (fits VXL-6s & VXL-8s)
7787-BLUE **Cover, gear (blue-anodized 6061-T6 aluminum)**
7787-GRAY **Cover, gear (gray-anodized 6061-T6 aluminum)**
7787-GRN **Cover, gear (green-anodized 6061-T6 aluminum)**
7787-ORNG **Cover, gear (orange-anodized 6061-T6 aluminum)**
7787-RED **Cover, gear (red-anodized 6061-T6 aluminum)**
7887 Covers, gear (3)
3474X Dual cooling fan kit, low profile (with shroud) (fits #3491 motor)
2087X Gear set, metal (for 2085, 2085X servos)
3362X Heat sink, low profile, Velineon® 1200XL
3362-BLUE **Heat sink, low profile, Velineon® 1200XL (aluminum, blue-anodized)**
7760 Motor mounts (front and rear)/ pins (2)
7760-BLUE **Motor mounts, 6061-T6 aluminum (blue-anodized) (front & rear)**
7760-GRAY **Motor mounts, 6061-T6 aluminum (gray-anodized) (front & rear)**
7760-GRN **Motor mounts, 6061-T6 aluminum (green-anodized) (front & rear)**
7760-ORNG **Motor mounts, 6061-T6 aluminum (orange-anodized) (front & rear)**
7760-RED **Motor mounts, 6061-T6 aluminum (red-anodized) (front & rear)**
3491 Motor, Velineon® 1200XL, brushless
3492 Rebuild kit, Velineon® 1200XL (includes plastic endbells (2), 6x17x6mm ball bearings (2), 6x8x.3 washer (1), 6x8x1 washer (1), 7x6x12 spacer (1))
2086 Servo case/gaskets (for 2085, 2085R, & 2085X servos)
2085XL Servo, digital high-torque, metal gear (ball bearing), waterproof/ servo saver spring/ steering link
The 2085 servo with metal gears is not available for sale as a replacement part. Use 2085XL or 2085RL for replacement.
2085RL **Servo, digital high-torque/high-speed, metal gear (ball bearing), waterproof**
The 2085 servo with metal gears is not available for sale as a replacement part. Use 2085XL or 2085RL for replacement.
7878X Spacer, motor shaft (steel)/ e-clip (1)
3496T Velineon® VXL-8s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
7759 **Washers, motor mount, aluminum (blue-anodized) (4)/ 4x18mm BCS (4)**
7759-GRAY **Washers, motor mount, aluminum (gray-anodized) (4)/ 4x18mm BCS (4)**
7759G **Washers, motor mount, aluminum (green-anodized) (4)/ 4x18mm BCS (4)**
7759-ORNG **Washers, motor mount, aluminum (orange-anodized) (4)/ 4x18mm BCS (4)**
7759R **Washers, motor mount, aluminum (red-anodized) (4)/ 4x18mm BCS (4)**

Radio System, Batteries & Chargers

2872X **5000mah 11.1v 3-Cell 25C LiPo Battery**
2889X **5000mah 14.8v 4-Cell 25C LiPo Battery (long)**
2857X **6400mah 11.1v 3-Cell 25C LiPo Battery**
2890X **6700mah 14.8v 4-Cell 25C LiPo Battery**
2938X **Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)**
1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2943 **Battery charge indicators, green (4), grey (4), blue (4)**
6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2914 **Battery, Power Cell AA Alkaline (4)**
2990 **Battery/charger completer pack (includes #2972 Dual iD charger (1), #2872X 5000mAh 11.1V 3-cell 25C LiPo iD® Battery (2))**
2997 **Battery/charger completer pack (includes #2973 Dual iD charger (1), #2890X 6700mAh 14.8V 4-cell 25C LiPo iD® Battery (2))**
2972 **Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification**
2973 **Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification**
2970 **Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification**
2981 **Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification**
6525 **Communication link, telemetry expander**
6565 **Data link, telemetry expander (connects #6550X telemetry expander 2.0 to the #6590 high-voltage power amplifier)**
6566 **Data link, telemetry expander (connects #6550X telemetry expander 2.0 to the Velineon® #3465 VXL-4s, #3485 Velineon® VXL-6s, or #3496 Velineon® VXL-8s electronic speed control)**
2971 **EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®**
2087X Gear set, metal (for 2085, 2085X servos)
2968X **LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)**
2968 **LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)**
6533X Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
6552 **Seal kit, expander box (includes o-ring, seals, and silicone grease)**
6526 **Sensor, auto-detectable, temperature**
6527 **Sensor, auto-detectable, voltage**
6531 Sensor, temperature & voltage (fits X-Maxx®, XRT® or Pro Scale® Sand Car)
6521 **Sensor, temperature and voltage (long)**
2086 Servo case/gaskets (for 2085, 2085R, & 2085X servos)
2085XL Servo, digital high-torque, metal gear (ball bearing), waterproof/ servo saver spring/ steering link
The 2085 servo with metal gears is not available for sale as a replacement part. Use 2085XL or 2085RL for replacement.
2085RL **Servo, digital high-torque/high-speed, metal gear (ball bearing), waterproof**
The 2085 servo with metal gears is not available for sale as a replacement part. Use 2085XL or 2085RL for replacement.
6553X **Telemetry Expander 2.0 and GPS module 2.0, TQi radio system**
6550X **Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)**
6551X **Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)**
6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
6507R **TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)**
6528 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529X **Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)**
6530 **Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)**
6511 **Traxxas® Link Bluetooth® module**

Ready-To-Race Model

78086-4 XRT™: Brushless Electric Race Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)®

Rear Suspension

7726 Bulkhead tie bar, upper (1)/ lower (2) (steel)
7827A Bulkhead, rear, steel core (lower)/ motor mount washers (steel) (4)/ 4x18mm BCS (4)
7727R Bulkhead, rear (upper) (fits X-Maxx® 8s or XRT®)
7852-BLUE **Carriers, stub axle (blue-anodized 6061-T6 aluminum) (left & right)**
7852-GRAY **Carriers, stub axle (gray-anodized 6061-T6 aluminum) (left & right)**
7852-GRN **Carriers, stub axle (green-anodized 6061-T6 aluminum) (left & right)**
7852-ORNG **Carriers, stub axle (orange-anodized 6061-T6 aluminum) (left & right)**
7852 Carriers, stub axle (rear) (left & right)
7852X **Carriers, stub axle (rear) (left & right)/ 20x32x7mm bearings (2)/ 15x24x5mm bearings (2)**
7852-RED **Carriers, stub axle (red-anodized 6061-T6 aluminum) (left & right)**
7716 Mount, tie bar, front (1)/ rear (1)
7838 Shock tower, rear (left & right halves)
7894 Suspension arm, lower, black (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7893 Suspension arm, lower, black (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7894X **Suspension arm, lower, blue (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7893X **Suspension arm, lower, blue (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7894G **Suspension arm, lower, green (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7893G **Suspension arm, lower, green (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7894T **Suspension arm, lower, orange (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**

7893T **Suspension arm, lower, orange (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7894R **Suspension arm, lower, red (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7893R **Suspension arm, lower, red (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7892 Suspension arms, upper, black (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7892X **Suspension arms, upper, blue (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7892G **Suspension arms, upper, green (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7892T **Suspension arms, upper, orange (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7892R **Suspension arms, upper, red (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7743 Suspension pin retainer (4)
7743-BLUE **Suspension pin retainer, 6061-T6 aluminum (blue-anodized) (4)**
7743-GRAY **Suspension pin retainer, 6061-T6 aluminum (gray-anodized) (4)**
7743-GRN **Suspension pin retainer, 6061-T6 aluminum (green-anodized) (4)**
7743-ORNG **Suspension pin retainer, 6061-T6 aluminum (orange-anodized) (4)**
7743-RED **Suspension pin retainer, 6061-T6 aluminum (red-anodized) (4)**
7740 Suspension pin set, front or rear corner (hardened steel), 4x85mm (1), 4x47mm (3), 4x33mm (2) (qty 4, #7740 required for complete set)
7742 Suspension pin set, shock mount (front or rear, hardened steel), 4x25mm (2), 4x38mm (2)
7741 Suspension pins, 4x85mm (hardened steel) (2)

Shock Oil

5031 **Oil, shock (20 wt, 200 cSt, 60cc) (silicone)**
5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034 **Oil, shock (50 wt, 600 cSt, 60cc) (silicone)**
5035 **Oil, shock (60 wt, 700 cSt, 60cc) (silicone)**
5036 **Oil, shock (70 wt, 900 cSt, 60cc) (silicone)**
5037 **Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)**
5029 **Shock oil bottle (60cc) (for mixing shock oil)**
5038X **Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)**
5038 **Spinning carousel rack**

Shocks (GTX)

7866A **Body, GTX shock, medium (aluminum, black-anodized) (1)**
7866 Body, GTX shock, medium (aluminum, blue-anodized) (1)
7866G Body, GTX shock, medium (aluminum, green-anodized) (1)
7866T Body, GTX shock, medium (aluminum, orange-anodized) (1)
7866R Body, GTX shock, medium (aluminum, red-anodized) (1)
7866X **Body, GTX shock, medium (hard-anodized, PTFE-coated aluminum) (1)**
7762X Rebuild kit, GTX shocks (lower cartridge, assembled, pistons, piston nuts, bladders) (renews 2 shocks)
7764A **Shock caps, aluminum (blue-anodized), GTX shocks (4)/ spacers (8)**
7764-GRAY **Shock caps, aluminum (gray-anodized), GTX shocks (4)/ spacers (8)**
7764G **Shock caps, aluminum (green-anodized), GTX shocks (4)/ spacers (8)**
7764X **Shock caps, aluminum (hard anodized, PTFE-coated), GTX shocks (4)/ spacers (8)**
7764-ORNG **Shock caps, aluminum (orange-anodized), GTX shocks (4)/ spacers (8)**
7764R **Shock caps, aluminum (red-anodized), GTX shocks (4)/ spacers (8)**
7764 Shock caps, GTX shocks/ spring perch/ adjusters/ 2.5x14 CS (2) (for 2 shocks)
7863 Shock shaft, 92mm (GTX) (steel, chrome finish) (2) (assembled with rod ends & hollow balls)
7863T **Shock shaft, 92mm (GTX) (TiN-coated) (2) (assembled with rod ends & hollow balls)**
7861A **Shocks, GTX, medium (aluminum, black-anodized) (fully assembled w/o springs) (2)**
7861 Shocks, GTX, medium (aluminum, blue-anodized) (fully assembled w/o springs) (2)
7861G Shocks, GTX, medium (aluminum, green-anodized) (fully assembled w/o springs) (2)
7861T Shocks, GTX, medium (aluminum, orange-anodized) (fully assembled w/o springs) (2)
7861R Shocks, GTX, medium (aluminum, red-anodized) (fully assembled w/o springs) (2)
7888 **Spacer, shock cap, 6061-T6 aluminum (black-anodized) (8)**
7767 **Spring retainer (adjuster), blue-anodized aluminum, GTX shocks (4) (assembled with o-ring)**
7767G **Spring retainer (adjuster), green-anodized aluminum, GTX shocks (4) (assembled with o-ring)**
7767X **Spring retainer (adjuster), PTFE-coated aluminum, GTX shocks (4) (assembled with o-ring)**
7767R **Spring retainer (adjuster), red-anodized aluminum, GTX shocks (4) (assembled with o-ring)**
7845 Springs, shock, medium (natural finish) (GTX) (2.355 rate) (2)
7841 **Springs, shock, medium (natural finish) (GTX) (2.599 rate, white stripe) (2)**
7865 **Springs, shock, medium (natural finish) (GTX) (2.899 rate, orange stripe) (2)**
7864 **Springs, shock, medium (natural finish) (GTX) (3.141 rate, green stripe) (2)**
7859 **Springs, shock, medium (natural finish) (GTX) (3.445 rate, tan stripe) (2)**
7849 Springs, shock, medium (natural finish) (GTX) (3.744 rate) (2)
7842 **Springs, shock, medium (natural finish) (GTX) (4.101 rate, pink stripe) (2)**
7848 **Springs, shock, medium (natural finish) (GTX) (4.594 rate, blue stripe) (2)**
7850 **Springs, shock, medium (natural finish) (GTX) (5.059 rate, red stripe) (2)**
7846 **Springs, shock, medium (natural finish) (GTX) (5.543 rate, yellow stripe) (2)**

Spur Gears & Pinion Gears

6484X **Gear, 11-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6485X **Gear, 12-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6486X **Gear, 13-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6488X **Gear, 14-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6487X **Gear, 15-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6489X **Gear, 16-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6490X **Gear, 17-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6491X **Gear, 18-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6480X **Gear, 19-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6494X Gear, 20-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6494R **Gear, 20-T pinion (machined, hardened steel) (1.0 metric pitch) (fits 5mm shaft)/ set screw**
6493X **Gear, 21-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6495X **Gear, 22-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6481X Gear, 23-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6442 **Spur gear, 46-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)**
6447R Spur gear, 46-tooth, steel (wide-face, 1.0 metric pitch)
6443 **Spur gear, 50-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)**
6450 **Spur gear, 50-tooth (machined, hardened steel) (wide-face)/ gear, 20-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw**
6448R Spur gear, 50-tooth, steel (wide-face, 1.0 metric pitch)
6444 **Spur gear, 54-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)**
6449X **Spur gear, 54-tooth, steel (1.0 metric pitch)**
6449R **Spur gear, 54-tooth, steel (wide-face, 1.0 metric pitch)**

Steering Components

5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
7869 Bellcrank bushing, steering (1) (for use with #7843 aluminum steering bellcranks)
7879-BLUE **Body, X-MaxxÂ® Ultimate, blue (painted, decals applied) (assembled with front & rear body mounts, rear body support, roof skid p**
7879-GRAY **Drag link, 6061-T6 aluminum (gray-anodized)**
7879-GRN **Drag link, 6061-T6 aluminum (green-anodized)**
7879-ORNG **Drag link, 6061-T6 aluminum (orange-anodized)**
7879-RED **Drag link, 6061-T6 aluminum (red-anodized)**
7747-BLUE **Servo horn, steering, 6061-T6 aluminum (blue-anodized)**
7747-GRAY **Servo horn, steering, 6061-T6 aluminum (gray-anodized)**
7747-GRN **Servo horn, steering, 6061-T6 aluminum (green-anodized)**
7747-ORNG **Servo horn, steering, 6061-T6 aluminum (orange-anodized)**
7747-RED **Servo horn, steering, 6061-T6 aluminum (red-anodized)**

7847 Servo horn, steering/ linkage, steering (48mm, assembled with pivot balls)
7843-BLUE Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, blue-anodized) (fits XRT® or Pro Scale® Sand Car)
7843-GRAY Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, gray-anodized) (fits XRT® or Pro Scale® Sand Car)
7843-GRN Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, green-anodized) (fits XRT® or Pro Scale® Sand Car)
7843-ORNG Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, orange-anodized) (fits XRT® or Pro Scale® Sand Car)
7843-RED Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, red-anodized) (fits XRT® or Pro Scale® Sand Car)
7843 Steering bellcranks/ servo saver/ servo saver spring/ draglink/ 3x20mm shoulder screws (2)
7746X Steering link, steel/ servo saver spring, heavy duty (use with #2085X metal gear servo)
7897 Toe links, 202.5mm (187.5mm center to center) (black) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7897A Toe links, front (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7897X Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895X X-Maxx® WideMaxx® suspension kit)
7897G Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895G X-Maxx® WideMaxx® suspension kit)
7897R Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895R X-Maxx® WideMaxx® suspension kit)

Suspension Linkage

7798 Insert, threaded steel (replacement inserts for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X) (includes (1) left and (1) right threaded insert)
7797 Rod ends (4) (assembled with steel pivot balls) (replacement ends for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X)
7743 Suspension pin retainer (4)
7743-BLUE Suspension pin retainer, 6061-T6 aluminum (blue-anodized) (4)
7743-GRAY Suspension pin retainer, 6061-T6 aluminum (gray-anodized) (4)
7743-GRN Suspension pin retainer, 6061-T6 aluminum (green-anodized) (4)
7743-ORNG Suspension pin retainer, 6061-T6 aluminum (orange-anodized) (4)
7743-RED Suspension pin retainer, 6061-T6 aluminum (red-anodized) (4)
7740 Suspension pin set, front or rear corner (hardened steel), 4x85mm (1), 4x47mm (3), 4x33mm (2) (qty 4, #7740 required for complete set)
7742 Suspension pin set, shock mount (front or rear, hardened steel), 4x25mm (2), 4x38mm (2)
7741 Suspension pins, 4x85mm (hardened steel) (2)
7897 Toe links, 202.5mm (187.5mm center to center) (black) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7897A Toe links, front (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7897X Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895X X-Maxx® WideMaxx® suspension kit)
7897G Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895G X-Maxx® WideMaxx® suspension kit)
7897R Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895R X-Maxx® WideMaxx® suspension kit)

Team Traxxas Items

2514 Decal sheet, racing sponsors
9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)
9909 Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

7772A Tires & wheels, assembled, glued (X-Maxx® black chrome wheels, Maxx® AT tires, foam inserts) (left & right) (2)
7774A Tires & wheels, assembled, glued (X-Maxx® black chrome wheels, Sledgehammer® tires, foam inserts) (left & right) (2)
7871X Tires & wheels, assembled, glued (X-Maxx® black chrome wheels, Sledgehammer® belted tires, dual profile (4.3" outer, 5.7" inner), foam inserts) (left & right)
7877 Tires & wheels, assembled, glued (X-Maxx® black wheels, Gravix® tires, foam inserts) (left & right)
7772X Tires & wheels, assembled, glued (X-Maxx® black wheels, Maxx® AT tires, foam inserts) (left & right) (2)
7773 Tires & wheels, assembled, glued (X-Maxx® black wheels, paddle tires, foam inserts) (left & right) (2)
7871 Tires & wheels, assembled, glued (X-Maxx® black wheels, Sledgehammer® belted tires, dual profile (4.3" outer, 5.7" inner), foam inserts) (left & right)
7772G Tires & wheels, assembled, glued (X-Maxx® green wheels, Maxx® AT tires, foam inserts) (left & right) (2)
7774G Tires & wheels, assembled, glued (X-Maxx® green wheels, Sledgehammer® tires, foam inserts) (left & right) (2)
7772T Tires & wheels, assembled, glued (X-Maxx® orange wheels, Maxx® AT tires, foam inserts) (left & right) (2)
7774T Tires & wheels, assembled, glued (X-Maxx® orange wheels, Sledgehammer® tires, foam inserts) (left & right) (2)
7772R Tires & wheels, assembled, glued (X-Maxx® satin chrome wheels, Maxx® AT tires, foam inserts) (left & right) (2)
7862X Tires & wheels, assembled, glued (XRT® Race black chrome wheels, Gravix® belted tires, dual profile (4.3" outer, 5.7" inner) foam inserts) (left & right)
7862 Tires & wheels, assembled, glued (XRT® Race black wheels, Gravix® belted tires, dual profile (4.3" outer, 5.7" inner), foam inserts) (left & right)
7872 Tires & wheels, assembled, glued (XRT® Race black wheels, Gravix® tires, foam inserts) (left & right)
7875 Tires & wheels, assembled, glued (XRT® Race black wheels, Maxx® AT tires, foam inserts) (left & right)
7876 Tires & wheels, assembled, glued (XRT® Race black wheels, Sledgehammer® tires, foam inserts) (left & right)
7860 Tires, Gravix® (belted, dual profile (4.3" outer, 5.7" inner)) (left & right)/ foam inserts (2)
7873 Tires, Gravix® (left & right)/ foam inserts (2)
7770X Tires, Maxx® AT (left & right) (2)/ foam inserts (2)
7870 Tires, Sledgehammer® (belted, dual profile (4.3" outer, 5.7" inner)) (left & right)/ foam inserts (2)
7757 Wheel hex clips (6)
7756-BLK Wheel hubs, hex (2)/ hex clips (2)
7756X Wheel hubs, hex, aluminum (blue-anodized) (4)
7756-GRAY Wheel hubs, hex, aluminum (gray-anodized) (4)
7756G Wheel hubs, hex, aluminum (green-anodized) (4)
7756-ORNG Wheel hubs, hex, aluminum (orange-anodized) (4)
7756R Wheel hubs, hex, aluminum (red-anodized) (4)
7758A Wheel nuts, splined, 17mm, serrated (black-anodized) (4)
7758 Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)
7758-GRAY Wheel nuts, splined, 17mm, serrated (gray-anodized) (4)
7758G Wheel nuts, splined, 17mm, serrated (green-anodized) (4)
7758T Wheel nuts, splined, 17mm, serrated (orange-anodized) (4)
7758R Wheel nuts, splined, 17mm, serrated (red-anodized) (4)
5480X Wheel wrench, splined, 17mm
7771 Wheels, X-Maxx®, black (left and right)
7874 Wheels, XRT® Race, black (left and right)

Transmission Components

7796 Center drive, torque biasing (assembled)/ 17x26x5 ball bearings (2) (requires #7727A bulkheads)
7787-BLUE Cover, gear (blue-anodized 6061-T6 aluminum)
7787-GRAY Cover, gear (gray-anodized 6061-T6 aluminum)
7787-GRN Cover, gear (green-anodized 6061-T6 aluminum)
7787-ORNG Cover, gear (orange-anodized 6061-T6 aluminum)
7787-RED Cover, gear (red-anodized 6061-T6 aluminum)
7887 Covers, gear (3)
7886 Gear set, overdrive (includes 47T ouput gear, 24T input gear, 3x10mm FCS (with threadlock) (4))
7785X Input gear, transmission, 20-tooth/ 2.5x12mm pin
7786X Input shaft, transmission (cush drive)
5040 Oil, differential (20M wt) (standard)
7784X Output gear, 51-tooth, metal (requires #7785X input gear)

Traxxas Tools

3433X Body reamer (aluminum handle)
3433 Body reamer (plastic handle)
3436 Cap, body reamer
3425 Rubber pit mat, 16x24x0.28
3426 Rubber pit mat, 36x20
3432 Scissors, curved tip
3431 Scissors, straight tip
8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8720 Speed bit handle, large (overmolded)
8721 Speed bit handle, medium (one piece)
8722 Speed bit handle, premium (rubber overmold)

8710 **Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**

8711 **Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive**

8719 **Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**

8716 **Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive**

8716X **Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive**

8715 **Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive**

8715X **Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive**

8714 **Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive**

2748R **Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)**

3415 **Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)**

5480X Wheel wrench, splined, 17mm

Turnbuckles & Threaded Rods

7798 **Insert, threaded steel (replacement inserts for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X) (includes (1) left and (1) right threaded insert)**

7797 **Rod ends (4) (assembled with steel pivot balls) (replacement ends for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X)**

7897 Toe links, 202.5mm (187.5mm center to center) (black) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)

7897A **Toe links, front (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**

7897X **Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895X X-Maxx® WideMaxx® suspension kit)**

7897G **Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895G X-Maxx® WideMaxx® suspension kit)**

7897R **Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895R X-Maxx® WideMaxx® suspension kit)**

WideMaxx® Suspension Kit

7896 Driveshaft, steel constant velocity (shaft only, 190.3mm) (1) (for use with #7895 X-Maxx® WideMaxx® suspension kit)

7894 Suspension arm, lower, black (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)

7893 Suspension arm, lower, black (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)

7894X **Suspension arm, lower, blue (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**

7893X **Suspension arm, lower, blue (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**

7894G **Suspension arm, lower, green (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**

7893G **Suspension arm, lower, green (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**

7894T **Suspension arm, lower, orange (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**

7893T **Suspension arm, lower, orange (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**

7894R **Suspension arm, lower, red (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**

7893R **Suspension arm, lower, red (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**

7892 Suspension arms, upper, black (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)

7892X **Suspension arms, upper, blue (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**

7892G **Suspension arms, upper, green (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**

7892T **Suspension arms, upper, orange (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**

7892R **Suspension arms, upper, red (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**

7897 Toe links, 202.5mm (187.5mm center to center) (black) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)

7897A **Toe links, front (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**

7897X **Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895X X-Maxx® WideMaxx® suspension kit)**

7897G **Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895G X-Maxx® WideMaxx® suspension kit)**

7897R **Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895R X-Maxx® WideMaxx® suspension kit)**

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.com