XRT® Ultimate
(Model 78097-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

7890	**Ball bearing kit, X-Maxx®/XRT® (complete)**
5106A	Ball bearing, black rubber sealed (15x24x5mm) (2)
5108A	Ball Bearing, black rubber sealed (15x26x5) (2)
5107A	Ball Bearing, black rubber sealed (17x26x5) (2)
5196A	Ball bearing, black rubber sealed (20x32x7mm) (2)
5196X	**Ball bearing, black rubber sealed, stainless (20x32x7mm) (2)**
5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)
5180A	Ball bearings, black rubber sealed (6x13x5mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5124	Ball bearings, blue rubber sealed (4x7x2.5mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)

Body & Accessories

7825	Body mounts, front
7815	Body mounts, front & rear
7826	Body mounts, rear
7813	Body support (includes front mount & rear latch, roof & hood skid pads)/ 3x12mm CS (19) (attaches to #7812 body)
7812	**Body, XRT® (clear, requires painting)/ window masks/ decal sheet**
7869-BLUE	**Body, XRT® Ultimate, blue (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roof & hood skid pads)**
7891-BLUE	Body, XRT® Ultimate, blue (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roof & hood skid pads)
7869-GRN	**Body, XRT® Ultimate, green (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roof & hood skid pads)**
7891-GRN	Body, XRT® Ultimate, green (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roof & hood skid pads)
7869X	**Body, XRT® Ultimate, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet**
7840	**Body, XRT®, black (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roof & hood skid pads)**
7812A	**Body, XRT®, blue (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roof & hood skid pads)**
7812G	**Body, XRT®, green (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roof & hood skid pads)**
7812T	**Body, XRT®, orange (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roof & hood skid pads)**
7812X	**Body, XRT®, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet**
7812R	**Body, XRT®, red (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roof & hood skid pads)**
7899	**Body, XRT®, Rock n' Roll (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roof & hood skid pads)**
7898	**Body, XRT®, Solar Flare (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roof & hood skid pads)**
7823	Latch, body mount, front (for clipless body mounting)/ 3x12mm CS (6) (attaches to #7812 body)
7824	Latch, body mount, rear (for clipless body mounting)/ 3x12mm CS (4) (attaches to #7812 body)
7814	Skid pads (hood scoop)/ mount/ 3x12mm CS (11) (attaches to #7812 body)
7816	Skid pads (roof)/ 3x12mm CS (8) (attaches to #7812 body)

Bumpers & Skidplates

7834	Bumper mount, rear
7835	Bumper, front/ bumper mount, front
7837	Skid plate, center
7844	Skid plate, front (1), rear (1)/ rubber impact cushion (1)

Chassis & Attachments

3698	Access plug, rubber (receiver box)
7833	Battery hold-down mounts, left (2)/ right (2)/ 4x15mm CCS (4)
7819	Battery hold-down/ battery compartment spacers/ foam pads
7825	Body mounts, front
7815	Body mounts, front & rear
7826	Body mounts, rear
7724X	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x15 CS (4)
7834	Bumper mount, rear
7835	Bumper, front/ bumper mount, front
7822X	Chassis
7819X	**Foam pads, battery compartment**
7723	Nerf bars, chassis (2)
7820	Servo mount/ bulkhead cover/ chassis brace/ steering cover/ 3x12mm CS (2)/ 3x8mm CS (2)
7837	Skid plate, center
7844	Skid plate, front (1), rear (1)/ rubber impact cushion (1)
7799	**Tires, rubber (2) (fits Traxxas® #7775X wheelie bar wheels)**
7776	Wheelie bar, black (assembled)
7775	**Wheels, wheelie bar (2)/ axles, wheelie bar (2)/ 10x15x4 plastic bushings (4) (for #7776, 8976, or 9576 wheelie bar)**
7775X	Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)
7775A	**Wheels, wheelie bar, 6061-T6 aluminum (dark titanium-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)**
7775G	Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)
7775T	**Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)**
7775R	**Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)**
7818	Wing mount
7821X	**Wing, blue/ 4x12mm FCS (4)**
7821G	**Wing, green/ 4x12mm FCS (4)**
7821T	**Wing, orange/ 4x12mm FCS (4)**
7821R	**Wing, red/ 4x12mm FCS (4)**
7821	Wing/ 4x12mm FCS (4)

Cush Drive Components

7794	Cush drive key/ pin/ elastomer damper
7793X	Housing, cush drive (front & rear halves)
6442	**Spur gear, 46-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)**
6447R	**Spur gear, 46-tooth, steel (wide-face, 1.0 metric pitch)**
6443	Spur gear, 50-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)
6448R	**Spur gear, 50-tooth, steel (wide-face, 1.0 metric pitch)**
6444	**Spur gear, 54-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)**
6449X	**Spur gear, 54-tooth, steel (1.0 metric pitch)**
6449R	**Spur gear, 54-tooth, steel (wide-face, 1.0 metric pitch)**

Differential Components

7781X	Carrier, differential (aluminum)/ (requires #7783X spider gear shaft)
7781	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 16X23.5X.5 TW
5136X	**Differential oil kit (1 each: 10K, 30K, 50K weights)**
7880	**Differential, front, complete (fits X-Maxx® 8s or XRT®)**
7881	**Differential, rear, complete (fits X-Maxx® 8s or XRT®)**
10949	**Drive cup, steel, extreme durability (1)/ 3x8mm CS (use only with #7750X & 7896 driveshafts) (machined, heat treated)**
7782	Gear set, differential (output gears (2)/ spider gears (4)/16X23.5X.5 TW(2))
5041	Grease, premium high performance (20cc)
7780	**Housing, differential (front/rear)**
7780-BLUE	Housing, differential (front/rear), 6061-T6 aluminum (blue-anodized)
7780-GRAY	**Housing, differential (front/rear), 6061-T6 aluminum (gray-anodized)**
7780-GRN	Housing, differential (front/rear), 6061-T6 aluminum (green-anodized)
7780-ORNG	**Housing, differential (front/rear), 6061-T6 aluminum (orange-anodized)**
7780-RED	**Housing, differential (front/rear), 6061-T6 aluminum (red-anodized)**
5040	Oil, differential (20M wt) (standard)
7790	Pinion gear, differential, 11-tooth (front) (heavy duty) (use with #7792 35-tooth differential ring gear)

7791	Pinion gear, differential, 11-tooth (rear) (heavy duty) (use with #7792 35-tooth differential ring gear)
7792	Ring gear, differential, 35-tooth (heavy duty) (use with #7790, #7791 11-tooth differential pinion gears)
7783X	Spider gear shaft (2)/ spacers (4)/16x23.5x.5 stainless washer (2) (for #7781X aluminum differential carrier)
7783	Spider gear shaft (2)/ spacers (4)/16X23.5X.5 TW (2)

Driveline Components

7851	Bushings, driveshaft, front (1), rear (1)
7794	Cush drive key/ pin/ elastomer damper
10949	Drive cup, steel, extreme durability (1)/ 3x8mm CS (use only with #7750X & 7896 driveshafts) (machined, heat treated)
7754R	**Drive cup, steel, extreme heavy duty (2)/ 3x8mm CS, heavy duty (2) (use only with #7750X or 7896 driveshaft) (machined, heat treated)**
7755	Driveshaft assembly, center, aluminum
5040	Oil, differential (20M wt) (standard)
7751X	Rebuild kit, steel constant-velocity driveshaft (includes pins for 2 driveshaft assemblies (for use only with #7750X driveshaft)
7836-BLUE	Steering blocks, 6061-T6 aluminum (blue-anodized), left & right
7836-GRAY	**Steering blocks, 6061-T6 aluminum (gray-anodized), left & right**
7836-GRN	Steering blocks, 6061-T6 aluminum (green-anodized), left & right
7836-ORNG	**Steering blocks, 6061-T6 aluminum (orange-anodized), left & right**
7836-RED	**Steering blocks, 6061-T6 aluminum (red-anodized), left & right**
7836	**Steering blocks, left & right**
7836X	**Steering blocks, left & right/ caster blocks (c-hubs), left & right/ 20x32x7mm bearings (2)/ 15x24x5mm bearings (2)**
7768A	**Stub axle, aluminum (black-anodized) (1) (for use only with #7750X or 7896 driveshaft)**
7768	Stub axle, aluminum, (blue-anodized) (1) (for use only with #7750X or 7896 driveshaft)
7768G	Stub axle, aluminum, (green-anodized) (1) (for use only with #7750X or 7896 driveshaft)
7768T	**Stub axle, aluminum, (orange-anodized) (1) (for use only with #7750X or 7896 driveshaft)**
7768R	**Stub axle, aluminum, (red-anodized) (1) (for use only with #7750X or 7896 driveshaft)**
7758A	**Wheel nuts, splined, 17mm, serrated (black-anodized) (4)**
7758	Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)
7758-GRAY	**Wheel nuts, splined, 17mm, serrated (gray-anodized) (4)**
7758G	Wheel nuts, splined, 17mm, serrated (green-anodized) (4)
7758T	**Wheel nuts, splined, 17mm, serrated (orange-anodized) (4)**
7758R	**Wheel nuts, splined, 17mm, serrated (red-anodized) (4)**

Front Suspension & Steering

7869	**Bellcrank bushing, steering (1) (for use with #7843 aluminum steering bellcranks)**
7726	Bulkhead tie bar, upper (1)/ lower (2) (steel)
7828	Bulkhead, front (lower)
7720X	Bulkhead, front (upper)
7835	Bumper, front/ bumper mount, front
7832-BLUE	Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized), left & right
7832-GRAY	**Caster blocks (c-hubs), 6061-T6 aluminum (gray-anodized), left & right**
7832-GRN	Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized), left & right
7832-ORNG	**Caster blocks (c-hubs), 6061-T6 aluminum (orange-anodized), left & right**
7832-RED	**Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized), left & right**
7832	**Caster blocks (c-hubs), left & right**
7879-BLUE	Drag link, 6061-T6 aluminum (blue-anodized)
7879-GRAY	**Drag link, 6061-T6 aluminum (gray-anodized)**
7879-GRN	Drag link, 6061-T6 aluminum (green-anodized)
7879-ORNG	**Drag link, 6061-T6 aluminum (orange-anodized)**
7879-RED	**Drag link, 6061-T6 aluminum (red-anodized)**
7716	Mount, tie bar, front (1)/ rear (1)
7747-BLUE	Servo horn, steering, 6061-T6 aluminum (blue-anodized)
7747-GRAY	**Servo horn, steering, 6061-T6 aluminum (gray-anodized)**
7747-GRN	Servo horn, steering, 6061-T6 aluminum (green-anodized)
7747-ORNG	**Servo horn, steering, 6061-T6 aluminum (orange-anodized)**
7747-RED	**Servo horn, steering, 6061-T6 aluminum (red-anodized)**
7847	**Servo horn, steering/ linkage, steering (48mm, assembled with pivot balls)**
10950	**Servo saver spring**
7839	Shock tower, front (left & right halves)
7843-BLUE	Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, blue-anodized) (fits XRT® or Pro Scale® Sand Car)
7843-GRAY	**Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, gray-anodized) (fits XRT® or Pro Scale® Sand Car)**
7843-GRN	Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, green-anodized) (fits XRT® or Pro Scale® Sand Car)
7843-ORNG	**Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, orange-anodized) (fits XRT® or Pro Scale® Sand Car)**
7843-RED	**Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, red-anodized) (fits XRT® or Pro Scale® Sand Car)**
7843	**Steering bellcranks/ servo saver/ servo saver spring/ draglink/ 3x20mm shoulder screws (2)**
7836-BLUE	Steering blocks, 6061-T6 aluminum (blue-anodized), left & right
7836-GRAY	**Steering blocks, 6061-T6 aluminum (gray-anodized), left & right**
7836-GRN	Steering blocks, 6061-T6 aluminum (green-anodized), left & right
7836-ORNG	**Steering blocks, 6061-T6 aluminum (orange-anodized), left & right**
7836-RED	**Steering blocks, 6061-T6 aluminum (red-anodized), left & right**
7836	**Steering blocks, left & right**
7836X	**Steering blocks, left & right/ caster blocks (c-hubs), left & right/ 20x32x7mm bearings (2)/ 15x24x5mm bearings (2)**
7746X	Steering link, steel/ servo saver spring, heavy duty (use with #2085X metal gear servo)
7894	Suspension arm, lower, black (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7893	Suspension arm, lower, black (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7894X	**Suspension arm, lower, blue (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7893X	**Suspension arm, lower, blue (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7894G	**Suspension arm, lower, green (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7893G	**Suspension arm, lower, green (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7894T	**Suspension arm, lower, orange (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7893T	**Suspension arm, lower, orange (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7894R	**Suspension arm, lower, red (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7893R	**Suspension arm, lower, red (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7892	Suspension arms, upper, black (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7892X	**Suspension arms, upper, blue (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7892G	**Suspension arms, upper, green (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7892T	**Suspension arms, upper, orange (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7892R	**Suspension arms, upper, red (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7743	**Suspension pin retainer (4)**
7743-BLUE	Suspension pin retainer, 6061-T6 aluminum (blue-anodized) (4)
7743-GRAY	**Suspension pin retainer, 6061-T6 aluminum (gray-anodized) (4)**
7743-GRN	Suspension pin retainer, 6061-T6 aluminum (green-anodized) (4)
7743-ORNG	**Suspension pin retainer, 6061-T6 aluminum (orange-anodized) (4)**
7743-RED	**Suspension pin retainer, 6061-T6 aluminum (red-anodized) (4)**
7740	Suspension pin set, front or rear corner (hardened steel), 4x85mm (1), 4x47mm (3), 4x33mm (2) (qty 4, #7740 required for complete set)
7742	Suspension pin set, shock mount (front or rear, hardened steel), 4x25mm (2), 4x38mm (2)
7741	Suspension pins, 4x85mm (hardened steel) (2)

Hardware

4859	CS 3x10 flathead (hex drive)
3474X	Dual cooling fan kit, low profile (with shroud) (fits #3491 motor)
7998X	**Hardware kit, black stainless steel, XRT® (contains all stainless steel hardware used on XRT®)**
7998	**Hardware kit, XRT® (contains all hardware used on XRT®)**
2584	Head screws, 3x12mm cap-head machine (hex drive) (6) (TRX® 2.5, 2.5R, 3.3)
4955	Pins, axle (2.5x12mm) (4)
3234	Screws, 2.5x14mm cap-head machine (hex drive) (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2587	Screws, 3x10mm caphead machine (6) (no washer)
2551	Screws, 3x10mm countersunk machine (6) (hex drive)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2586	Screws, 3x15mm cap-head machine (hex drive) (6)
2581	Screws, 3x25mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
2535	Screws, 4x10mm countersunk machine (hex drive) (6)

3937	Screws, 4x12mm button-head machine (hex drive) (6)
3938	Screws, 4x14mm button-head machine (hex drive) (6)
2594	Screws, 4x15mm button-head machine (hex drive) (6)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)
3933	Screws, 4x16mm button-head machine (hex drive) (6)
2547	Screws, 4x18mm countersunk machine (hex drive) (6)
2589	Screws, 4x20mm button-head machine (hex drive) (6)
2597	Screws, 4x22mm button-head machine (hex drive) (6)
2596	Screws, 4x25mm button-head machine (hex drive) (6)
2598X	Screws, 4x30mm button-head machine (hex drive) (6)
2595	Screws, 4x35mm button-head machine (hex drive) (6)
4897X	Screws, set (grub), 4mm (with heavy duty threadlock) (6)
2743	Set (grub) screws, 3mm hardened (12)
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
5480X	Wheel wrench, splined, 17mm

LED Lights

10959	**Extension harness, LED lights**
7882	**Extension harness, LED lights (high-voltage)**
6590	**High-Voltage Power Amplifier**
7884	**LED light bar, front (high-voltage) (40 white LEDs (double row), 82mm wide) (fits Maxx®, Maxx Slash®, X-Maxx®, or XRT®)**
7883X	**LED light bar, rear, red (with white reverse light) (high-voltage) (24 red LEDs, 24 white LEDs, 100mm wide)/ light bar mount (fits Maxx®, X-Maxx®, or XRT®)**
10998-BLUE	**LED light kit, blue, complete (underbody) (includes 3-volt accessory power supply, power harnesses & mounting hardware)**
7885	**LED light kit, complete (includes #6590 high-voltage power amplifier)**
10998-GRN	**LED light kit, green, complete (underbody) (includes 3-volt accessory power supply, power harnesses & mounting hardware)**
10998-ORNG	**LED light kit, orange, complete (underbody) (includes 3-volt accessory power supply, power harnesses & mounting hardware)**
10998-RED	**LED light kit, red, complete (underbody) (includes 3-volt accessory power supply, power harnesses & mounting hardware)**
10919	**Wire harness, power supply**

Motors & Electronics

7749	**Adapter, standard servo (adapts standard servo to fit in Maxx®, X-Maxx®, XRT® or Pro Scale® Sand Car)**
3475	Cooling fan, Velineon® VXL ESC (fits VXL-6s & VXL-8s)
7787-BLUE	Cover, gear (blue-anodized 6061-T6 aluminum)
7787-GRAY	**Cover, gear (gray-anodized 6061-T6 aluminum)**
7787-GRN	Cover, gear (green-anodized 6061-T6 aluminum)
7787-ORNG	**Cover, gear (orange-anodized 6061-T6 aluminum)**
7787-RED	**Cover, gear (red-anodized 6061-T6 aluminum)**
7887	**Covers, gear (3)**
3474X	Dual cooling fan kit, low profile (with shroud) (fits #3491 motor)
2087R	Gear set (for 2085R, 2085RL servo)
3362X	Heat sink, low profile, Velineon® 1200XL
3362-BLUE	**Heat sink, low profile, Velineon® 1200XL (aluminum, blue-anodized)**
7760	**Motor mounts (front and rear)/ pins (2)**
7760-BLUE	Motor mounts, 6061-T6 aluminum (blue-anodized) (front & rear)
7760-GRAY	**Motor mounts, 6061-T6 aluminum (gray-anodized) (front & rear)**
7760-GRN	Motor mounts, 6061-T6 aluminum (green-anodized) (front & rear)
7760-ORNG	**Motor mounts, 6061-T6 aluminum (orange-anodized) (front & rear)**
7760-RED	**Motor mounts, 6061-T6 aluminum (red-anodized) (front & rear)**
3491	Motor, Velineon® 1200XL, brushless
3492	Rebuild kit, Velineon® 1200XL (includes plastic endbells (2), 6x17x6mm ball bearings (2), 6x8x.3 washer (1), 6x8x1 washer (1), 7x6x12 spacer (1))
2086	Servo case/gaskets (for 2085, 2085L, 2085R, 2085RL, 2085X & 2085XL servos)
2085RL	Servo, digital high-torque/high-speed, metal gear (ball bearing), waterproof
7878X	Spacer, motor shaft (steel)/ e-clip (1)
3496T	Velineon® VXL-8s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
7759	Washers, motor mount, aluminum (blue-anodized) (4)/ 4x18mm BCS (4)
7759-GRAY	**Washers, motor mount, aluminum (gray-anodized) (4)/ 4x18mm BCS (4)**
7759G	Washers, motor mount, aluminum (green-anodized) (4)/ 4x18mm BCS (4)
7759-ORNG	**Washers, motor mount, aluminum (orange-anodized) (4)/ 4x18mm BCS (4)**
7759R	**Washers, motor mount, aluminum (red-anodized) (4)/ 4x18mm BCS (4)**

Radio System, Batteries & Chargers

2872X	**5000mah 11.1v 3-Cell 25C LiPo Battery**
2889X	**5000mah 14.8v 4-Cell 25C LiPo Battery (long)**
2857X	**6400mah 11.1v 3-Cell 25C LiPo Battery**
2890X	**6700mah 14.8v 4-Cell 25C LiPo Battery**
2938X	**Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)**
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2943	**Battery charge indicators, green (4), grey (4), blue (4)**
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2914	**Battery, Power Cell AA Alkaline (4)**
2990	**Battery/charger completer pack (includes #2972 Dual iD charger (1), #2872X 5000mAh 11.1V 3-cell 25C LiPo iD® Battery (2))**
2997	**Battery/charger completer pack (includes #2973 Dual iD charger (1), #2890X 6700mAh 14.8V 4-cell 25C LiPo iD® Battery (2))**
2996X	**Battery/charger completer pack (includes 2971 EZ-Peak Live iD charger (1), 2889X 5000 mAh 14.8V 4-cell 25C LiPo battery (1))**
2972	**Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification**
2973	**Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification**
2970	**Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification**
2981	**Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification**
6525	**Communication link, telemetry expander**
6565	**Data link, telemetry expander (connects #6550X telemetry expander 2.0 to the #6590 high-voltage power amplifier)**
6566	**Data link, telemetry expander (connects #6550X telemetry expander 2.0 to the Velineon® #3465 VXL-4s, #3485 Velineon® VXL-6s, or #3496 Velineon® VXL-8s electronic speed control)**
2971	**EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®**
2087R	Gear set (for 2085R, 2085RL servo)
2968X	**LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)**
2968	**LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)**
6533X	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
6552	**Seal kit, expander box (includes o-ring, seals, and silicone grease)**
6526	**Sensor, auto-detectable, temperature**
6527	**Sensor, auto-detectable, voltage**
6531	Sensor, temperature & voltage (fits X-Maxx®, XRT® or Pro Scale® Sand Car)
6521	**Sensor, temperature and voltage (long)**
2086	Servo case/gaskets (for 2085, 2085L, 2085R, 2085RL, 2085X & 2085XL servos)
2085RL	Servo, digital high-torque/high-speed, metal gear (ball bearing), waterproof
6553X	**Telemetry Expander 2.0 and GPS module 2.0, TQi radio system**
6550X	**Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)**
6551X	**Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)**
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
6507R	**TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)**
6528X	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6528	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529X	**Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)**
6511	Traxxas® Link Bluetooth® module

Ready-To-Race Model

78097-4	XRT® Ultimate: Brushless Electric Race Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)®

Rear Suspension

7726	Bulkhead tie bar, upper (1)/ lower (2) (steel)
7827A	Bulkhead, rear, steel core (lower)/ motor mount washers (steel) (4)/ 4x18mm BCS (4)
7727R	Bulkhead, rear (upper) (fits X-Maxx® 8s or XRT®)

7852-BLUE Carriers, stub axle (blue-anodized 6061-T6 aluminum) (left & right)
7852-GRAY Carriers, stub axle (gray-anodized 6061-T6 aluminum) (left & right)
7852-GRN Carriers, stub axle (green-anodized 6061-T6 aluminum) (left & right)
7852-ORNG Carriers, stub axle (orange-anodized 6061-T6 aluminum) (left & right)
7852 Carriers, stub axle (rear) (left & right)
7852X Carriers, stub axle (rear) (left & right)/ 20x32x7mm bearings (2)/ 15x24x5mm bearings (2)
7852-RED Carriers, stub axle (red-anodized 6061-T6 aluminum) (left & right)
7716 Mount, tie bar, front (1)/ rear (1)
7838 Shock tower, rear (left & right halves)
7894 Suspension arm, lower, black (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7893 Suspension arm, lower, black (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7894X Suspension arm, lower, blue (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7893X Suspension arm, lower, blue (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7894G Suspension arm, lower, green (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7893G Suspension arm, lower, green (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7894T Suspension arm, lower, orange (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7893T Suspension arm, lower, orange (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7894R Suspension arm, lower, red (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7893R Suspension arm, lower, red (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7892 Suspension arms, upper, black (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7892X Suspension arms, upper, blue (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7892G Suspension arms, upper, green (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7892T Suspension arms, upper, orange (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7892R Suspension arms, upper, red (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7743 Suspension pin retainer (4)
7743-BLUE Suspension pin retainer, 6061-T6 aluminum (blue-anodized) (4)
7743-GRAY Suspension pin retainer, 6061-T6 aluminum (gray-anodized) (4)
7743-GRN Suspension pin retainer, 6061-T6 aluminum (green-anodized) (4)
7743-ORNG Suspension pin retainer, 6061-T6 aluminum (orange-anodized) (4)
7743-RED Suspension pin retainer, 6061-T6 aluminum (red-anodized) (4)
7740 Suspension pin set, front or rear corner (hardened steel), 4x85mm (1), 4x47mm (3), 4x33mm (2) (qty 4, #7740 required for complete set)
7742 Suspension pin set, shock mount (front or rear, hardened steel), 4x25mm (2), 4x38mm (2)
7741 Suspension pins, 4x85mm (hardened steel) (2)

Shock Oil

5031 Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035 Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036 Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029 Shock oil bottle (60cc) (for mixing shock oil)
5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
5038 Spinning carousel rack

Shocks (GTX)

7866A Body, GTX shock, medium (aluminum, black-anodized) (1)
7866 Body, GTX shock, medium (aluminum, blue-anodized) (1)
7866G Body, GTX shock, medium (aluminum, green-anodized) (1)
7866T Body, GTX shock, medium (aluminum, orange-anodized) (1)
7866R Body, GTX shock, medium (aluminum, red-anodized) (1)
7866X Body, GTX shock, medium (hard-anodized, PTFE-coated aluminum) (1)
7762X Rebuild kit, GTX shocks (lower cartridge, assembled, pistons, piston nuts, bladders) (renews 2 shocks)
7764A Shock caps, aluminum (blue-anodized), GTX shocks (4)/ spacers (8)
7764-GRAY Shock caps, aluminum (gray-anodized), GTX shocks (4)/ spacers (8)
7764G Shock caps, aluminum (green-anodized), GTX shocks (4)/ spacers (8)
7764X Shock caps, aluminum (hard anodized, PTFE-coated), GTX shocks (4)/ spacers (8)
7764-ORNG Shock caps, aluminum (orange-anodized), GTX shocks (4)/ spacers (8)
7764R Shock caps, aluminum (red-anodized), GTX shocks (4)/ spacers (8)
7764 Shock caps, GTX shocks/ spring perch/ adjusters/ 2.5x14 CS (2) (for 2 shocks)
7863 Shock shaft, 92mm (GTX) (steel, chrome finish) (2) (assembled with rod ends & hollow balls)
7863T Shock shaft, 92mm (GTX) (TiN-coated) (2) (assembled with rod ends & hollow balls)
7861A Shocks, GTX, medium (aluminum, black-anodized) (fully assembled w/o springs) (2)
7861 Shocks, GTX, medium (aluminum, blue-anodized) (fully assembled w/o springs) (2)
7861G Shocks, GTX, medium (aluminum, green-anodized) (fully assembled w/o springs) (2)
7861T Shocks, GTX, medium (aluminum, orange-anodized) (fully assembled w/o springs) (2)
7861R Shocks, GTX, medium (aluminum, red-anodized) (fully assembled w/o springs) (2)
7888 Spacer, shock cap, 6061-T6 aluminum (black-anodized) (8)
7767 Spring retainer (adjuster), blue-anodized aluminum, GTX shocks (4) (assembled with o-ring)
7767-GRAY Spring retainer (adjuster), gray-anodized aluminum, GTX shocks (4) (assembled with o-ring)
7767G Spring retainer (adjuster), green-anodized aluminum, GTX shocks (4) (assembled with o-ring)
7767-ORNG Spring retainer (adjuster), orange-anodized aluminum, GTX shocks (4) (assembled with o-ring)
7767X Spring retainer (adjuster), PTFE-coated aluminum, GTX shocks (4) (assembled with o-ring)
7767R Spring retainer (adjuster), red-anodized aluminum, GTX shocks (4) (assembled with o-ring)
7845 Springs, shock, medium (natural finish) (GTX) (2.355 rate) (2)
7841 Springs, shock, medium (natural finish) (GTX) (2.599 rate, white stripe) (2)
7865 Springs, shock, medium (natural finish) (GTX) (2.899 rate, orange stripe) (2)
7864 Springs, shock, medium (natural finish) (GTX) (3.141 rate, green stripe) (2)
7859 Springs, shock, medium (natural finish) (GTX) (3.445 rate, tan stripe) (2)
7849 Springs, shock, medium (natural finish) (GTX) (3.744 rate) (2)
7842 Springs, shock, medium (natural finish) (GTX) (4.101 rate, pink stripe) (2)
7848 Springs, shock, medium (natural finish) (GTX) (4.594 rate, blue stripe) (2)
7850 Springs, shock, medium (natural finish) (GTX) (5.059 rate, red stripe) (2)
7846 Springs, shock, medium (natural finish) (GTX) (5.543 rate, yellow stripe) (2)

Spur Gears & Pinion Gears

6484X Gear, 11-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6485X Gear, 12-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6486X Gear, 13-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6488X Gear, 14-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6487X Gear, 15-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6489X Gear, 16-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6490X Gear, 17-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6491X Gear, 18-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6480X Gear, 19-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6494X Gear, 20-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6494R Gear, 20-T pinion (machined, hardened steel) (1.0 metric pitch) (fits 5mm shaft)/ set screw
6493X Gear, 21-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6495X Gear, 22-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)

6481X **Gear, 23-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6442 **Spur gear, 46-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)**
6447R **Spur gear, 46-tooth, steel (wide-face, 1.0 metric pitch)**
6443 Spur gear, 50-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)
6450 Spur gear, 50-tooth (machined, hardened steel) (wide-face)/ gear, 20-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw
6448R **Spur gear, 50-tooth, steel (wide-face, 1.0 metric pitch)**
6444 **Spur gear, 54-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)**
6449X **Spur gear, 54-tooth, steel (1.0 metric pitch)**
6449R **Spur gear, 54-tooth, steel (wide-face, 1.0 metric pitch)**

Steering Components

5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
7869 **Bellcrank bushing, steering (1) (for use with #7843 aluminum steering bellcranks)**
7879-BLUE Drag link, 6061-T6 aluminum (blue-anodized)
7879-GRAY **Drag link, 6061-T6 aluminum (gray-anodized)**
7879-GRN Drag link, 6061-T6 aluminum (green-anodized)
7879-ORNG **Drag link, 6061-T6 aluminum (orange-anodized)**
7879-RED **Drag link, 6061-T6 aluminum (red-anodized)**
7747-BLUE Servo horn, steering, 6061-T6 aluminum (blue-anodized)
7747-GRAY **Servo horn, steering, 6061-T6 aluminum (gray-anodized)**
7747-GRN Servo horn, steering, 6061-T6 aluminum (green-anodized)
7747-ORNG **Servo horn, steering, 6061-T6 aluminum (orange-anodized)**
7747-RED **Servo horn, steering, 6061-T6 aluminum (red-anodized)**
7847 **Servo horn, steering/ linkage, steering (48mm, assembled with pivot balls)**
7843-BLUE Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, blue-anodized) (fits XRT® or Pro Scale® Sand Car)
7843-GRAY **Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, gray-anodized) (fits XRT® or Pro Scale® Sand Car)**
7843-GRN Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, green-anodized) (fits XRT® or Pro Scale® Sand Car)
7843-ORNG **Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, orange-anodized) (fits XRT® or Pro Scale® Sand Car)**
7843-RED **Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, red-anodized) (fits XRT® or Pro Scale® Sand Car)**
7843 **Steering bellcranks/ servo saver/ servo saver spring/ draglink/ 3x20mm shoulder screws (2)**
7746X **Steering link, steel/ servo saver spring, heavy duty (use with #2085X metal gear servo)**
7897 **Toe links, 202.5mm (187.5mm center to center) (black) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7897A **Toe links, front (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7897X Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895X X-Maxx® WideMaxx® suspension kit)
7897-GRAY **Toe links, front (TUBES gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7897G Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895G X-Maxx® WideMaxx® suspension kit)
7897-ORNG **Toe links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7897R **Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895R X-Maxx® WideMaxx® suspension kit)**

Suspension Linkage

7798 Insert, threaded steel (replacement inserts for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X) (includes (1) left and (1) right threaded insert)
7797 Rod ends (4) (assembled with steel pivot balls) (replacement ends for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X)
7743 **Suspension pin retainer (4)**
7743-BLUE Suspension pin retainer, 6061-T6 aluminum (blue-anodized) (4)
7743-GRAY **Suspension pin retainer, 6061-T6 aluminum (gray-anodized) (4)**
7743-GRN Suspension pin retainer, 6061-T6 aluminum (green-anodized) (4)
7743-ORNG **Suspension pin retainer, 6061-T6 aluminum (orange-anodized) (4)**
7743-RED **Suspension pin retainer, 6061-T6 aluminum (red-anodized) (4)**
7740 Suspension pin set, front or rear corner (hardened steel), 4x85mm (1), 4x47mm (3), 4x33mm (2) (qty 4, #7740 required for complete set)
7742 Suspension pin set, shock mount (front or rear, hardened steel), 4x25mm (2), 4x38mm (2)
7741 Suspension pins, 4x85mm (hardened steel) (2)
7897 **Toe links, 202.5mm (187.5mm center to center) (black) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7897A **Toe links, front (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7897X Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895X X-Maxx® WideMaxx® suspension kit)
7897G Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895G X-Maxx® WideMaxx® suspension kit)
7897R **Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895R X-Maxx® WideMaxx® suspension kit)**

Team Traxxas Items

2514 **Decal sheet, racing sponsors**
9950 **Official Team Traxxas® racing decal set(flag logo/ 6-color)**
9909 **Traxxas® racing banner, red & black (3x7 feet)**

Tires & Wheels

10948-BLUE **Beadlock rings, rear, blue (4.3") (2)**
10948-CHRM **Beadlock rings, rear, chrome (4.3") (2)**
10948-GRN **Beadlock rings, rear, green (4.3") (2)**
10948-ORNG **Beadlock rings, rear, orange (4.3") (2)**
10948-RED **Beadlock rings, rear, red (4.3") (2)**
10947 **Tires & wheels, assembled, glued (Pro Scale® Sand Car Race black wheels, Gravix® tires, foam inserts) (rear) (1 left, 1 right)**
7772A **Tires & wheels, assembled, glued (X-Maxx® black chrome wheels, Maxx® AT tires, foam inserts) (left & right) (2)**
7774A **Tires & wheels, assembled, glued (X-Maxx® black chrome wheels, Sledgehammer® tires, foam inserts) (left & right) (2)**
7871X **Tires & wheels, assembled, glued (X-Maxx® black chrome wheels, Sledgehammer® belted tires, dual profile (4.3" outer, 5.7" inner), foam inserts) (left & right)**
7877 **Tires & wheels, assembled, glued (X-Maxx® black wheels, Gravix® tires, foam inserts) (left & right)**
7772X **Tires & wheels, assembled, glued (X-Maxx® black wheels, Maxx® AT tires, foam inserts) (left & right) (2)**
7773 **Tires & wheels, assembled, glued (X-Maxx® black wheels, paddle tires, foam inserts) (left & right) (2)**
7871 **Tires & wheels, assembled, glued (X-Maxx® black wheels, Sledgehammer® belted tires, dual profile (4.3" outer, 5.7" inner), foam inserts) (left & right)**
7772G **Tires & wheels, assembled, glued (X-Maxx® green wheels, Maxx® AT tires, foam inserts) (left & right) (2)**
7774G **Tires & wheels, assembled, glued (X-Maxx® green wheels, Sledgehammer® tires, foam inserts) (left & right) (2)**
7772T **Tires & wheels, assembled, glued (X-Maxx® orange wheels, Maxx® AT tires, foam inserts) (left & right) (2)**
7774T **Tires & wheels, assembled, glued (X-Maxx® orange wheels, Sledgehammer® tires, foam inserts) (left & right) (2)**
7772R **Tires & wheels, assembled, glued (X-Maxx® satin chrome wheels, Maxx® AT tires, foam inserts) (left & right) (2)**
7862X **Tires & wheels, assembled, glued (XRT® Race black chrome wheels, Gravix® belted tires, dual profile (4.3" outer, 5.7" inner) foam inserts) (left & right)**
7862 Tires & wheels, assembled, glued (XRT® Race black wheels, Gravix® belted tires, dual profile (4.3" outer, 5.7" inner), foam inserts) (left & right)
7872 **Tires & wheels, assembled, glued (XRT® Race black wheels, Gravix® tires, foam inserts) (left & right)**
7875 **Tires & wheels, assembled, glued (XRT® Race black wheels, Maxx® AT tires, foam inserts) (left & right)**
7876 **Tires & wheels, assembled, glued (XRT® Race black wheels, Sledgehammer® tires, foam inserts) (left & right)**
7860 Tires, Gravix® (belted, dual profile (4.3" outer, 5.7" inner)) (left & right)/ foam inserts (2)
7873 **Tires, Gravix® (left & right)/ foam inserts (2)**
7770X **Tires, Maxx® AT (left & right) (2)/ foam inserts (2)**
7757 Wheel hex clips (6)
7756-BLK **Wheel hubs, hex (2)/ hex clips (2)**
7756X Wheel hubs, hex, aluminum (blue-anodized) (4)
7756-GRAY **Wheel hubs, hex, aluminum (gray-anodized) (4)**
7756G Wheel hubs, hex, aluminum (green-anodized) (4)
7756-ORNG **Wheel hubs, hex, aluminum (orange-anodized) (4)**
7756R **Wheel hubs, hex, aluminum (red-anodized) (4)**
7758A **Wheel nuts, splined, 17mm, serrated (black-anodized) (4)**
7758 Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)
7758-GRAY **Wheel nuts, splined, 17mm, serrated (gray-anodized) (4)**
7758G Wheel nuts, splined, 17mm, serrated (green-anodized) (4)

7758T **Wheel nuts, splined, 17mm, serrated (orange-anodized) (4)**
7758R **Wheel nuts, splined, 17mm, serrated (red-anodized) (4)**
5480X Wheel wrench, splined, 17mm
7771 **Wheels, X-Maxx®, black (left and right)**
7874 Wheels, XRT® Race, black (left and right)

Transmission Components

7796 Center drive, torque biasing (assembled)/ 17x26x5 ball bearings (2) (requires #7727A bulkheads)
7787-BLUE Cover, gear (blue-anodized 6061-T6 aluminum)
7787-GRAY **Cover, gear (gray-anodized 6061-T6 aluminum)**
7787-GRN Cover, gear (green-anodized 6061-T6 aluminum)
7787-ORNG **Cover, gear (orange-anodized 6061-T6 aluminum)**
7787-RED **Cover, gear (red-anodized 6061-T6 aluminum)**
7887 **Covers, gear (3)**
7886 **Gear set, overdrive (includes 47T ouput gear, 24T input gear, 3x10mm FCS (with threadlock) (4))**
5045 **Grease, ultra high performance (30cc)**
7785X Input gear, transmission, 20-tooth/ 2.5x12mm pin
7786X Input shaft, transmission (cush drive)
5040 Oil, differential (20M wt) (standard)
7784X Output gear, 51-tooth, metal (requires #7785X input gear)

Traxxas Tools

3433X **Body reamer (aluminum handle)**
3433 **Body reamer (plastic handle)**
3436 **Cap, body reamer**
3425 **Rubber pit mat, 16x24x0.28**
3426 **Rubber pit mat, 36x20**
3432 **Scissors, curved tip**
3431 **Scissors, straight tip**
8712 **Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive**
8720 **Speed bit handle, large (overmolded)**
8721 **Speed bit handle, medium (one piece)**
8722 **Speed bit handle, premium (rubber overmold)**
8710 **Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
8711 **Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
8719 **Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
8716 **Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive**
8716X **Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive**
8715 **Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive**
8715X **Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
8714 **Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive**
2748R **Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)**
3415 **Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)**
5480X Wheel wrench, splined, 17mm

Turnbuckles & Threaded Rods

7798 Insert, threaded steel (replacement inserts for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X) (includes (1) left and (1) right threaded insert)
7797 Rod ends (4) (assembled with steel pivot balls) (replacement ends for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X)
7897 **Toe links, 202.5mm (187.5mm center to center) (black) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7897A **Toe links, front (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7897X Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895X X-Maxx® WideMaxx® suspension kit)
7897-GRAY **Toe links, front (TUBES gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7897G Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895G X-Maxx® WideMaxx® suspension kit)
7897-ORNG **Toe links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7897R **Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895R X-Maxx® WideMaxx® suspension kit)**

WideMaxx® Suspension Kit

7896 **Driveshaft, steel constant velocity (shaft only, 190.3mm) (1) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7946 Driveshaft, steel constant velocity (shaft only, 190.3mm) (1) (laser-etched with Traxxas logo) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7894 Suspension arm, lower, black (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7893 Suspension arm, lower, black (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7894X **Suspension arm, lower, blue (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7893X **Suspension arm, lower, blue (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7894G **Suspension arm, lower, green (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7893G **Suspension arm, lower, green (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7894T **Suspension arm, lower, orange (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7893T **Suspension arm, lower, orange (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7894R **Suspension arm, lower, red (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7893R **Suspension arm, lower, red (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7892 Suspension arms, upper, black (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7892X **Suspension arms, upper, blue (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7892G **Suspension arms, upper, green (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7892T **Suspension arms, upper, orange (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7892R **Suspension arms, upper, red (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7897 Toe links, 202.5mm (187.5mm center to center) (black) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7897A **Toe links, front (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7897X Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895X X-Maxx® WideMaxx® suspension kit)
7897-GRAY **Toe links, front (TUBES gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7897G Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895G X-Maxx® WideMaxx® suspension kit)
7897-ORNG **Toe links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7897R **Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895R X-Maxx® WideMaxx® suspension kit)**

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.com