Jato® 4X4 VXL (Model 90386-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
9018	**Body, Jato® 4X4 Brushless (also fits Jato® 4X4 VXL) (clear, requires painting)/window masks, decal sheet**
9060-BLUE	**Body, Jato® 4X4 VXL, blue (painted, decals applied)**
9060-GRN	**Body, Jato® 4X4 VXL, green (painted, decals applied)**
9060-ORNG	**Body, Jato® 4X4 VXL, orange (painted, decals applied)**
9060-PINK	**Body, Jato® 4X4 VXL, pink (painted, decals applied)**
9060X	**Body, Jato® 4X4 VXL, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet**
9021	Latch, body mount, left (1)/ right (1) (for clipless body mounting) (attaches to #9018 body)
9950	**Official Team Traxxas® racing decal set(flag logo/ 6-color)**

Center Driveline

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
6877A	**Cover, gear (clear)**
6877	Cover, gear/ motor wire hold-down clip
6814	**Differential kit, center (complete)**
6780	**Differential kit, center (complete) (aluminum carrier)**
6780	**Differential kit, center (complete) (aluminum carrier)**
6780A	**Differential kit, center (complete) (assembled with 500K wt differential fluid & 54T spur gear)**
6888	Drive hub, center, rear (1)/ 4x3 GS (1)
6888X	Drive hub, front, hardened steel (1)/ screw pin (1)
6855	Driveshaft, center, 6061-T6 aluminum (blue-anodized) (214mm)
6855G	Driveshaft, center, 6061-T6 aluminum (green-anodized) (214mm)
6855-ORNG	Driveshaft, center, 6061-T6 aluminum (orange-anodized) (214mm)
6855R	**Driveshaft, center, 6061-T6 aluminum (red-anodized) (214mm)**
6790	Gear adapters, fixed, Rustler® 4x4
6783	**Gear set, differential (spider gears (4)/ spider gear shaft (2))**
5148	Grease, white lithium
6781	**Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS (with threadlock) (4)**
9081	Housing, center differential/ x-ring gaskets (2)/ 5x10x0.5 PTFE-coated washer (1)/ 2.5x10 CCS (4)
7490	Plate, motor
7490G	Plate, motor, green
7490A	Plate, motor, orange
7490R	**Plate, motor, red**
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2554	Screws, 3x6mm caphead machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)

Chassis & Attachments

3698	Access plug, rubber (receiver box)
7426	**Battery hold-down (1)/ hold-down retainer, front & rear (1 each)**
7426X	Battery hold-down, tall (1)/ hold-down retainer, front & rear (1 each) (allows for installation of taller, multi-cell batteries)
9030	Box, receiver (sealed)/ foam pads/ 2.5x12mm CS (2)/ 3x6mm CCS (2)/ 3x12mm BCS (2)
7422-GRAY	**Chassis**
9024-BLUE	Chassis brace (T-Bar) (center), 6061-T6 aluminum (blue-anodized)
9024-GRAY	Chassis brace (T-Bar) (center), 6061-T6 aluminum (gray-anodized)
9024-GRN	Chassis brace (T-Bar) (center), 6061-T6 aluminum (green-anodized)
9024-ORNG	Chassis brace (T-Bar) (center), 6061-T6 aluminum (orange-anodized)
9024-RED	**Chassis brace (T-Bar) (center), 6061-T6 aluminum (red-anodized)**
7422-DKGRY	Chassis, charcoal gray
7420	Clipless mounts, body (left & right) (for #7412 series bodies)
9025	Mounts, chassis brace (front & rear)
9045	Mounts, sway bar (front & rear)
7425	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
9044	Skid plates (front & rear)
9098	**Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)**
9046	Wing mounts (left & right)
9617	**Wing washer, 6061-T6 aluminum (blue-anodized) (1)/ 4x12mm FCS (2)**
9617A	**Wing washer, 6061-T6 aluminum (dark-titanium anodized) (1)/ 4x12mm FCS (2)**
9617G	**Wing washer, 6061-T6 aluminum (green-anodized) (1)/ 4x12mm FCS (2)**
9617T	**Wing washer, 6061-T6 aluminum (orange-anodized) (1)/ 4x12mm FCS (2)**
9617R	**Wing washer, 6061-T6 aluminum (red-anodized) (1)/ 4x12mm FCS (2)**
9019-BLK	**Wing, race, low profile (black)/ wing washer/ 4x12mm FCS (2)**
9019-WHT	**Wing, race, low profile (white)/ wing washer/ 4x12mm FCS (2)**
9019-YLW	**Wing, race, low profile (yellow)/ wing washer/ 4x12mm FCS (2)**
9517X	**Wing/ wing washer (blue)/ 4x12mm FCS (2)**
9517G	**Wing/ wing washer (green)/ 4x12mm FCS (2)**
9517T	**Wing/ wing washer (orange)/ 4x12mm FCS (2)**
9517R	**Wing/ wing washer (red)/ 4x12mm FCS (2)**
9517A	**Wing/ wing washer (white)/ 4x12mm FCS (2)**
9517	Wing/ wing washer/ 4x12mm FCS (2)

Differential Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5381	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
6814	**Differential kit, center (complete)**
6780	**Differential kit, center (complete) (aluminum carrier)**
6780A	**Differential kit, center (complete) (assembled with 500K wt differential fluid & 54T spur gear)**
5136X	**Differential oil kit (1 each: 10K, 30K, 50K weights)**
6788	**Differential, front (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio)**
6789	**Differential, rear (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio)**
6888	Drive hub, center, rear (1)/ 4x3 GS (1)
6888X	**Drive hub, front, hardened steel (1)/ screw pin (1)**
6882X	Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)
6783	Gear set, differential (spider gears (4)/ spider gear shaft (2))
6781	**Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS (with threadlock) (4)**
6881	Housings, differential, front
6880	Housings, differential, rear
6782X	Output gears, center differential, hardened steel (2)
5379X	Ring gear, differential/ pinion gear, differential
5379R	**Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)**
6879R	**Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)**
6879	Ring gear, differential/ pinion gear, differential (rear)
3965	Screws, 2.5x8mm cap-head machine (6)
9087-BLUE	Wheel hub, splined, 17mm, short (blue-anodized) (1)/ wheel nut, splined, 17mm (blue-anodized) (1)/ hub retainer, M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)
9087-GRAY	**Wheel hub, splined, 17mm, short (gray-anodized) (1)/ wheel nut, splined, 17mm (gray-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)**
9087-GRN	Wheel hub, splined, 17mm, short (green-anodized) (1)/ wheel nut, splined, 17mm (green-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)
9087-ORNG	Wheel hub, splined, 17mm, short (orange-anodized) (1)/ wheel nut, splined, 17mm (orange-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)
9087-RED	**Wheel hub, splined, 17mm, short (red-anodized) (1)/ wheel nut, splined, 17mm (red-anodized) (1)/ hub retainer, M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)**

9086 Wheel hubs, splined, 17mm, short (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)

9086-GRAY Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)

9086-GRN Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)

9086-ORNG Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)

9086-RED Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)

7758A Wheel nuts, splined, 17mm, serrated (black-anodized) (4)

7758 Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)

7758-GRAY Wheel nuts, splined, 17mm, serrated (gray-anodized) (4)

7758G Wheel nuts, splined, 17mm, serrated (green-anodized) (4)

7758T Wheel nuts, splined, 17mm, serrated (orange-anodized) (4)

7758R Wheel nuts, splined, 17mm, serrated (red-anodized) (4)

Driveline Components

5119A Ball bearings, black rubber sealed (10x15x4mm) (2)

5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)

5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)

9059X Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)

9057X Differential output shafts, steel-splined constant-velocity (2)

9057 Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)

9051 Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)

9052 Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)

6855 Driveshaft, center, 6061-T6 aluminum (blue-anodized) (214mm)

6855G Driveshaft, center, 6061-T6 aluminum (green-anodized) (214mm)

6855-ORNG Driveshaft, center, 6061-T6 aluminum (orange-anodized) (214mm)

6855R Driveshaft, center, 6061-T6 aluminum (red-anodized) (214mm)

7455 Driveshaft, center, plastic (black)/ screw pin

9051R Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)

9052R Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)

9055X Half shaft, external splined (steel-spline constant velocity) (1)

9056X Half shaft, internal splined (steel-spline constant velocity) (1)

5854 Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)

9058X Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft)

9056 Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)

9054 Stub axle, front, 6mm, extreme heavy duty (for use with #9051R steel CV driveshafts)

9053 Stub axle, rear, 6mm, extreme heavy duty (for use with #9052R steel CV driveshafts)

5452X U-joints, driveshaft (carrier (4)/ 4.5mm cross pin (4)/ 3mm headed pin (4)/ 4x15mm screw pin (2)/ hex pin (2)/ e-clips (10)/ 3x6x0.5 MW (8)) (metal parts for 2 driveshafts)

9087-BLUE Wheel hub, splined, 17mm, short (blue-anodized) (1)/ wheel nut, splined, 17mm (blue-anodized) (1)/ hub retainer, M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)

9087-GRAY Wheel hub, splined, 17mm, short (gray-anodized) (1)/ wheel nut, splined, 17mm (gray-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)

9087-GRN Wheel hub, splined, 17mm, short (green-anodized) (1)/ wheel nut, splined, 17mm (green-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)

9087-ORNG Wheel hub, splined, 17mm, short (orange-anodized) (1)/ wheel nut, splined, 17mm (orange-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)

9087-RED Wheel hub, splined, 17mm, short (red-anodized) (1)/ wheel nut, splined, 17mm (red-anodized) (1)/ hub retainer, M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)

9086 Wheel hubs, splined, 17mm, short (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)

9086-GRAY Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)

9086-GRN Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)

9086-ORNG Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)

9086-RED Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)

Extreme HD Upgrade Kit

9050 Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)

9050X Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)

9050-GRAY Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)

9050G Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)

9050T Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)

9050R Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)

9032 Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)

9032X Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)

9032-GRAY Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)

9032G Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)

9032T Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)

9032R Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)

9057 Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)

9051 Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)

9052 Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)

9051R Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)

9052R Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)

9080 Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, black

9080X Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, blue

9080-GRAY Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gray

9080G Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, green

9080T Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, orange

9080R Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, red

9043 Screw pins, 3x16mm, extreme heavy duty (6) (for use with #9080 upgrade kit)

9033-BLUE Shock tower, front (blue)

9033-GRAY Shock tower, front (gray)

9033-GRN Shock tower, front (green)

9033-ORNG Shock tower, front (orange)

9033-RED **Shock tower, front (red)**
9034-BLUE **Shock tower, rear (blue)**
9034-GRAY Shock tower, rear (gray)
9034-GRN **Shock tower, rear (green)**
9034-ORNG **Shock tower, rear (orange)**
9034-RED **Shock tower, rear (red)**
9037 **Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9037X **Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9037-GRAY Steering blocks, extreme heavy duty, gray (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9037G **Steering blocks, extreme heavy duty, green (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9037T **Steering blocks, extreme heavy duty, orange (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9037R **Steering blocks, extreme heavy duty, red (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9056 Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
9055 Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
9054 **Stub axle, front, 6mm, extreme heavy duty (for use with #9051R steel CV driveshafts)**
9053 **Stub axle, rear, 6mm, extreme heavy duty (for use with #9052R steel CV driveshafts)**
9042 Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)
9042X **Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)**
9087-BLUE Wheel hub, splined, 17mm, short (blue-anodized) (1)/ wheel nut, splined, 17mm (blue-anodized) (1)/ hub retainer, M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)
9087-GRAY **Wheel hub, splined, 17mm, short (gray-anodized) (1)/ wheel nut, splined, 17mm (gray-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)**
9087-GRN Wheel hub, splined, 17mm, short (green-anodized) (1)/ wheel nut, splined, 17mm (green-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)
9087-ORNG Wheel hub, splined, 17mm, short (orange-anodized) (1)/ wheel nut, splined, 17mm (orange-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)
9087-RED **Wheel hub, splined, 17mm, short (red-anodized) (1)/ wheel nut, splined, 17mm (red-anodized) (1)/ hub retainer, M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)**
9069 Wheel hubs, 12mm hex (steel), extreme heavy duty (4)/ 2x9.8mm pin (4) (for use with #9080 upgrade kit and 6mm axles)
9086 Wheel hubs, splined, 17mm, short (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
9086-GRAY **Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)**
9086-GRN Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
9086-ORNG Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
9086-RED **Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)**

Front Suspension & Steering

6823 Bulkhead tie bars, front & rear, aluminum (blue-anodized)
6823-GRAY **Bulkhead tie bars, front & rear, aluminum (gray-anodized)**
6823G **Bulkhead tie bars, front & rear, aluminum (green-anodized)**
6823-ORNG **Bulkhead tie bars, front & rear, aluminum (orange-anodized)**
6823R **Bulkhead tie bars, front & rear, aluminum (red-anodized)**
7430X Bulkhead, front
9029 Camber links, front, 90mm (80mm center to center) (2) (assembled with hollow balls)
9063-BLUE **Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized), left & right (for use with #9080 upgrade kit)**
9063-GRAY **Caster blocks (c-hubs), 6061-T6 aluminum (gray-anodized), left & right (for use with #9080 upgrade kit)**
9063-GRN **Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized), left & right (for use with #9080 upgrade kit)**
9063-ORNG **Caster blocks (c-hubs), 6061-T6 aluminum (orange-anodized), left & right (for use with #9080 upgrade kit)**
9063-RED **Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized), left & right (for use with #9080 upgrade kit)**
9032 **Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9032X **Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9032-GRAY Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9032G **Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9032T **Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9032R **Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9057 Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)
6845A **Drag link, machined 6061-T6 aluminum (blue-anodized)**
6845G **Drag link, machined 6061-T6 aluminum (green-anodized)**
6845T **Drag link, machined 6061-T6 aluminum (orange-anodized)**
6845R **Drag link, machined 6061-T6 aluminum (red-anodized)**
9051 Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
9051R **Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)**
6846 Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
3646 Screws, 3x15mm flat-head machine (hex drive) (6)
9061-BLUE **Shock tower brace (front) (6061-T6 aluminum, blue-anodized)**
9061-GRN **Shock tower brace (front) (6061-T6 aluminum, green-anodized)**
9061-ORNG **Shock tower brace (front) (6061-T6 aluminum, orange-anodized)**
9033-BLUE **Shock tower, front (blue)**
9033-GRAY Shock tower, front (gray)
9033-GRN **Shock tower, front (green)**
9033-ORNG **Shock tower, front (orange)**
9033-RED **Shock tower, front (red)**
6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
9064-BLUE **Steering blocks, 6061-T6 aluminum (blue-anodized), left & right (for use with #9080 upgrade kit)**
9064-GRAY **Steering blocks, 6061-T6 aluminum (gray-anodized), left & right (for use with #9080 upgrade kit)**
9064-GRN **Steering blocks, 6061-T6 aluminum (green-anodized), left & right (for use with #9080 upgrade kit)**
9064-ORNG **Steering blocks, 6061-T6 aluminum (orange-anodized), left & right (for use with #9080 upgrade kit)**
9064-RED **Steering blocks, 6061-T6 aluminum (red-anodized), left & right (for use with #9080 upgrade kit)**
9037 **Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9037X **Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9037-GRAY Steering blocks, extreme heavy duty, gray (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9037G **Steering blocks, extreme heavy duty, green (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9037T **Steering blocks, extreme heavy duty, orange (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9037R **Steering blocks, extreme heavy duty, red (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9056 Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
3655-BLK Suspension arms, black, front/rear (left & right), heavy duty (2)
3655-BLUE **Suspension arms, blue, front/rear (left & right), heavy duty (2)**
3655-GRN **Suspension arms, green, front/rear (left & right), heavy duty (2)**
3655-ORNG **Suspension arms, orange, front/rear (left & right), heavy duty (2)**
3655-RED **Suspension arms, red, front/rear (left & right), heavy duty (2)**
6834 Suspension pin set, complete (front and rear)
9042 Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)

9042X	**Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)**
9027	Toe links, molded composite, 98mm (88mm center to center) (black) (2)/ steering link (1)

Hardware

1552	3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)
1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1589	Double-sided adhesive tape (25mm x 25mm)
2745	Nuts, 3mm nylon locking (12)
1747	Nuts, 4mm nylon locking (10)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2586	Screws, 3x15mm cap-head machine (hex drive) (6)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
2583	Screws, 3x18 button-head machine (hex drive) (6)
2580	Screws, 3x20mm button-head machine (hex drive) (6)
2591	Screws, 3x23mm button-head machine (hex drive) (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
2592	Screws, 3x40mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2534	Screws, 3x6mm countersunk machine (6) (hex drive)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3937	Screws, 4x12mm button-head machine (hex drive) (6)
2542	Screws, 4x12mm countersunk machine (hex drive) (6)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)
2743	Set (grub) screws, 3mm hardened (12)
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
2754	Stub axle pins (4)
2746	Washers, 3x6mm metal (12)
7758A	Wheel nuts, splined, 17mm, serrated (black-anodized) (4)
7758	Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)
7758-GRAY	**Wheel nuts, splined, 17mm, serrated (gray-anodized) (4)**
7758G	Wheel nuts, splined, 17mm, serrated (green-anodized) (4)
7758T	Wheel nuts, splined, 17mm, serrated (orange-anodized) (4)
7758R	Wheel nuts, splined, 17mm, serrated (red-anodized) (4)

Motors & Electronics

1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2260	**BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)**
6790	Gear adapters, fixed, Rustler® 4x4
2072A	Gear set (for 2070, 2075 servos)
2287	**Gear set, metal (for 2280 servo)**
7460A	Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
7460R	**Motor mount, 6061-T6 aluminum (blue-anodized)**
3461	Motor, Velineon® 540XL, 2400Kv 70mm, brushless (assembled with 6.5mm gold-plated bullet connectors) (for Maxx®/Hoss®) (not for use in marine models)
7490	Plate, motor
7490G	**Plate, motor, green**
7490A	**Plate, motor, orange**
7490R	**Plate, motor, red**
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2254	**Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)**
2253	**Servo case, aluminum (middle) (red-anodized) (for 2255 servo)**
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	**Servo, digital high-speed, metal gear (ball bearing), waterproof**
2075	Servo, digital high-torque (ball bearing), waterproof
2250	**Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof**
2255	**Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof**
2280	**Servo, digital high-torque 600 brushless, metal gear (ball bearing), waterproof**
2075X	**Servo, digital high-torque, metal gear (ball bearing), waterproof**
3440	Velineon® VXL-4s Brushless Power System, waterproof (includes VXL-4s ESC and 2400Kv, 70mm motor)
3445	Velineon® VXL-4s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)

Radio System, Batteries & Chargers

2849X	**4000mah 11.1v 3-Cell 25C LiPo Battery**
2872X	**5000mah 11.1v 3-Cell 25C LiPo Battery**
2832X	**5000mah 11.1v 3-Cell 25C LiPo Battery**
2889X	**5000mah 14.8v 4-Cell 25C LiPo Battery (long)**
2842X	**5000mah 7.4v 2-Cell 25C LiPo Battery**
2844R	**5200mAh 7.4v 2-cell 35C LiPo Battery**
2843X	**5800mah 7.4v 2-Cell 25C LiPo Battery**
2857X	**6400mah 11.1v 3-Cell 25C LiPo Battery**
2869X	**7600mah 7.4v 2-Cell 25C LiPo Battery**
2976	**AC to DC adapter**
2938X	**Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)**
2943	**Battery charge indicators, green (4), grey (4), blue (4)**
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2914	**Battery, Power Cell AA Alkaline (4)**
2992	**Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® Battery (1))**
2970-2SR	**Battery/charger completer pack (includes #2970 iD® charger (1), #2844R 5200mAh 7.4V 2-cell 35C LiPo iD® Battery (1))**
2970-3S	**Battery/charger completer pack (includes #2970 iD® charger (1), #2872X 5000mAh 11.1V 3-cell 25C LiPo iD® Battery (1))**
2991	**Battery/charger completer pack (includes #2972 Dual iD charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2))**
2990	**Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2872X 5000mAh 11.1V 3-cell 25C LiPo iD® Battery (2))**
2985-2S	**Battery/charger completer pack (includes #2985 charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1))**
2985-3S	**Battery/charger completer pack (includes #2985 charger (1), #2872X 5000mAh 11.1V 3-cell 25C LiPo iD® Battery (1))**
2996X	**Battery/charger completer pack (includes 2971 EZ-Peak Live iD charger (1), 2889X 5000 mAh 14.8V 4-cell 25C LiPo battery (1))**
2260	**BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)**
2972	**Charger, EZ-Peak Live Dual, 100W, NiMH/ LiPo with ID Auto Battery Identification**
2973	**Charger, EZ-Peak Live Dual, 200W, NiMH/ LiPo with ID Auto Battery Identification**
2970	**Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification**
2981	**Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification**
2985	**Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification**
6512	Cover plate, Traxxas® Link Bluetooth® module
2971	**EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®**
2978	**Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)**
2072A	Gear set (for 2070, 2075 servos)
2968X	**LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)**
2968	**LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)**
6563	**Mount, telemetry expander (attaches to chassis brace (T-Bar))**
6535	**Mount, temperature sensor (electric motors)/ wire tie/ thermal pad**
6533X	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
6520	**Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)**
6521	**Sensor, temperature and voltage (long)**
2254	**Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)**
2253	**Servo case, aluminum (middle) (red-anodized) (for 2255 servo)**
2251	**Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)**
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	**Servo, digital high-speed, metal gear (ball bearing), waterproof**
2075	Servo, digital high-torque (ball bearing), waterproof
2250	**Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof**
2255	**Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof**
2075X	**Servo, digital high-torque, metal gear (ball bearing), waterproof**
6550X	**Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)**
6551X	**Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)**
6539	**Telemetry trigger magnet holder, center differential/ magnet, 5x2mm (1)/ 3x8mm BCS (3) (for use with #6814 center differential)**
6538	**Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)**

6540 **Telemetry trigger magnet, 5X2mm (1)**
6528X Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529X **Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)**
6530X **Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)**
6511 **Traxxas® Link Bluetooth® module**

Ready-To-Race Model

90386-4 Jato 4X4 VXL: 1/8 Scale 4WD Electric Racing Buggy with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)®

Rear Suspension

6823 Bulkhead tie bars, front & rear, aluminum (blue-anodized)
6823-GRAY **Bulkhead tie bars, front & rear, aluminum (gray-anodized)**
6823G **Bulkhead tie bars, front & rear, aluminum (green-anodized)**
6823-ORNG **Bulkhead tie bars, front & rear, aluminum (orange-anodized)**
6823R **Bulkhead tie bars, front & rear, aluminum (red-anodized)**
7429 Bulkhead, rear
9028 Camber links, rear, 81mm (71mm center to center) (2) (assembled with hollow balls)
9065-RED **Carriers, stub axle, 6061-T6 aluminum, left & right (red-anodized) (for use with #9080 upgrade kit)**
9065-BLUE **Carriers, stub axle, rear, 6061-T6 aluminum, left & right (blue-anodized) (for use with #9080 upgrade kit)**
9065-GRAY **Carriers, stub axle, rear, 6061-T6 aluminum, left & right (gray-anodized) (for use with #9080 upgrade kit)**
9065-GRN **Carriers, stub axle, rear, 6061-T6 aluminum, left & right (green-anodized) (for use with #9080 upgrade kit)**
9065-ORNG **Carriers, stub axle, rear, 6061-T6 aluminum, left & right (orange-anodized) (for use with #9080 upgrade kit)**
9050 **Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9050X **Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9050-GRAY Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050G **Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9050T **Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9050R **Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9052 Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
9052R **Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)**
9034-BLUE **Shock tower, rear (blue)**
9034-GRAY Shock tower, rear (gray)
9034-GRN **Shock tower, rear (green)**
9034-ORNG **Shock tower, rear (orange)**
9034-RED **Shock tower, rear (red)**
9056 Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
9055 Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
3655-BLK Suspension arms, black, front/rear (left & right), heavy duty (2)
3655-BLUE **Suspension arms, blue, front/rear (left & right), heavy duty (2)**
3655-GRN **Suspension arms, green, front/rear (left & right), heavy duty (2)**
3655-ORNG **Suspension arms, orange, front/rear (left & right), heavy duty (2)**
3655-RED **Suspension arms, red, front/rear (left & right), heavy duty (2)**
6834 Suspension pin set, complete (front and rear)
9042 Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)
9042X **Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)**

Shock Oil

5031 **Oil, shock (20 wt, 200 cSt, 60cc) (silicone)**
5032 **Oil, shock (30 wt, 350 cSt, 60cc) (silicone)**
5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035 **Oil, shock (60 wt, 700 cSt, 60cc) (silicone)**
5036 **Oil, shock (70 wt, 900 cSt, 60cc) (silicone)**
5037 **Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)**
5029 **Shock oil bottle (60cc) (for mixing shock oil)**
5038X **Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)**
5038 **Spinning carousel rack**

Shocks (GTR)

7467 Body, GTR xx-long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
7467A Body, GTR xx-long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)
7467R **Body, GTR xx-long shock, aluminum (red-anodized) (PTFE-coated bodies) (1)**
7468 Caps and spring retainers, GTR long/xx-long shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
5475 **Multi-tool (plastic)**
5158 **Nuts, 2.5mm nylon locking (12)**
7463 Rebuild kit, GTR long/xx-long shocks (x-rings, bladders, pistons, piston nuts, shock rod ends, hollow balls) (renews 2 shocks)
7465 Shaft, GTR xx-long (steel, chrome finish) (2)
7465T **Shaft, GTR xx-long, TiN-coated (2)**
8456 **Shock caps, aluminum (black-anodized), Fox® shocks (4)**
8457 **Shock caps, aluminum (blue-anodized), King® shocks (4)**
7462 Shocks, GTR xx-long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7462G Shocks, GTR xx-long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7462-ORNG Shocks, GTR xx-long orange-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7462-PINK Shocks, GTR xx-long pink-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7462-RED **Shocks, GTR xx-long red-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7462X **Shocks, GTR xx-long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)**
8459 Spring retainers, lower (captured) (4)/ 2.5x10 CS (4)
7440 **Spring, shock, white (GTR long) (0.623 rate orange) (1 pair)**
7441 **Spring, shock, white (GTR long) (0.653 rate green) (1 pair)**
7444 **Spring, shock, white (GTR long) (0.767 rate black) (1 pair)**
7445 **Spring, shock, white (GTR long) (0.810 rate pink) (1 pair)**
7448 **Spring, shock, white (GTR long) (0.892 rate blue) (1 pair)**
7442 **Spring, shock, white (GTR xx-long) (0.711 rate orange) (1 pair)**
7443 Spring, shock, white (GTR xx-long) (0.762 rate green) (1 pair)
7446 **Spring, shock, white (GTR xx-long) (0.874 rate black) (1 pair)**
7447 **Spring, shock, white (GTR xx-long) (0.884 rate pink) (1 pair)**
7449 Spring, shock, white (GTR xx-long) (1.004 rate blue) (1 pair)

Spur Gears & Pinion Gears

6790 Gear adapters, fixed, Rustler® 4x4
5641 **Gear, 11-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw**
5642 **Gear, 13-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw**
5640 Gear, 14-T pinion (0.8 metric pitch, compatible with 32-pitch) (hardened steel) (fits 5mm shaft)/ set screw
5651 **Gear, 15-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw**
5652 **Gear, 16-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw**
5643 **Gear, 17-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw**
5644 **Gear, 18-T pinion (0.8 metric pitch, compatible with 32-pitch) (hardened steel) (fits 5mm shaft)/ set screw**
5646 **Gear, 20-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw**
2743 Set (grub) screws, 3mm hardened (12)
6842X Spur gear, steel, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)
3956X **Spur gear, steel, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)**

Steering Components

6845A **Drag link, machined 6061-T6 aluminum (blue-anodized)**
6845G **Drag link, machined 6061-T6 aluminum (green-anodized)**
6845T **Drag link, machined 6061-T6 aluminum (orange-anodized)**
6845R **Drag link, machined 6061-T6 aluminum (red-anodized)**

1552	Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering

Suspension Linkage

9029	Camber links, front, 90mm (80mm center to center) (2) (assembled with hollow balls)
9028	Camber links, rear, 81mm (71mm center to center) (2) (assembled with hollow balls)
6834	Suspension pin set, complete (front and rear)
9042	Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)
9042X	**Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)**
9027	Toe links, molded composite, 98mm (88mm center to center) (black) (2)/ steering link (1)

Team Traxxas Items

9916	**Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)**
2514	**Decal sheet, racing sponsors**
9917	**Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)**
9950	**Official Team Traxxas® racing decal set(flag logo/ 6-color)**
9909	**Traxxas® racing banner, red & black (3x7 feet)**

Tires & Wheels

5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
3981	PTFE-coated Washers, 6x9.5x0.5mm (10) (use with ball bearings)
2754	Stub axle pins (4)
9071-GRAY	**Tires & wheels, assembled, glued (3.0" gray wheels, Sledgehammer® belted tires, foam inserts) (2)**
9073	**Tires & wheels, assembled, glued (3.0" gray wheels, Sledgehammer® tires, foam inserts) (2)**
9074-BLK	**Tires & wheels, assembled, glued (black dished 3.0" wheels, Response Pro 3.0" tires, foam inserts) (2)**
9074-GRN	**Tires & wheels, assembled, glued (green dished 3.0" wheels, Response Pro 3.0" tires, foam inserts) (2)**
9074-WHT	Tires & wheels, assembled, glued (white dished 3.0" wheels, Response Pro 3.0" tires, foam inserts) (2)
9074-YLW	**Tires & wheels, assembled, glued (yellow dished 3.0" wheels, Response Pro 3.0" tires, foam inserts) (2)**
9087-BLUE	Wheel hub, splined, 17mm, short (blue-anodized) (1)/ wheel nut, splined, 17mm (blue-anodized) (1)/ hub retainer, M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)
9087-GRAY	**Wheel hub, splined, 17mm, short (gray-anodized) (1)/ wheel nut, splined, 17mm (gray-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)**
9087-GRN	Wheel hub, splined, 17mm, short (green-anodized) (1)/ wheel nut, splined, 17mm (green-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)
9087-ORNG	Wheel hub, splined, 17mm, short (orange-anodized) (1)/ wheel nut, splined, 17mm (orange-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)
9087-RED	**Wheel hub, splined, 17mm, short (red-anodized) (1)/ wheel nut, splined, 17mm (red-anodized) (1)/ hub retainer, M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)**
9086	Wheel hubs, splined, 17mm, short (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
9086-GRAY	**Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)**
9086-GRN	Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
9086-ORNG	Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
9086-RED	**Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)**
7758A	Wheel nuts, splined, 17mm, serrated (black-anodized) (4)
7758	Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)
7758-GRAY	**Wheel nuts, splined, 17mm, serrated (gray-anodized) (4)**
7758G	Wheel nuts, splined, 17mm, serrated (green-anodized) (4)
7758T	Wheel nuts, splined, 17mm, serrated (orange-anodized) (4)
7758R	**Wheel nuts, splined, 17mm, serrated (red-anodized) (4)**
5480X	Wheel wrench, splined, 17mm
9070-WHT	**Wheels, dished, 3.0" (white)**
9070-YLW	**Wheels, dished, 3.0" (yellow) (2)**

Traxxas Tools

3433X	**Body reamer (aluminum handle)**
3433	**Body reamer (plastic handle)**
3436	**Cap, body reamer**
3425	**Rubber pit mat, 16x24x0.28**
3426	**Rubber pit mat, 36x20**
3432	**Scissors, curved tip**
3431	**Scissors, straight tip**
8712	**Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive**
8720	**Speed bit handle, large (overmolded)**
8721	**Speed bit handle, medium (one piece)**
8722	**Speed bit handle, premium (rubber overmold)**
8710	**Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
8711	**Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
8719	**Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
8716	**Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive**
8716X	**Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive**
8715	**Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive**
8715X	**Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
8714	**Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive**
2748R	**Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)**
3415	**Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)**

Turnbuckles & Threaded Rods

9029	Camber links, front, 90mm (80mm center to center) (2) (assembled with hollow balls)
9028	Camber links, rear, 81mm (71mm center to center) (2) (assembled with hollow balls)
9027	Toe links, molded composite, 98mm (88mm center to center) (black) (2)/ steering link (1)
9062	**Turnbuckle (2), camber link, front (2), camber link, rear (2), titanium**

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM