4-Tec® 2.0 Nissan® 240SX (Model 93424-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

5119A	**Ball bearings, black rubber sealed (10x15x4mm) (2)**
5120A	**Ball bearings, black rubber sealed (12x18x4mm) (2)**
5116A	**Ball bearings, black rubber sealed (5x11x4mm) (2)**
5114A	**Ball bearings, black rubber sealed (5x8x2.5mm) (2)**
5105A	**Ball bearings, black rubber sealed (6x10x3mm) (2)**
5118A	**Ball bearings, black rubber sealed (8x16x5mm) (2)**
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5105	**Ball bearings, blue rubber sealed (6x10x3mm) (2)**
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5114	**Ball bearings, blue rubber shield (5x8x2.5mm) (2)**
2545	Bushings (plastic) (5x8x2.5mm) (4)

Body & Accessories

10522	Body mount, rear/ 3x8mm FCS (1) (for clipless body mounting) (fits #10515 body)
10515	**Body, Nissan® 240SX (clear, trimmed, requires painting)/ decal sheet (includes side mirrors, spoiler, grilles, hardware, & clipless mounting)**
10515-BLK	**Body, Nissan® 240SX, complete (black) (painted, decals applied) (includes side mirrors, spoiler, grilles, & clipless mounting)**
10515-RED	**Body, Nissan® 240SX, complete (red) (painted, decals applied) (includes side mirrors, spoiler, grilles, & clipless mounting)**
9393	Decal sheets, Nissan® 240SX
10523	Latch, body mount, front (for clipless body mounting) (fits #10515 body)
10519	Mirrors, side, black (left & right)/ mirror retainers (2)/ spoiler, black/ bumper inserts (left & right)/ 3x10mm BCS (8)/ 2.5x10mm BCS (2) (fits #10515 body)

Brake Components

8367	Brake calipers (red), front (2)/ rear (2)
8356	Wheel hubs, hex (disc brake rotors) (4)

Center Driveline

8355X	**Driveshaft, center, aluminum (blue-anodized)**
8355	**Driveshaft, center, aluminum / pin**
8355G	**Driveshaft, center, aluminum / pin, green**
8355R	**Driveshaft, center, aluminum / pin, red**
8349	Driveshaft, center, steel/ pin
8381	Housing, differential (front)
8380	Housing, differential (rear)

Chassis & Attachments

3698	Access plug, rubber (receiver box)
1926	Antenna caps, vinyl (2)/ antenna spool
1726	**Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)**
1726A	Antenna, tube, black (1)/ vinyl antenna cap (1)/ wire retainer (1)
8327-BLUE	**Battery hold-down, 6061-T6 aluminum (blue-anodized)**
8327-GRAY	**Battery hold-down, 6061-T6 aluminum (gray-anodized)**
8327-GRN	**Battery hold-down, 6061-T6 aluminum (green-anodized)**
8327-ORNG	**Battery hold-down, 6061-T6 aluminum (orange-anodized)**
8327-RED	**Battery hold-down, 6061-T6 aluminum (red-anodized)**
8327	Battery hold-down/ battery clip/ hold-down post/screw pin (for 256mm wheelbase)
9314	Body mount, rear (for clipless body mounting)
8324	Box, receiver (sealed)(steering servo mount)/ receiver cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (3)
8330	Bulkhead, front
8329	Bulkhead, rear
10536	Bumper, front (1 each, upper, lower, & foam)
8322X	Chassis
8321	Chassis brace (front)
8321-BLUE	**Chassis brace, front, 6061-T6 aluminum (blue-anodized)**
8321-GRAY	**Chassis brace, front, 6061-T6 aluminum (gray-anodized)**
8321-GRN	**Chassis brace, front, 6061-T6 aluminum (green-anodized)**
8321-ORNG	**Chassis brace, front, 6061-T6 aluminum (orange-anodized)**
8321-RED	**Chassis brace, front, 6061-T6 aluminum (red-anodized)**
8323	Gear cover (rear chassis brace)
8390	Plate, motor
8338	Shock towers, front & rear
10532	Splitter, front

Differential Components

5381	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
5136X	**Differential oil kit (1.7 oz (50cc) of 1 each: 10K, 30K, 50K weights)**
6882X	Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)
8381	Housing, differential (front)
8380	Housing, differential (rear)
8379	**Housing, spool / spool shaft/ bushing**
5135	Oil, differential (10K wt) (1.7 oz (50cc))
5136	Oil, differential (30K wt) (1.7 oz (50cc))
6879R	**Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)**
6879	Ring gear, differential/ pinion gear, differential (rear)

Driveline Components

8353X	**Drive cups, inner (2) (steel constant-velocity driveshafts)**
8353	Drive cups, inner (2)/ screw pins (2)
8355X	**Driveshaft, center, aluminum (blue-anodized)**
8355	Driveshaft, center, aluminum / pin
8355G	**Driveshaft, center, aluminum / pin, green**
8355R	**Driveshaft, center, aluminum / pin, red**
8350	Driveshaft, front (2)
8351	Driveshaft, rear (2)
8350X	**Driveshafts, steel constant-velocity (assembled), front (2)**
8351X	**Driveshafts, steel constant-velocity (assembled), rear (2)**
8382	O-rings (12)
2754	Stub axle pins (4)
8354	Stub axles (front or rear) (2)
8356	Wheel hubs, hex (disc brake rotors) (4)

Front Suspension & Steering

8330	Bulkhead, front
8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)
8346	**Camber links, steel, front (32mm) (2)**
8332	Caster blocks (c-hubs) (2)/ kingpin bushings (4)
8334	Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
8334X	**Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)**
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
8345	**Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))**
8344X	Servo saver/ servo saver spring/ servo saver horn, steering
8338	Shock towers, front & rear
8343	Steering bellcranks/ hardware
8337	Steering block (2)
2754	Stub axle pins (4)
8354	Stub axles (front or rear) (2)
8333	Suspension arms, front (left & right)
8340	Suspension pin set, complete (front & rear)
8398	**Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage)**
8342	**Toe links, steel (34mm) (2)**
8341X	**Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench**
8341R	**Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench**

Hardware

1552	3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)
4859	CS 3x10 flathead (hex drive)
1633	E-clips/ C-rings
8347	Nuts, 4mm flanged nylon locking, serrated (black) (10)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
3236	Screws, 2.5x12mm cap-head machine (6)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2587	Screws, 3x10mm caphead machine (6) (no washer)
2551	Screws, 3x10mm countersunk machine (6) (hex drive)
2578	Screws, 3x12mm button-head machine (hex drive) (6)

2552 Screws, 3x12mm countersunk machine (6) (hex drive)
2593 Screws, 3x14mm button-head machine (hex drive) (6)
2579 Screws, 3x15mm button-head machine (hex drive) (6)
2553 Screws, 3x15mm countersunk machine (6) (hex drive)
2550 Screws, 3x8mm countersunk machine (6) (hex drive)
8356 Wheel hubs, hex (disc brake rotors) (4)

LED Lights

10590-BLUE LED light set, blue, complete (underbody) (fits 4-Tec® 2.0 or 4-Tec® Drift)
10590-GRN LED light set, green, complete (underbody) (fits 4-Tec® 2.0 or 4-Tec® Drift)
10590-RED LED light set, red, complete (underbody) (fits 4-Tec® 2.0 or 4-Tec® Drift)
10590-WHT LED light set, white, complete (underbody) (fits 4-Tec® 2.0 or 4-Tec® Drift)

Motors & Electronics

2260 BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
2072A Gear set (for 2070, 2075 servos)
2059 Gear set, metal (for 2057 servos)
3351R Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
8390 Plate, motor
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
8345 Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
8344X Servo saver/ servo saver spring/ servo saver horn, steering
2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
2075 Servo, digital high-torque (ball bearing), waterproof
2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
2057 Servo, metal gear, waterproof
3350R Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control mounting plate (part #3725))
3355R VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)

Radio System, Batteries & Chargers

2827X 3000mah 7.4v 2-Cell LiPo Battery
2849X 4000mah 11.1v 3-Cell 25C LiPo Battery
2832X 5000mah 11.1v 3-Cell 25C LiPo Battery
2872X 5000mah 11.1v 3-Cell 25C LiPo Battery
2842X 5000mah 7.4v 2-Cell 25C LiPo Battery
2844R 5200mAh 7.4v 2-cell 35C LiPo Battery
2843X 5800mah 7.4v 2-Cell 25C LiPo Battery
2869X 7600mah 7.4v 2-Cell 25C LiPo Battery
2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
1926 Antenna caps, vinyl (2)/ antenna spool
1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1726A Antenna, tube, black (1)/ vinyl antenna cap (1)/ wire retainer (1)
2943 Battery charge indicators, green (4), grey (4), blue (4)
6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2914 Battery, Power Cell AA Alkaline (4)
2983 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
2992 Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® Battery (1))
2970-2SR Battery/charger completer pack (includes #2970 iD® charger (1), #2844R 5200mAh 7.4V 2-cell 35C LiPo iD® Battery (1))
2991 Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2))
2985-2S Battery/charger completer pack (includes #2985 charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1))
2260 BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
2972 Charger, EZ-Peak Live Dual, 100W, NiMH/ LiPo with ID Auto Battery Identification
2973 Charger, EZ-Peak Live Dual, 200W, NiMH/ LiPo with ID Auto Battery Identification
2970 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
2981 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
2985 Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification
6525 Communication link, telemetry expander
6512 Cover plate, Traxxas® Link Bluetooth® module
2971 EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®
2978 Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
2072A Gear set (for 2070, 2075 servos)
2059 Gear set, metal (for 2057 servos)
2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6560 Mount, telemetry expander (fits 4-Tec® 2.0 & 3.0)
6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
2912 Power adapter, AC, USB-C (45W) (110 volt, North America only)
2916 Power cable, USB-C, 100W (high output), 5 ft. (1.5m)
6533X Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
6568-3CH Receiver, micro, TQi Sport, 2.4GHz with TSM® (3-channel)
6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)
6521 Sensor, temperature and voltage (long)
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
8345 Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
8344X Servo saver/ servo saver spring/ servo saver horn, steering
2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
2075 Servo, digital high-torque (ball bearing), waterproof
2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
2057 Servo, metal gear, waterproof
6553X Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6509A TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
6507A TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
6576 TQi Sport 2.4 GHz High Output radio system, 2-channel, TSM® (2-channel transmitter, 3-channel micro receiver)
6579-2CH TQi Sport Compact 2.4 GHz High Output radio system, 2-channel, TSM® (2-channel transmitter, 3-channel micro receiver)
6505-2CH Transmitter, TQi Sport Compact 2.4GHz, 2-channel (transmitter only)
6506-2CH Transmitter, TQi Sport, 2.4GHz high output, 2-channel (transmitter only)
6529R Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (with brake button) (transmitter only)
6528X Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529X Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
6530X Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511 Traxxas® Link Bluetooth® module

Ready-To-Race Model

93424-4 4-Tec® 2.0 Nissan® 240SX: 1/10 Scale AWD Street Car with TQi™ Sport Radio System & Traxxas Stability Management (TSM)

Rear Suspension

8329 Bulkhead, rear
8348 Camber links, steel, rear (28mm) (2)
8352 Carriers, stub axle (left & right)
8352X-BLUE Carriers, stub axle, 6061-T6 aluminum (blue-anodized), (left & right)/ 3x12mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with threadlock) (2)
8352X-GRAY Carriers, stub axle, 6061-T6 aluminum (gray-anodized), left & right/ 3x12mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with threadlock) (2)
8352X-GRN Carriers, stub axle, 6061-T6 aluminum (green-anodized) (left & right)/ 3x12mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with threadlock) (2)
8352X-ORNG Carriers, stub axle, 6061-T6 aluminum (orange-anodized) (left & right)/ 3x12mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with threadlock) (2)
8352X-RED Carriers, stub axle, 6061-T6 aluminum (red-anodized), (left & right)/ 3x12mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with threadlock) (2)

8334 Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
8334X Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
10539-BLUE Shock tower, rear, 6061-T6 aluminum (blue-anodized)/ 3x15mm BCS (with threadlock) (2)/ 3x10mm BCS (with threadlock) (2)
10539-GRAY Shock tower, rear, 6061-T6 aluminum (gray-anodized)/ 3x15mm BCS (with threadlock) (2)/ 3x10mm BCS (with threadlock) (2)
10539-GRN Shock tower, rear, 6061-T6 aluminum (green-anodized)/ 3x15mm BCS (with threadlock) (2)/ 3x10mm BCS (with threadlock) (2)
10539-ORNG Shock tower, rear, 6061-T6 aluminum (orange-anodized)/ 3x15mm BCS (with threadlock) (2)/ 3x10mm BCS (with threadlock) (2)
10539-RED Shock tower, rear, 6061-T6 aluminum (red-anodized)/ 3x15mm BCS (with threadlock) (2)/ 3x10mm BCS (with threadlock) (2)
8338 Shock towers, front & rear
2754 Stub axle pins (4)
8354 Stub axles (front or rear) (2)
8331 Suspension arms, rear (left & right)
8340 Suspension pin set, complete (front & rear)
8398 Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage)
8341X Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341R Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

Shock Oil

5031 Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035 Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036 Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029 Shock oil bottle (60cc) (for mixing shock oil)
5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
5038 Spinning carousel rack

Shocks (Pro-level Aluminum)

2658 Big-bore shocks (short) (hard-anodized & PTFE-coated T-6 aluminum) (assembled with TiN shafts) with springs (f/r) (2)
2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X Rod ends, short (6)/ hollow balls (6)
8361 Shock caps (black) (4) (assembled with hollow balls)
2667 Shock caps, aluminum (2) (Big Bore Shocks)
4262 Shock shaft, hard chrome (32mm) (rear) (2)
4262T Shock shafts, hardened steel, titanium nitride coated (32mm) (2)
1765 Silicone diaphragms (4)
2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)

Shocks (Ultra Shocks)

1633 E-clips/ C-rings
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X Rod ends, short (6)/ hollow balls (6)
8361 Shock caps (black) (4) (assembled with hollow balls)
2362 Shock rebuild kit (for 2 shocks)
4262 Shock shaft, hard chrome (32mm) (rear) (2)
4262T Shock shafts, hardened steel, titanium nitride coated (32mm) (2)
1765 Silicone diaphragms (4)
3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
8360 Ultra Shocks (grey) (short) (includes spring pre-load spacers) (2)

Springs

8362X Spring, shock (blue) (2)
8362G Spring, shock (green) (2)
8366 Spring, shock (red) (2.8 rate, white stripe) (2)
8365 Spring, shock (red) (3.325 rate, orange stripe) (2)
8362 Spring, shock (red) (3.7 rate) (2)
8363 Spring, shock (red) (4.075 rate, green stripe) (2)
8364 Spring, shock (red) (4.4 rate, black stripe) (2)

Spur Gears & Pinion Gears

2728 Ball bearings (5x8x2.5mm) (2)
8323 Gear cover (rear chassis brace)
1918 Gear, 18-T pinion (48-pitch) / set screw
2419 Gear, 19-T pinion (48-pitch) / set screw
2421 Gear, 21-T pinion (48-pitch) / set screw
2422 Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw
2423 Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw
2424 Gear, 24-T pinion (48-p) (fits 3mm shaft)/ set screw
2426 Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw
4728 Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw
4725 Gear, pinion (25-tooth) (48-pitch) / set screw
8359 Spur gear, 62-tooth
8357 Spur gear, 70-tooth
8368 Spur gear, 72 tooth (48 pitch)

Steering Components

8341 Camber link/toe link set (plastic/ non-adjustable) (front & rear)
5347 Rod ends, Revo® (large) with hollow balls (12)
8345 Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
8344X Servo saver/ servo saver spring/ servo saver horn, steering
8343 Steering bellcranks/ hardware
8342 Toe links, steel (34mm) (2)
8341X Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341R Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

Suspension Linkage

8341 Camber link/toe link set (plastic/ non-adjustable) (front & rear)
8346 Camber links, steel, front (32mm) (2)
8348 Camber links, steel, rear (28mm) (2)
5347 Rod ends, Revo® (large) with hollow balls (12)
8342 Toe links, steel (34mm) (2)
8341X Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341R Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

Team Traxxas Items

9916 Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)
2514 Decal sheet, racing sponsors
9917 Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)
9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)
9909 Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

9378-WHT Tires & wheels, assembled, glued (six spoke white wheels, 1.9" Response tires) (extra wide, rear) (2) (VXL rated)
9377-WHT Tires & wheels, assembled, glued (six spoke white wheels, 1.9" Response tires) (front) (2) (VXL rated)

Traxxas Tools

3433X Body reamer (aluminum handle)
3433 Body reamer (plastic handle)
3436 Cap, body reamer
3425 Rubber pit mat, 16x24x0.28
3426 Rubber pit mat, 36x20
3432 Scissors, curved tip
3431 Scissors, straight tip
8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8720 Speed bit handle, large (overmolded)
8721 Speed bit handle, medium (one piece)
8722 Speed bit handle, premium (rubber overmold)
8710 Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive

8711	**Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
8719	**Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
8716	**Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive**
8716X	**Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive**
8715	**Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive**
8715X	**Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
8714	**Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive**
2748R	**Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)**
3415	**Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)**

Turnbuckles & Threaded Rods

8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)
8346	**Camber links, steel, front (32mm) (2)**
8348	**Camber links, steel, rear (28mm) (2)**
5347	Rod ends, Revo® (large) with hollow balls (12)
8342	**Toe links, steel (34mm) (2)**
8341X	**Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench**
8341R	**Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench**

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM