

ICECO



Portable Freezer



VL PRO



APL

Car & Home Use	✓	✓
App Controlled	✓	✓
LED Light	✓	✓
Rapid Cooling	✓	✓
Energy Conservation	✓	✓
Thermal Insulation	✓	✓
Ultra-Quiet Operation	✓	✓
Two-Sided Power Input	✓	✓
SECOP-Compressor	✓	✓
Multi-Opening-Lid	✓	✗
40° Tilt	✓	✓
3-level Battery Protection	✓	✓
Divider	✗	✓
Soft-Close	✗	✓
Magnetic Outer Shell	✓	✓
Lid Ajar Warning Alarm	✗	✓
Ambient Light	✗	✓

APL SERIES

APL20 Black IC-F-APL20-B



SINGLE ZONE

Capacity 20 Litres
Cooling Range -20°C to +20°C
Consumption 0,293KW.H/24H
Product Dimension 636*379*294 mm
Net Weight 10,4 kg
Package Dimension 714*444*388 mm

APL20 Silver IC-F-APL20-S



SINGLE ZONE

Capacity 20 Litres
Cooling Range -20°C to +20°C
Consumption 0,293KW.H/24H
Product Dimension 636*379*294 mm
Net Weight 10,4 kg
Package Dimension 714*444*388 mm

APL35 Black IC-F-APL35-B



DUAL ZONE

Capacity 35 Litres
Cooling Range -20°C to +20°C
Consumption 0,381KW.H/24H
Product Dimension 686*364*398 mm
Net Weight 14,5 kg
Package Dimension 830*445*505 mm

APL35 Silver IC-F-APL35-S



DUAL ZONE

Capacity 35 Litres
Cooling Range -20°C to +20°C
Consumption 0,381KW.H/24H
Product Dimension 686*364*398 mm
Net Weight 14,5 kg
Package Dimension 830*445*505 mm

APL55 Black IC-F-55L-D



DUAL ZONE

Capacity 55 Litres
Cooling Range -20°C to +20°C
Consumption 0,326KW.H/24H
Product Dimension 754*480*490 mm
Net Weight 28,7 kg
Package Dimension 810*575*575 mm

APL55 Silver IC-F-55L-D-S



DUAL ZONE

Capacity 55 Litres
Cooling Range -20°C to +20°C
Consumption 0,326KW.H/24H
Product Dimension 754*480*490 mm
Net Weight 28,7 kg
Package Dimension 810*575*575 mm

Accessories

80W Foldable Solar Panel IC-A-80WSP

Magnetic Power Bank 250WH IC-A-MPB

VL PRO SERIES

VL45 PROD Gray IC-F-VL45PROD



DUAL ZONE

Capacity 42,5 Litres
Cooling Range -18°C to +10°C
Consumption 0,510KW.H/24H
Product Dimension 714*404*460 mm
Net Weight 24,2 kg
Package Dimension 770*520*555 mm

VL60 PROS Black IC-F-VL60PROS-B



SINGLE ZONE

Capacity 60 Litres
Cooling Range -18°C to +10°C
Consumption 0,548KW.H/24H
Product Dimension 767*470*460 mm
Net Weight 26,8 kg
Package Dimension 830*590*555 mm

VL60 PROS Gray IC-F-VL60PROS-G



SINGLE ZONE

Capacity 60 Litres
Cooling Range -18°C to +10°C
Consumption 0,548KW.H/24H
Product Dimension 767*470*460 mm
Net Weight 26,8 kg
Package Dimension 830*590*555 mm

VL60 PROS Olive IC-F-VL60PROS-O



SINGLE ZONE

Capacity 60 Litres
Cooling Range -18°C to +10°C
Consumption 0,548KW.H/24H
Product Dimension 767*470*460 mm
Net Weight 26,8 kg
Package Dimension 830*590*555 mm

VL75 PROD Gray IC-F-VL75PROD-G



DUAL ZONE

Capacity 75 Litres
Cooling Range -18°C to +10°C
Consumption 0,636KW.H/24H
Product Dimension 927*470*460 mm
Net Weight 31,6 kg
Package Dimension 990*590*555 mm

VL75 PROD Olive IC-F-VL75PROD-G



DUAL ZONE

Capacity 75 Litres
Cooling Range -18°C to +10°C
Consumption 0,636KW.H/24H
Product Dimension 927*470*460 mm
Net Weight 31,6 kg
Package Dimension 990*590*555 mm